

С.И Иванов
1 декабря 2011 года

В.Н.Данилов
1 декабря 2011 года

Версия 1В-2012

Действителен с 1.01.2012

наименование	модель	описание	вес	цена
Шнеки: Е - для мягкого грунта; Т-для твердого грунта ; R-для скального грунта	EBG 150E	Earth teeth auger D=150 mm; space between spirals 120mm; spiral height 750 mm	30 кг	35 100р.
	EBG 150R	Rock teeth auger; D=150 mm; space between spirals 120mm; spiral height 750 mm	29 кг	44 600р.
	EBG 150T	Tungsten teeth auger; D=150 mm; space between spirals 120mm; spiral height 750 mm	29 кг	46 800р.
	EBG 200E	Earth teeth auger D=200 mm; space between spirals 150 mm; spiral height 750 mm	30 кг	44 500р.
	EBG 200R	Rock teeth auger; D=200 mm; space between spirals 150mm; spiral height 750 mm	33 кг	57 100р.
	EBG 200T	Tungsten teeth auger; D=200 mm; space between spirals 150mm; spiral height 750 mm	33 кг	48 400р.
	EBG 225E	Earth teeth auger D=225 mm; space between spirals 150 mm; spiral height 750 mm	38 кг	44 100р.
	EBG 225R	Rock teeth auger; D=225 mm; space between spirals 150mm; spiral height 750 mm	38 кг	60 700р.
	EBG 225T	Tungsten teeth auger; D=225 mm; space between spirals 150mm; spiral height 750 mm	36 кг	51 400р.
	EBG 250E	Earth teeth auger D=250 mm; space between spirals 150 mm; spiral height 750 mm	42 кг	48 400р.
	EBG 250R	Rock teeth auger; D=250 mm; space between spirals 150mm; spiral height 750 mm	42 кг	62 700р.
	EBG 250T	Tungsten teeth auger; D=250 mm; space between spirals 150mm; spiral height 750 mm	42 кг	53 200р.
	EBG 300E	Earth teeth auger D=300 mm; space between spirals 200mm; spiral height 700 mm	50 кг	50 400р.
	EBG 300R	Rock teeth auger; D=300 mm; space between spirals 200mm; spiral height 700 mm	47 кг	70 900р.
	EBG 300T	Tungsten teeth auger; D=300 mm; space between spirals 200mm; spiral height 700 mm	47 кг	56 500р.
	EBG 350E	Earth teeth auger D=350 mm; space between spirals 225mm; spiral height 675 mm	52 кг	54 000р.
	EBG 350R	Rock teeth auger; D=350 mm; space between spirals 225mm; spiral height 675 mm	52 кг	69 800р.
	EBG 350T	Tungsten teeth auger; D=350 mm; space between spirals 225mm; spiral height 675 mm	52 кг	59 700р.
	EBG 400E	Earth teeth auger D=400 mm; space between spirals 250mm; spiral height 625 mm	54 кг	57 900р.
	EBG 400R	Rock teeth auger; D=400 mm; space between spirals 250mm; spiral height 625 mm	54 кг	77 600р.
	EBG 400T	Tungsten teeth auger; D=400 mm; space between spirals 250mm; spiral height 625 mm	54 кг	75 200р.
	EBG 450E	Earth teeth auger D=450 mm; space between spirals 250mm; spiral height 625 mm	64 кг	59 800р.
	EBG 450R	Rock teeth auger; D=450 mm; space between spirals 250mm; spiral height 675 mm	64 кг	81 000р.
	EBG 450T	Tungsten teeth auger; D=450 mm; space between spirals 250mm; spiral height 625 mm	64 кг	75 200р.
	EBG 500E	Earth teeth auger D=500 mm; space between spirals 250mm; spiral height 625 mm	75 кг	65 800р.
	EBG 500R	Rock teeth auger; D=500 mm; space between spirals 250mm; spiral height 625 mm	75 кг	88 100р.
	EBG 500T	Tungsten teeth auger; D=500 mm; space between spirals 250mm; spiral height 625 mm	75 кг	80 400р.
	EBG 600E	Earth teeth auger D=600 mm; space between spirals 300mm; spiral height 600 mm	82 кг	70 900р.
	EBG 600R	Rock teeth auger; D=600 mm; space between spirals 300mm; spiral height 600 mm	82 кг	97 400р.
	EBG 600T	Tungsten teeth auger; D=600 mm; space between spirals 300mm; spiral height 600 mm	82 кг	84 400р.
	EBG 750E	Earth teeth auger D=750 mm; space between spirals 350mm; spiral height 525 mm	140 кг	136 700р.
	EBG 800E	Earth teeth auger D=800 mm; space between spirals 350mm; spiral height 525 mm	109 кг	143 900р.
	EBG 800R	Rock teeth auger; D=800 mm; space between spirals 350mm; spiral height 525 mm	109 кг	190 000р.
	EBG 800T	Tungsten teeth auger; D=800 mm; space between spirals 350mm; spiral height 525 mm	109 кг	161 800р.
	EBG 900E	Earth teeth auger D=900 mm; space between spirals 350mm; spiral height 525 mm	143 кг	109 500р.
	EBG 900R	Rock teeth auger; D=900 mm; space between spirals 350mm; spiral height 525 mm	143 кг	138 800р.
EBG 900T	Tungsten teeth auger; D=900 mm; space between spirals 350mm; spiral height 525 mm	143 кг	122 300р.	
Гидромоторы бура	BEG30	Earth auger drive 3000 Nm; speed of turn 68 U/min; range of drilling 150 - 600 mm;	108 кг	170 500р.
	BEG50	Earth auger drive 5000 Nm; speed of turn 41 U/min; range of drilling 150 - 750 mm;	112 кг	178 800р.
	BEG80	Earth auger drive 8000 Nm; speed of turn 27 U/min; range of drilling 150 - 900 mm	116 кг	188 800р.
Парковочное устройство	BEGAV20	Rope wind hitch earth auger for cranes up to 20 mt	140 кг	268 100р.
Удлинитель бура	BEG12-500	Earth auger extension; length 500 mm	18 кг	26 400р.
	BEG12-1000	Earth auger extension; length 1000 mm	26 кг	29 200р.
	BEG12-2000	Earth auger extension 2000 mm	26 кг	33 800р.
	BEG12-3000	Earth auger extension; length 3000mm	57 кг	38 300р.
Вставки бура	UL025	Pull in part for pipe dimension 296*133 mm	50 кг	30 000р.
	UL026	Pull in part for pipe dimension 259*115 mm	44 кг	30 000р.
	UL027	Pull in part for pipe dimension 221*097 mm	40 кг	30 000р.
	UL028	Pull in part for pipe dimension 185*080 mm	18 кг	30 000р.
	UL146	Pull in part for pipe 123mm inside height	32 кг	30 000р.
	UL147	Pull in part for pipe 155mm inside height	34 кг	30 000р.
	UL148	Pull in part for pipe 188mm inside height	37 кг	30 000р.
	UL149	Pull in part for pipe 224mm inside height	42 кг	30 000р.
	UL150	Pull in part for pipe 260mm inside height	46 кг	30 000р.

Срок поставки бурового оборудования прилб.6-8 недель

наименование	модель	описание	вес	цена
Люльки	BB040	Workman basket for 2 persons with automatic levelling according to EC-type examination; positively controlled; according to EN280; load capacity 200 kg	200 кг	561 100р.
	BB041	Workman Basket for 1 person; with automatic levelling according to EC-type examination; positively controlled; according to EN280; load capacity 120kg	172 кг	527 700р.
	RAL	Special colour (RAL) für BB040 oder BB041	0 кг	46 100р.
	PZBB01	Lanyard with shock absorber	0 кг	7 900р.
	PZBB02	1 point safety harness	0 кг	8 500р.
	KSS001B03	Bearer for remote control (Scanreco small)	1 кг	1 900р.
	HXE3003	Bracket for remote control (Scanreco big)	1 кг	3 200р.
	HXE3004	Bracket for remote control (Hetricon)	1 кг	3 200р.
	BB014A	Workman Basket for 2 persons with automatic levelling according to EC-type examination; positively controlled; according to EN280; load capacity 300 kg	272 кг	634 800р.
	BB004B	Workman Basket for 2 persons, weight levelled according to EC-type examination; load capacity 280 kg	203 кг	185 500р.
	BB004	Workman basket for 2 persons, weight levelled without EC-type examination; load capacity 280 kg	202 кг	174 600р.
	BB030	Workman basket for 1 person; foldable; acc. to EN 280; load capacity 150 kg	116 кг	257 200р.
	BB013-10V1	Pull-in part for pipe inner height 123 x 62 mmmm	32 кг	24 600р.
	BB013-15V1	Pull-in part for pipe inner height 155 x 79 mm	24 кг	24 600р.
	BB013-16V1	Pull-in part for pipe inner height 188 x 96 mm	38 кг	24 600р.
	BB013-17AV1	Pull-in part for inside height 224 x 116 mm	41 кг	24 600р.
	BB013-18V1	Pull-in part for pipe inner height 260 x 136 mm	45 кг	24 600р.
	BB004-3	Pull-in part for pipe inner height 221 x 97 mm	22 кг	24 600р.
	BB007-3	Pull-in part for pipe inner height 150 x 63 mm	13 кг	24 600р.
	BB009-3	Pull-in part for pipe inner height 185 x 80 mm	17 кг	24 600р.
BB011-3	Pull-in part for pipe inner height 259 x 115 mm	24 кг	24 600р.	
C016	Pull-in part for pipe inner height 117 x 48 mm	17 кг	20 800р.	

	BZ456	Quick coupling flange for BB004, BB004B to be connected with all BB014A pull in parts	14 кг	9 700p.
	BB013-5V1	Pull-in part for pipe inner height 123 x 62 mm	18 кг	20 800p.
	BB013-6V1	Pull-in part for pipe inner height 155 x 79 mm	35 кг	20 800p.
	BB013-7V1	Pull-in part for pipe inner height 188 x 96 mm	23 кг	20 800p.
	BB013-8V1	Pull-in part for pipe inner height 224 x 116 mm	38 кг	20 800p.
	BB013-9V1	Pull-in part for pipe inner height 260 x 136 mm	45 кг	20 800p.
	BB013-20V1	Pull-in part for pipe inner height 296 x 156 mm	50 кг	22 200p.
	BB013-24V1	Pull-in part for pipe inner height 335 x 176 mm	59 кг	25 200p.
	BB013-3	Pull-in part for pipe inner height 150-221 mm x 63-97 mm	21 кг	20 800p.
	BB013-4	Pull-in part for pipe inner height 259-295 mm x 115 mm	26 кг	20 800p.

Срок поставки люлек прикл.6-8 недель.

Траверса со склада в СПб - специальное предложение

наименование	модель	описание	вес	цена
Траверса в комплекте	PZLG35	Гидравлическая траверса г/п 3,5 т		119 300p.
	PZTC01	Колесные захваты 900 кг -4 шт		97 800p.
	PZLS01	Стропы 875 кг - 4 шт		10 500p.
	L4H250	Фал подъемный 2,5 т 2 шт		7 800p.
Итого:				235 400p.

Комплектующие для эвакуатора под заказ

наименование	модель	описание	вес	цена
Траверсы и колесные захваты	PZLG35	Lifting system, hydraulic, 3,5t, with rotary servo connection; adjustment of center of gravity 400 - 700mm; torsion resistant, galvanized;	180 кг	204 900p.
	PZLG35H	Lifting system, hydraulic, 3,5t, with hook connection; adjustment of center of gravity 400 - 700mm; torsion resistant, galvanized;	180 кг	230 300p.
	PZLG35B	Carrier for 3,5 t lifting systems	75 кг	30 600p.
	PZLG20H	2t Lifting system with ring connection; torsion resistant version; width 2,2 m; galvanized version	75 кг	115 800p.
	PZLG20S	2t Lifting system with welded plate; torsion resistant version; width 2,2 m; galvanized version	75 кг	115 800p.
	PZLG20P	2t Lifting system with bolted plate; torsion resistant version; width 2,2 m; galvanized version	75 кг	115 800p.
	PZLG20B	Carrier for 2 t lifting systems	75 кг	13 200p.
	PZTC01	Wheel clamp set; 4 pcs/load capacity max.900 kg per wheel clamp; for wheel width 295 mm; torsion resistant	19 кг	157 100p.
	PZTC01-1	Wheel clamp; set of 4pcs.; load capacity 900 kg per wheel clamp; for wheel size 12 to 19 inches; for wheel width up to 355 mm; New improved version!	20 кг	173 000p.
	PZLS01	Wheel clamp strap; set 4 pcs; load capacity max.892 kg per piece	5 кг	17 400p.
	PZLS02	Wheel clamp strap 2500kg/pcs 4,2m - 5,1m (price / piece)	2 кг	12 100p.
	PZ0001	Roller window; window opening 210 x 20 mm	0 кг	20 000p.
	PZ0002	Recovery kit	0 кг	44 500p.
	PZ0004	Deflection pulley (hinged) with eye whirl; roll diameter 50 to 100 mm; rope diameter 10 to 12 mm; load capacity 2000 to 4000 kg	0 кг	15 100p.
	PZ0003	Deflection pulley; roll diameter 100 mm; rope diameter 12 mm	0 кг	9 000p.

Срок поставки прикл.6-8 недель.

Полип-грейферы

наименование	модель	описание	вес	цена
Полип-грейферы	PZG120PV4	Orange peel grapple; light-duty; 4 tines; fully closing tines; volume 120l; incl. BL463	330 кг	281 100p.
	PZG180PV4	Orange peel grapple; light-duty; 4 tines; fully closing tines; volume 180l; incl. BL463	345 кг	288 600p.
	PZG240PV4	Orange peel grapple; light-duty; 4 tines; fully closing tines; volume 240l; incl. BL463	310 кг	294 700p.
	PZG120PV5	Orange peel grapple; light-duty; 5 tines; fully closing tines; volume 120l; incl. BL463	350 кг	337 300p.
	PZG180PV5	Orange peel grapple; light-duty; 5 tines; fully closing tines; volume 180l; incl. BL463	365 кг	345 500p.
	PZG240PV5	Orange peel grapple; light-duty; 5 tines; fully closing tines; volume 240l; incl. BL463	415 кг	353 600p.
	PZG120PH4	Orange peel grapple; light-duty; 4 tines; half closing tines; volume 120l; incl. BL463	260 кг	272 000p.
	PZG180PH4	Orange peel grapple; light-duty; 4 tines; half closing tines; volume 180l; incl. BL463	270 кг	278 800p.
	PZG240PH4	Orange peel grapple; light-duty; 4 tines; half closing tines; volume 240l; incl. BL463	300 кг	285 600p.
	PZG120PH5	Orange peel grapple; light-duty; 5 tines; half closing tines; volume 120l; incl. BL463	300 кг	326 500p.
	PZG180PH5	Orange peel grapple; light-duty; 5 tines; half closing tines; volume 180l; incl. BL463	305 кг	334 700p.
	PZG240PH5	Orange peel grapple; light-duty; 5 tines; half closing tines; volume 240l; incl. BL463	340 кг	342 700p.
	PZG120PS4	Orange peel grapple; light-duty; 4 tines; pointed tines; volume 120l; incl. BL463	230 кг	267 900p.
	PZG180PS4	Orange peel grapple; light-duty; 4 tines; pointed tines; volume 180l; incl. BL463	235 кг	274 300p.
	PZG240PS4	Orange peel grapple; light-duty; 4 tines; pointed tines; volume 240l; incl. BL463;	250 кг	281 100p.
	PZG120PS5	Orange peel grapple; light-duty; 5 tines; pointed tines; volume 120l; incl. BL463	275 кг	321 200p.
	PZG180PS5	Orange peel grapple; light-duty; 5 tines; pointed tines; volume 180l; incl. BL463	285 кг	329 500p.
	PZG240PS5	Orange peel grapple; light-duty; 5 tines; pointed tines; volume 240l; incl. BL463	300 кг	337 300p.
	PZG250PV4	Orange peel grapple; heavy-duty; 4 tines; fully closing tines; volume 250l; incl. BL463	445 кг	317 400p.
	PZG350PV4	Orange peel grapple; heavy-duty; 4 tines; fully closing tines; volume 350l; incl. BL463	470 кг	320 900p.
	PZG500PV4	Orange peel grapple; heavy-duty; 4 tines; fully closing tines; volume 500l; incl. BL463	555 кг	343 000p.
	PZG250PV5	Orange peel grapple; heavy-duty; 5 tines; fully closing tines; volume 250l; incl. BL463	520 кг	367 500p.
	PZG350PV5	Orange peel grapple; heavy-duty; 5 tines; fully closing tines; volume 350l; incl. BL463	545 кг	378 400p.
	PZG500PV5	Orange peel grapple; heavy-duty; 5 tines; fully closing tines; volume 500l; incl. BL463	635 кг	414 700p.
	PZG250PH4	Orange peel grapple; heavy-duty; 4 tines; half closing tines; volume 250l; incl. BL463	425 кг	301 800p.
	PZG350PH4	Orange peel grapple; heavy-duty; 4 tines; half closing tines; volume 350l; incl. BL463	440 кг	310 600p.
	PZG500PH4	Orange peel grapple; heavy-duty; 4 tines; half closing tines; volume 500l; incl. BL463	505 кг	328 300p.
	PZG250PH5	Orange peel grapple; heavy-duty; 5 tines; half closing tines; volume 250l; incl. BL463	505 кг	360 700p.
	PZG350PH5	Orange peel grapple; heavy-duty; 5 tines; half closing tines; volume 350l; incl. BL463	520 кг	367 800p.
	PZG500PH5	Orange peel grapple; heavy-duty; 5 tines; half closing tines; volume 500l; incl. BL463	595 кг	393 600p.
	PZG250PS4	Orange peel grapple; heavy-duty; 4 tines; pointed tines; volume 250l; incl. BL463	390 кг	288 100p.
	PZG350PS4	Orange peel grapple; heavy-duty; 4 tines; pointed tines; volume 350l; incl. BL463	395 кг	292 800p.
	PZG500PS4	Orange peel grapple; heavy-duty; 4 tines; pointed tines; volume 500l; incl. BL463	435 кг	307 500p.
	PZG250PS5	Orange peel grapple; heavy-duty; 5 tines; pointed tines; volume 250l; incl. BL463	470 кг	346 200p.
	PZG350PS5	Orange peel grapple; heavy-duty; 5 tines; pointed tines; volume 350l; incl. BL463	480 кг	352 000p.
	PZG500PS5	Orange peel grapple; heavy-duty; 5 tines; pointed tines; volume 500l; incl. BL463	525 кг	370 400p.

Срок поставки прикл.6-8 недель

Челюстные захваты

наименование	модель	описание	вес	цена
	PZG150GPK	Clamshell bucket; package; light-duty; volume 150l incl. PZG150G (incl.bolt-on teeth)	220 кг	217 500p.
	PZG250GPK	Clamshell bucket; package; light-duty; volume 250l incl. PZG250G (incl.bolt-on teeth)	255 кг	221 600p.
	PZG350GPK	Clamshell bucket; package; light-duty; volume 350l incl. PZG350G (incl.bolt-on teeth)	275 кг	227 600p.
	PZG450GPK	Clamshell bucket; package; light-duty; volume 450l incl. PZG450G (incl.bolt-on teeth)	290 кг	250 800p.
	PZG550GPK	Clamshell bucket; package; light-duty; volume 550l incl. PZG550G (incl.bolt-on teeth)	310 кг	274 700p.
	PZG150G	Clamshell bucket; light-duty; volume 150l; width B 325mm; number of teeth 3; incl. bolt-on teeth	210 кг	155 200p.
	PZG200G	Clamshell bucket; light-duty; volume 200l; width B 400mm; number of teeth 3; incl. bolt-on teeth	195 кг	197 100p.
	PZG250G	Clamshell bucket; light-duty; volume 250l; width B 500mm; number of teeth 5; incl. bolt-on teeth	220 кг	159 000p.
	PZG325G	Clamshell bucket; light-duty; volume 325l; width B 600mm; number of teeth 5; incl. bolt-on teeth	235 кг	206 500p.
	PZG350G	Clamshell bucket; light-duty; volume 350l; width B 650mm; number of teeth 5; incl. bolt-on teeth	240 кг	162 000p.
	PZG450G	Clamshell bucket; light-duty; volume 450l; width B 800mm; number of teeth 9; incl. bolt-on teeth	275 кг	188 400p.
	PZG550G	Clamshell bucket; light-duty; volume 550l; width B 1000mm; number of teeth 9; incl. bolt-on teeth	290 кг	212 200p.

Челюстные захваты

PZR450GF	Rotator; flange; 4.5t	26 кг	49 500p.
PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
N00072-XX	Reduction link between rotator and equipment (please indicate the shaft diameter)	7 кг	11 200p.
N00143	Scraper for PZG-G	25 кг	26 500p.
N00130	Welded hooks (2 pieces)	3 кг	17 600p.
N00129	Wear plates to protect horizontal cutting edges	32 кг	19 500p.
N00173	Adapters for mounting of compression rails	25 кг	46 000p.
N00048	Compression rails; 2 pcs.; length 720mm	17 кг	30 300p.
N00049	Compression rails; 2 pcs.; length 1000mm	23 кг	36 300p.
PZ102-7000	Tooth for clamshell bucket for PZG-G/G-1; incl. screws	1 кг	2 300p.
PZG200G-1P	Clamshell bucket; package; heavy-duty; volume 200l incl. PZG200G-1; incl.bolt-on teeth	290 кг	295 300p.
PZG250G-1P	Clamshell bucket; package; heavy-duty; volume 250l incl. PZG250G-1 incl.bolt-on teeth	320 кг	298 900p.
PZG350G-1P	Clamshell bucket; package; heavy-duty; volume 350l incl. PZG350G-1 incl.bolt-on teeth	345 кг	304 800p.
PZG200G-1	Clamshell bucket; heavy-duty; volume 200l; width B 400mm; number of teeth 3; incl. bolt-on teeth	265 кг	232 700p.
PZG250G-1	Clamshell bucket; heavy-duty; volume 250l; width B 500mm; number of teeth 5; incl. bolt-on teeth	285 кг	236 500p.
PZG350G-1	Clamshell bucket; heavy-duty; volume 350l; width B 650mm; number of teeth 5; incl. bolt-on teeth	310 кг	242 200p.
PZG450G-1	Clamshell bucket; heavy-duty; volume 450l; width B 800mm; number of teeth 9; incl. bolt-on teeth;	340 кг	306 500p.
PZG550G-1	Clamshell bucket; heavy-duty; volume 550l; width B 1000mm; number of teeth 9; incl. bolt-on teeth;	375 кг	335 500p.
PZG650G-1	Clamshell bucket; heavy-duty; volume 650l; width B 1200mm; number of teeth 9; incl. bolt-on teeth;	410 кг	382 300p.
PZR450GF	Rotator; flange; 4.5t	26 кг	49 500p.
PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
N00072-XX	Reduction link between rotator and equipment (please indicate the shaft diameter)	7 кг	11 200p.
N00143	Scraper for PZG-G	25 кг	26 500p.
N00130	Welded hooks (2 pieces)	3 кг	17 600p.
N00129	Wear plates to protect horizontal cutting edges	32 кг	19 500p.
N00173	Adapters for mounting of compression rails	25 кг	46 000p.
N00048	Compression rails; 2 pcs.; length 720mm	17 кг	30 300p.
N00049	Compression rails; 2 pcs.; length 1000mm	23 кг	36 300p.
PZ102-7000	Tooth for clamshell bucket for PZG-G/G-1; incl. screws	1 кг	2 300p.
PZG200GS-1	Reinforced clamshell bucket; heavy-duty; volume 200l; width 400mm; number of teeth 3; incl. bolt-on teeth;	315 кг	
PZG250GS-1	Reinforced clamshell bucket; heavy-duty; volume 250l; width 500mm; number of teeth 5; incl. bolt-on teeth;	335 кг	
PZG350GS-1	Reinforced clamshell bucket; heavy-duty; volume 350l; width 650mm; number of teeth 5; incl. bolt-on teeth;	365 кг	
PZR450GF	Rotator; flange; 4.5t	26 кг	49 500p.
PZR601GF	Rotator; flange; 6t	34 кг	99 500p.
PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
N00072-XX	Reduction link between rotator and equipment (please indicate the shaft diameter)	7 кг	11 200p.
N00143	Scraper for PZG-G	25 кг	26 500p.
N00130	Welded hooks (2 pieces)	3 кг	17 600p.
N00129	Wear plates to protect horizontal cutting edges	32 кг	19 500p.
N00173	Adapters for mounting of compression rails	25 кг	46 000p.
N00048	Compression rails; 2 pcs.; length 720mm	17 кг	30 300p.
N00049	Compression rails; 2 pcs.; length 1000mm	23 кг	36 300p.
BL463	Hose set; 2 pcs; from rotator to attachment; length 500 mm	1 кг	2 700p.
PZG150GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 150l; width 325mm; number of teeth 3	260 кг	199 800p.
PZG200GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 200l; width 400mm; number of teeth 3	275 кг	217 400p.
PZG250GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 250l; width 500mm; number of teeth 5	295 кг	223 200p.
PZG325GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 325l; width 600mm; number of teeth 5	315 кг	228 100p.
PZG350GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 350l; width 650mm; number of teeth 5	320 кг	230 600p.
PZG450GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 450l; width 800mm; number of teeth 9	355 кг	262 800p.
PZG100GVF	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 100l; width 600mm; number of teeth 5; incl. scraper	280 кг	269 000p.
PZG125GVF	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 125l; width 760mm; number of teeth 7; incl. scraper;	315 кг	278 200p.
PZG150GVF	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 150l; width 600mm; number of teeth 5; incl. scraper;	275 кг	283 200p.
PZG190GVF	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 190l; width 760mm; number of teeth 7; incl. scraper;	290 кг	289 700p.
PZG200GVF	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 200l; width 600mm; number of teeth 5; incl. scraper;	295 кг	300 500p.
PZG030GVR	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 30l; number of teeth 4; incl. round shells;	210 кг	
PZG050GVR	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 50l; number of teeth 5; incl. round shells;	225 кг	
PZG150GVR	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 150l; number of teeth 5; incl. round shells;	240 кг	
PZR450GF	Rotator; flange; 4.5t	26 кг	49 500p.
PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
N00072-XX	Reduction link between rotator and equipment (please indicate the shaft diameter)	7 кг	11 200p.
N00143	Scraper for PZG-G	25 кг	26 500p.
N00130	Welded hooks (2 pieces)	3 кг	17 600p.
N00129	Wear plates to protect horizontal cutting edges	32 кг	19 500p.
N00173	Adapters for mounting of compression rails	25 кг	46 000p.
N00048	Compression rails; 2 pcs.; length 720mm	17 кг	30 300p.
N00049	Compression rails; 2 pcs.; length 1000mm	23 кг	36 300p.
PZG300S-1P	High volume clamshell bucket; package; light-duty; volume 300l; incl. PZG300S-1, PZR450GF, UL045, BL462, BL463	380 кг	248 600p.
PZG400S-1P	High volume clamshell bucket; package; light-duty; volume 400l; incl. PZG400S-1, PZR450GF, UL045, BL462, BL463	380 кг	254 100p.
PZG500S-1P	High volume clamshell bucket; package; light-duty; volume 500l; incl. PZG500S-1, PZR450GF, UL045, BL462, BL463	405 кг	262 000p.
PZG300S-1	High volume clamshell bucket; light-duty; volume 300l; width B 640mm	315 кг	186 000p.
PZG400S-1	High volume clamshell bucket; light-duty; volume 400l; width B 800mm; excl. Teeth	350 кг	191 300p.
PZG500S-1	High volume clamshell bucket; light-duty; volume 500l; width B 1000mm; excl. teeth	370 кг	199 500p.
PZR450GF	Rotator; flange; 4.5t	26 кг	49 500p.
PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
N00072-XX	Reduction link between rotator and equipment (please indicate the shaft diameter)	7 кг	11 200p.
N00130	Welded hooks (2 pieces)	3 кг	17 600p.
N00129	Wear plates to protect horizontal cutting edges	32 кг	19 500p.
N00423	Side plates; 2 pcs.; for PZG500S-1; PZG502S-1; incl. mounting parts	32 кг	21 300p.
PZ102-8000	Tooth for clamshell bucket, for PZGS/S-1; incl. screws	1 кг	2 300p.
PZG300SPK	High volume clamshell bucket; package; heavy-duty; volume 300l; incl. PZG300S, PZR450GF, UL045, BL462, BL463	410 кг	253 700p.
PZG400SPK	High volume clamshell bucket; package; heavy-duty; volume 400l; incl. PZG400S, PZR450GF, UL045, BL462, BL463	465 кг	269 500p.
PZG500SPK	High volume clamshell bucket; package; heavy-duty; volume 500l; with lifting hooks, PZR450GF, UL045, BL462, BL463	510 кг	280 000p.
PZG650SPK	High volume clamshell bucket; package; heavy-duty; volume 650l; incl. PZG650S, PZR450GF, UL045, BL462, BL463	555 кг	290 800p.
PZG1000SPK	High volume clamshell bucket; package; heavy-duty; volume 1000l; incl. PZG1000S, PZR450GF, UL045, BL462, BL463	640 кг	418 700p.
PZG300S	High volume clamshell bucket; heavy-duty; volume 300l width B 500mm; excl. teeth (recommended amount 5)	370 кг	190 900p.

PZG400S	High volume clamshell bucket; heavy-duty; volume 400l width B 800mm; excl. teeth (recommended amount 9)	450 кг	206 800p.
PZG500S	High volume clamshell bucket with lifting hooks N00130; heavy-duty; volume 500l; excl. teeth (recommended amount 9)	465 кг	217 200p.
PZG650S	High volume clamshell bucket; heavy-duty; volume 650l width B 1200mm; excl. teeth (recommended amount 9)	490 кг	228 100p.
PZG1000S	High volume clamshell bucket; heavy-duty; volume 1000l width B 1200mm; excl. teeth (recommended amount 9)	600 кг	359 700p.
PZR450GF	Rotator; flange; 4.5t	26 кг	49 500p.
PZR450G-XX	Rotator; shaft; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
N00072-XX	Reduction link between rotator and equipment (please indicate the shaft diameter)	7 кг	11 200p.
N00130	Welded hooks (2 pieces)	3 кг	17 600p.
N00129	Wear plates to protect horizontal cutting edges	32 кг	19 500p.
PZ102-8000	Tooth for clamshell bucket, for PZGS/S-1; incl. screws	1 кг	2 300p.
PZG250UP	Universal bucket; package; volume 250l incl.PZG250U, PZR450GF, N00129, N00130, UL045, BL462, BL463	375 кг	296 100p.
PZG300UP	Universal bucket; package; volume 300l incl.PZG300U, PZR450GF, N00129, N00130, UL045, BL462, BL463	390 кг	301 000p.
PZG450UP	Universal bucket; package; volume 450l incl.PZG450U, PZR450GF, N00129, N00130, UL045, BL462, BL463	425 кг	311 500p.
PZG250U	Clamshell bucket with open shells; heavy-duty; volume 250l; recommended number of teeth 5; incl. 2 hooks	340 кг	234 800p.
PZG300U	Clamshell bucket with open shells; heavy-duty; volume 300l; recommended number of teeth 5; incl. 2 hooks	355 кг	239 800p.
PZG400U	Clamshell bucket with open shells; heavy-duty; volume 400l; recommended number of teeth 7; incl. 2 hooks	380 кг	244 800p.
PZG450U	Clamshell bucket with open shells; heavy-duty; volume 450l; recommended number of teeth 7; incl. 2 hooks	390 кг	250 300p.
PZG500U	Clamshell bucket with open shells; heavy-duty; volume 500l; recommended number of teeth 9; incl. 2 hooks	410 кг	250 900p.
PZG600U	Clamshell bucket with open shells; heavy-duty; volume 600l; recommended number of teeth 9; incl. 2 hooks	440 кг	269 300p.
PZR450GF	Rotator; flange; 4.5t	26 кг	49 500p.
PZR450G-XX	Rotator; shaft; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
N00072-XX	Reduction link between rotator and equipment (please indicate the shaft diameter)	7 кг	11 200p.
N00173	Adapters for mounting of compression rails	25 кг	46 000p.
N00048	Compression rails; 2 pcs.; length 720mm	17 кг	30 300p.
N00049	Compression rails; 2 pcs.; length 1000mm	23 кг	36 300p.
N00385	Side plates 8mm to KM605U	60 кг	16 200p.
N00385-10	Side plates 10mm to KM605U	70 кг	18 300p.
N00143	Scraper (please indicate model of grapple)	0 кг	26 500p.
N00173	Adapters for mounting of compression rails	0 кг	46 000p.
N00048	Compression rails; 2 pcs.; length 720mm	17 кг	30 300p.
N00049	Compression rails; 2 pcs.; length 1000mm	23 кг	36 300p.
PZHP042A	Central lifting device to KM604HPX	1 кг	18 800p.
PZHP052A	Central lifting device for KM605HPX	1 кг	18 800p.
N00130	Welded hooks (2 pieces)	3 кг	17 600p.
N00129	Wear plates to protect horizontal cutting edges	32 кг	19 500p.
PZHP450V	Extension for excavating for HPXdrive; 450mm	30 кг	45 600p.
PZHP2000V	Extension for excavating for HPXdrive; 2000mm	30 кг	79 200p.

HPXdrive				
наименование	модель	описание	вес	цена
HPXdrive	PZHP04E-GF	Rotator; HPXdrive standard; flange; HPX-E quick exchange system, incl.: BL462; UL045K	210 кг	
	PZWS04E-200	Exchangeable shells - clamshell bucket for PZHP04E-GF; volume 200l; width 400mm;	115 кг	
	PZWS04E-250	Exchangeable shells - clamshell bucket for PZHP04E-GF; volume 250l; width 500mm;	130 кг	
	PZWS04E-325	Exchangeable shells - clamshell bucket for PZHP04E-GF; volume 325l; width 600mm;	140 кг	
	PZWS04E-350	Exchangeable shells - clamshell bucket for PZHP04E-GF; volume 350l; width 650mm	145 кг	
	PZWS04E-450	Exchangeable shells - clamshell bucket for PZHP04E-GF; volume 450l; width 800mm	160 кг	
	PZWS04E-95	Exchangeable shells - clamshell bucket for PZHP04E-GF; volume 95l; width 400mm	80 кг	
	PZWS04E-100	Exchangeable shells - clamshell bucket for PZHP04E-GF; volume 100l; width 450mm;	80 кг	
	PZWS04E-150	Exchangeable shells - clamshell bucket for PZHP04E-GF; volume 150l; width 600mm	100 кг	
	PZWS4UE-250	Exchangeable shells - clamshell bucket with open shells for PZHP04E-GF; volume 250l;	205 кг	
	PZWS4UE-300	Exchangeable shells - universal clamshell bucket with open shells for PZHP04E-GF; volume 300l	225 кг	
	PZWS4UE-400	Exchangeable shells - universal clamshell bucket with open shells for PZHP04E-GF; volume 400l;	245 кг	
	PZWS4UE-500	Exchangeable shells - universal clamshell bucket with open shells for PZHP04E-GF; volume 500l	275 кг	
	PZWS13E-016	Exchangeable shells - rock grapple for PZHP04E-GF; volume 0,16m²; width 400mm	65 кг	
	PZWS32E-016	Exchangeable shells - timber grapple for PZHP04E-GF; volume 0,16m²; width 400mm	65 кг	
	PZWS41E-02	Exchangeable shells - hay and forestry grapple for PZHP04E-GF; volume 0,20m²; width 670mm	55 кг	
	PZWS41E-04	Exchangeable shells - hay and forestry grapple for PZHP04E-GF; volume 0,40m²; width 940mm	160 кг	
	PZHP04-GF	Rotator; HPXdrive; flange; incl.: BL462; UL045K	160 кг	233 000p.
	PZHP04-502	Rotator; HPXdrive; shaft 68mm; and N00072-68 incl.: BL462; BL463; UL045K	165 кг	242 500p.
	PZHP04-505	Rotator; HPXdrive; shaft 68mm; with N00074; incl.: BL462; BL463; UL045K	170 кг	279 200p.
	PZWS04-200	Exchangeable shells - clamshell bucket for PZHP04; volume 200l; width 400mm;	125 кг	79 100p.
	PZWS04-250	Exchangeable shells - clamshell bucket for PZHP04; volume 250l; width 500mm;	140 кг	82 100p.
	PZWS04-325	Exchangeable shells - clamshell bucket for PZHP04; volume 325l; width 600mm	150 кг	87 800p.
	PZWS04-350	Exchangeable shells - clamshell bucket for PZHP04; volume 350l; width 650mm;	155 кг	89 300p.
	PZWS04-450	Exchangeable shells - clamshell bucket for PZHP04; volume 450l; width 800mm;	170 кг	103 100p.
	PZWS4U-250	Exchangeable shells - clamshell bucket with open shells for PZHP04; volume 250l;	215 кг	90 500p.
	PZWS4U-300	Exchangeable shells - universal clamshell bucket with open shells for PZHP04; volume 300l;	235 кг	120 500p.
	PZWS4U-400	Exchangeable shells - universal clamshell bucket with open shells for PZHP04; volume 400l;	255 кг	103 700p.
	PZWS4U-500	Exchangeable shells - universal clamshell bucket with open shells for PZHP04; volume 500l;	285 кг	127 800p.
	PZWS13-016	Exchangeable shells - rock grapple for PZHP04; volume 0,16m²; width 400mm	75 кг	91 100p.
	PZWS32-016	Exchangeable shells - timber grapple for PZHP04; volume 0,16m²; width 400mm	75 кг	91 100p.
	PZWS41-02	Exchangeable shells - hay and forestry grapple for PZHP04; volume 0,20m²; width 670mm	95 кг	91 100p.
	PZWS41-04	Exchangeable shells - hay and forestry grapple for PZHP04; volume 0,40m²; width 940mm	160 кг	130 600p.
	PZWS04-VG	Guard rail grapple Vario Guard; load capacity 1500 kg; closing force 25 kN; Width 2200 mm;	415 кг	331 000p.
	PZWS04-MG	Guard rail grapple Mini Guard; load capacity 1500 kg; closing force 25 kN; Width 820 mm;	250 кг	209 300p.
	PZHP05-GF	Rotator; HPXdrive heavy duty; flange; incl.: BL462; UL045K	195 кг	294 200p.
	PZHP05-502	Rotator; HPXdrive hd; shaft 68mm; and N00072-68 incl.: BL462; BL463; UL045K	200 кг	304 100p.
	PZHP05-505	Rotator; HPXdrive hd; shaft 68mm; with N00074 incl.: BL462; BL463; UL045K	205 кг	342 600p.
	PZWS05-200	Exchangeable shells - clamshell bucket for PZHP05; heavy-duty; volume 200l; width 400mm;	135 кг	106 400p.
	PZWS05-250	Exchangeable shells - clamshell bucket for PZHP05; heavy-duty; volume 250l; width 500mm;	165 кг	109 300p.
	PZWS05-350	Exchangeable shells - clamshell bucket for PZHP05; heavy-duty; volume 350l; width 465mm;	190 кг	116 600p.
	PZWS05-450	Exchangeable shells - clamshell bucket for PZHP05; heavy-duty; volume 450l; width 800mm;	215 кг	155 200p.
	PZWS05-550	Exchangeable shells - clamshell bucket for PZHP05; heavy-duty; volume 550l; width 1000mm;	250 кг	185 400p.
	PZWS5U-250	Exchangeable shells - universal clamshell bucket with open shells for PZHP05; volume 250l;	220 кг	122 400p.
	PZWS5U-300	Exchangeable shells - universal clamshell bucket with open shells for PZHP05; volume 300l;	240 кг	136 700p.
	PZWS5U-400	Exchangeable shells - universal clamshell bucket with open shells for PZHP05; volume 400l;	260 кг	134 300p.
	PZWS5U-450	Exchangeable shells - universal clamshell bucket with open shells for PZHP05; volume 450l;	275 кг	157 400p.
	PZWS5U-500	Exchangeable shells - universal clamshell bucket with open shells for PZHP05; volume 500l;	295 кг	165 000p.
	PZWS13-035S	Exchangeable shells - rock grapple for PZHP05; heavy-duty; volume 0,35m³; width 400mm	135 кг	144 100p.
	PZWS32-016S	Exchangeable shells for timber grapple for PZHP05; heavy-duty; volume 0,16m³; width 400mm	90 кг	114 400p.
	PZWS41-04S	Exchangeable shells for hay and forestry grapple for PZHP05; heavy-duty; volume 0,40m³;	195 кг	144 100p.

Ротаторы, верхняя подвеска и РВД

наименование	модель	описание	вес	цена
Ротаторы, верхняя подвеска и РВД	PZR300G	Rotator 3000kg shaft 49,5mm	24 кг	44 400p.
	PZR450G-59	Rotator; shaft 59mm; 4,5t	26 кг	47 100p.
	PZR450G-62	Rotator; shaft 62mm; 4,5t	26 кг	47 100p.
	PZR450G-63	Rotator; shaft 63mm; 4,5t	26 кг	47 100p.
	PZR450G-68	Rotator; shaft 68mm; 4,5t	26 кг	47 100p.
	N00308	Rotator; steel head; shaft 68mm; 4,5t	27 кг	60 000p.
	PZR450G-69	Rotator; shaft 69mm; 4,5t	26 кг	47 100p.
	N00238	Rotator PZR450G-59 with N00101 hose protection mounted	29 кг	49 800p.
	N00271	Rotator; PZR450G-68 and N00101 hose protection mounted	29 кг	48 800p.
	PZR450GF	Rotator; flange; 4,5t	26 кг	49 500p.
	N00237	Rotator PZR450GF with N00101 hose protection mounted	26 кг	50 700p.
	PZR601G	Rotator; shaft 68mm; 6t	32 кг	92 100p.
	PZR601GA	Rotator 6t, oil duct and pin in line	32 кг	102 200p.
	PZR601GF	Rotator; flange; 6t	34 кг	99 500p.
	PZR601GFK	Rotator; flange; 6t; head wooden version	37 кг	124 600p.
	PZR1000GF	Rotator; flange; 10t	65 кг	125 900p.
	PZR1000GF-45	Rotator; flange; 10t; upper pin 45mm	68 кг	156 400p.
	PZR450GF-4	Rotator; 4,5t with 4 oil ducts	40 кг	181 700p.
	UL045	Suspension PZR450G-PK Crane; height 263 mm	14 кг	10 300p.
	UL045K	Suspension PZR450G-PK Crane; height 173mm	10 кг	10 300p.
	UL045L	Suspension PZR450G-PK Crane; height 400mm	12 кг	13 400p.
	UL045-42	Suspension PZR450G-PK Crane with 42mm pin	14 кг	14 300p.
	UL090	Suspension GV4 - PK crane	12 кг	9 400p.
	UL090K	Suspension; pin distance 250mm	12 кг	10 300p.
	UL134	Suspension PZR450G-PC Crane smaller then PK 2500	14 кг	12 700p.
	UL135	Suspension PZR601G-PK Crane	15 кг	12 700p.
	UL135K	Suspension PZR601G-69K - PK Crane	14 кг	12 700p.
	UL135-42	Suspension PZR601G-PK Crane for 42 mm pin	15 кг	11 700p.
	UL153	Suspension PZR1000G - PK Crane	25 кг	20 500p.
	UL153K	Suspension PZR1000G - PK KRAN	25 кг	20 500p.
	UL153-42	Suspension PZR1000G - PK crane 42mm	25 кг	21 800p.
	UL144	Suspension PZR450G-Epsilon Crane	14 кг	12 700p.
	UL136	Suspension PZR450G-Wallboard Crane	14 кг	12 700p.
	UL137	Suspension PZR601G-Wallboard for Rotator	14 кг	12 700p.
	UL138	Suspension PZR601G-Epsilon Crane	12 кг	12 700p.
	UL152	Suspension for Rotator: KM10F173-52 for Epsilon crane	30 кг	22 900p.
	UL154	Suspension for rotator KM06 to KM10F173-35 for EPSILON-crane	25 кг	20 500p.
	UL155	Suspension for rotator KM06 to KM10F173-35 for EPSILON-crane	25 кг	20 500p.
	N00267	Suspension Epsilon with double pendulum brake	20 кг	79 700p.
	N00597	Suspension with pendulum brake	25 кг	27 600p.
	N00629	Suspension with pendulum brake; 6t rotator	20 кг	27 600p.
	N00101	Hose protection to PZR450G	1 кг	2 700p.
	N00369	Hose protection for PZR601G	1 кг	7 000p.
	N00072-59	Reduction link between rotator and equipment; shaft 59mm	3 кг	11 200p.
	N00072-62	Reduction link between rotator and equipment; shaft 62mm	7 кг	11 200p.
	N00072-63	Reduction link between rotator and equipment; shaft 63mm	7 кг	11 200p.
	N00072-68	Reduction link between rotator and equipment; shaft 68mm	7 кг	11 200p.
	N00072-69	Reduction link between rotator and equipment; shaft 69mm	7 кг	11 200p.
	N00072-68-59	Reduction link from 68 to 59mm	7 кг	11 000p.
	N00417	Reduction link between rotator and attachment for 59mm shaft or flange	7 кг	10 500p.
	N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
	N00076	Upper element fitted to rotator for quick change system	5 кг	13 900p.
	N00077	Lower element mounted onto attachment for quick change system	7 кг	25 900p.
	N00075	Rigid suspension link with non rotating hook to quick change system	7 кг	25 600p.
	N00414	Adapter between PZP-W and N00074	7 кг	15 800p.
	BL462	Hose set; 4 pcs; rotator-PK crane	3 кг	7 200p.
	BL462-R	Hose set; 2pcs; rotator-PK crane	1 кг	3 800p.
	BL463	Hose set; 2 pcs; from rotator to attachment; length 500 mm	1 кг	2 700p.
	BL513	Hose set; 4 pcs; rotator - PK crane; length 1200mm	3 кг	7 200p.
	BL462-MF	Hose set; 4 pcs; rotator-multi fibre	3 кг	7 200p.
	BL513-MF	Hose set; 4 pcs; rotator-multi fibre; length 1200mm	3 кг	7 200p.
	BL981-F	Fast coupling hydr.fixed part for grabs	1 кг	5 400p.
	BL981-L	Fast coupling hyd. loose part for grabs	1 кг	5 400p.
	N00090	Hydraulic quick change kit; incl. mobile and fixed parts (2 pieces each) mounted with adaptors to rotator	1 кг	21 300p.
	N00070	Rigid suspension link with pin for all shaft-type rotators	8 кг	14 300p.
	N00071-59	Non-rotating hook for shaft rotators; 59mm	12 кг	18 200p.
	N00071-62	Non-rotating hook for shaft rotators; 62mm	12 кг	18 200p.
	N00071-63	Non-rotating hook for shaft rotators; 63mm	12 кг	18 200p.
	N00071-68	Non-rotating hook for shaft rotators; 68mm	12 кг	18 200p.
	N00071-69	Non-rotating hook for shaft rotators; 69mm	12 кг	17 600p.
	N00071-GF	Non-rotating hook for PZR450GF	12 кг	18 200p.
	N00070-62	Rigid suspension link with pin for shaft rotator; 62mm	8 кг	8 400p.
	N00360	Non-rotating hook 6t for PZR601GF	12 кг	34 000p.
	N00328-68	Crane hook; capacity 6t for shaft 68mm	15 кг	34 000p.
	N00372	Non-rotating, floating hook for PZR1000GF	12 кг	32 200p.

Принадлежности для РС кранов

наименование	модель	описание	вес	цена
	BS009	Mounting frame for PC2700/PC1500	100 кг	48 900p.
	AUSVW	Transport position monitoring : outrigger completely retracted EN12999:2011 - obligatory for PC1500 and PC2700	0 кг	4 300p.
	ISC-S	Stability control: Outrigger and cylinder extended EN12999:2011 - obligatory for PC2700	0 кг	2 100p.
	EKAT	Spare part catalogue - printed	0 кг	1 100p.
	RAL	optional the mounting frame can be delivered in other colours	0 кг	29 900p.
	JIC	Option of screw joint. 37° flare type fitting (JIC)	0 кг	10 000p.
	BRI-6	Mounting parts for BS009, (6x bolts M20x1,5x850; incl. 3x holder plates)	5 кг	10 200p.
	BRI-6B	Mounting parts coated for BS009, (6x bolts M20x1,5x850; incl. 3x holder plates)	5 кг	13 300p.
	BS010 + R	Mounting frame for PC3800 without outrigger	160 кг	50 100p.
	EKAT	Spare part catalogue - printed	0 кг	1 100p.
	RAL	optional the mounting frame can be delivered in other colours	0 кг	29 900p.
	JIC	Option of screw joint. 37° flare type fitting (JIC)	0 кг	10 000p.
	BRI-8	Mounting parts for BS010, (8x bolts M20x1,5x850; incl. 4x holder plates)	6 кг	13 600p.
	BRI-8B	Mounting parts coated for BS010, (8x bolts M20x1,5x850; incl. 4x holder plates)	6 кг	17 700p.
	BS010 + R0	Mounting frame for PC3800 with single outrigger	160 кг	66 600p.
	AUSVW	Transport position monitoring : outrigger completely retracted EN12999:2011 - obligatory for PC1500 and PC2700	0 кг	4 300p.
	ISC-S	Stability control: Outrigger and cylinder extended EN12999:2011 - obligatory for PC3800	0 кг	2 100p.

Принадлежности для РС кранов	EKAT	Spare part catalogue - printed	0 кг	1 100p.
	RAL	optional the mounting frame can be delivered in other colours	0 кг	29 900p.
	JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	10 000p.
	BRI-8	Mounting parts for BS010, (8x bolts M20x1,5x850; incl. 4x holder plates)	6 кг	13 600p.
	BRI-8B	Mounting parts coated for BS010, (8x bolts M20x1,5x850; incl. 4x holder plates)	6 кг	17 700p.
	BS010 + R1	Mounting frame for PC3800 with double outrigger	160 кг	83 000p.
	AUSVW	Transport position monitoring : outrigger completely retracted EN12999:2011 - obligatory for PC1500 and PC2700	0 кг	8 600p.
	ISC-S	Stability control: Outrigger and cylinder extended EN12999:2011 - obligatory for PC3800	0 кг	4 200p.
	EKAT	Spare part catalogue - printed	0 кг	1 100p.
	RAL	optional the mounting frame can be delivered in other colours	0 кг	29 900p.
	JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	10 000p.
	BRI-8	Mounting parts for BS010, (8x bolts M20x1,5x850; incl. 4x holder plates)	6 кг	13 600p.
	BRI-8B	Mounting parts coated for BS010, (8x bolts M20x1,5x850; incl. 4x holder plates)	6 кг	17 700p.
	KSZ00216A+CE	1 pair stabilizer ram, rigid, STZS5, STU7, inkl. ISC, AUSVW, CE compliant	46 кг	76 500p.
	KSZ00216A+STD	1 pair stabilizer ram, rigid, STZS5, STU7, does not correspond to EN12999:2010, impermissible for crane superstructures within the EU (except PC1500)	46 кг	57 100p.
	KSZ00217A+CE	1 pair stabilizer ram, tiltable, STZY5, STU6, incl. ISC, AUSVW, CE compliant	53 кг	83 700p.
	KSZ00217A+STD	1 pair stabilizer ram, tiltable, STZY5, STU6, does not correspond to EN12999:2010, impermissible for crane superstructures within the EU (except PC1500)	53 кг	64 100p.
	KSZ00218A+CE	1 pair stabilizer ram, rigid, STZS5, incl. ISC, AUSVW, CE compliant	41 кг	67 600p.
	KSZ00218A+STD	1 pair stabilizer ram, rigid, STZS5, does not correspond to EN12999:2010, impermissible for crane superstructures within the EU (except PC1500)	41 кг	48 000p.
	KSZ00219A+CE	1 pair stabilizer ram, tiltable, STZY5, incl. ISC, AUSVW, CE compliant	47 кг	74 800p.
	KSZ00219A+STD	1 pair stabilizer ram, tiltable, STZY5, does not correspond to EN12999:2010, impermissible for crane superstructures within the EU (except PC1500)	47 кг	55 200p.
	BS253	Stabilizers manual	14 кг	10 900p.
	KSZ00220A+CE	1 pair stabilizer ram, rigid, STZS5, STU7, GR37J inkl. ISC, AUSVW, CE compliant	46 кг	86 600p.
	KSZ00220A+STD	1 pair stabilizer ram, rigid, STZS5, STU7, GR37J, does not correspond to EN12999:2010, impermissible for crane superstructures within the EU (except PC1500)	46 кг	67 100p.
	KSZ00221A+CE	1 pair stabilizer ram, tiltable, STZY5, STU6, GR37J incl. ISC, AUSVW, CE compliant	53 кг	93 700p.
	KSZ00221A+STD	1 pair stabilizer ram, tiltable, STZY5, STU6, GR37J, does not correspond to EN12999:2010, impermissible for crane superstructures within the EU (except PC1500)	53 кг	74 300p.
	KSZ00222A+CE	1 pair stabilizer ram, rigid, STZS5, GR37J incl. ISC, AUSVW, CE compliant	41 кг	77 500p.
	KSZ00222A+STD	1 pair stabilizer ram, rigid, STZS5, GR37J, does not correspond to EN12999:2010, impermissible for crane superstructures within the EU (except PC1500)	41 кг	58 100p.
	KSZ00223A+CE	1 pair stabilizer ram, tiltable, STZY5, GR37J incl. ISC, AUSVW, CE compliant	47 кг	84 700p.
	KSZ00223A+STD	1 pair stabilizer ram, tiltable, STZY5, GR37J impermissible for crane superstructures within the EU (except PC1500)	47 кг	65 300p.
	UT032	Oil tank 20l	10 кг	11 600p.
	UZ325	Mounting hardware for 1 - 4 mt small cranes	21 кг	10 300p.
	UZ336S	Kit mounting bolt PC3800	110 кг	13 700p.
	EP 209/12V	12V Geared pumpe with magnetic clutch	9 кг	41 400p.
	EP 209/24V	24V Geared pump with magnetic clutch	10 кг	41 400p.
	EP1980	Hydraulic aggregate 12V 1,5kW in steel box	19 кг	41 900p.
	EP1981	Hydraulic aggregate 24V 1,5kW in steel box	19 кг	41 900p.
	EP1983	Hydraulic aggregate 12V 3,0 kW in steel box	25 кг	59 300p.
	EP1984	Hydraulic aggregate 24V 3,0 kW in steel box	25 кг	59 300p.
	HXE7886	1 pc. stabilizer extensions 100mm for BS003 - BS004 - BS005 - BS006	3 кг	2 700p.
	HXE3507	1 pc. stabilizer extensions 200mm for BS003 - BS004 - BS005 - BS006	4 кг	3 100p.
	HXE 9162	1 pc. stabilizer extensions 100mm for BS001 - BS002	2 кг	3 100p.
	HXE3230	1 pc. stabilizer extensions 200mm for BS001 - BS002	3 кг	2 700p.

Дополнительные аутригеры

наименование	модель	описание	вес	цена
	BS001	Additional stabilizer - rigid - 2,1m - 2,2m - 2,3m	90 кг	57 600p.
	*HPSC	Stability control: cylinder extended - For ISC and HPSC - cranesEN12999:2011 - obligatory	0 кг	27 800p.
	ABSTW	fully retracted position of the stabilizer rams	0 кг	41 200p.
	BEL	LED- warning light on the stabilizer rams	0 кг	21 000p.
	*12V / 24V	If you have selected one of the previous features you have to indicate the correct voltage rate EN12999:2011 - obligator	0 кг	0p.
	RAL	optional the mounting frame can be delivered in other colours	0 кг	30 100p.
	KRANK	Similar to the crane, the stabilizer system can be treated with a protective, washable layer	0 кг	2 400p.
	EKAT	Spare part catalogue - printed	0 кг	1 100p.
	BS002H	Additional stabilizer - hydraulic - 2,3, - 3,4m	180 кг	135 700p.
	BS002M	Additional stabilizer - manual - 2,3, - 3,4m	155 кг	106 900p.
	*HPSC	Stability control: cylinder extended - For ISC and HPSC - cranesEN12999:2011 - obligatory	0 кг	34 200p.
	*AUSW	Transport position monitoring : outrigger completely retractedEN12999:2011 - obligatory	0 кг	9 700p.
	ABSTW	fully retracted position of the stabilizer rams	0 кг	58 100p.
	BEL	LED- warning light on the stabilizer rams	0 кг	21 000p.
	*12V / 24V	If you have selected one of the previous features you have to indicate the correct voltage rate EN12999:2011 - obligator	0 кг	0p.
	JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	10 100p.
	RAL	optional the mounting frame can be delivered in other colours	0 кг	30 100p.
	KRANK	Similar to the crane, the stabilizer system can be treated with a protective, washable layer	0 кг	2 400p.
	EKAT	Spare part catalogue - printed	0 кг	1 100p.
	BS003	Additional stabilizer - hydraulic - 2,3, - 4,4m	366 кг	251 900p.
	*HPSC - PAL50	Proportional stability control vor cranes with Paltronic 50 *EN12999:2011 - obligatory	0 кг	50 300p.
	*HPSC - PAL150	Proportional stability control vor cranes with Paltronic 150 *EN12999:2011 - obligatory	0 кг	63 600p.
	*AUSW	Transport position monitoring : outrigger completely retractedEN12999:2011 - obligatory	0 кг	9 700p.
	ABSTW	fully retracted position of the outrigger and the stabilizer rams	0 кг	58 100p.
	BEL	LED- warning light on the stabilizer rams	0 кг	21 000p.
	*12V / 24V	If you have selected one of the previous features you have to indicate the correct voltage rate EN12999:2011 - obligator	0 кг	0p.
	JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	10 100p.
	RAL	optional the mounting frame can be delivered in other colours	0 кг	30 100p.
	*ADECK	Lateral covering of the outrigger box to protect the inner hoses and electrical wires from the ingress of dirt (obligatory wit	0 кг	4 800p.
	KRANK	Similar to the crane, the stabilizer system can be treated with a protective, washable layer	0 кг	2 400p.
	EKAT	Spare part catalogue - printed	0 кг	1 100p.
	BS004	Additional stabilizer R2X 5200 mm (H200/B320)	476 кг	312 700p.
	BS005	Additional stabilizer R2X 5200 mm (H330/B250)	427 кг	292 600p.
	BS006	Additional stabilizer R2X 5900 mm (H250/B400)	664 кг	512 700p.
	BS007	Additional stabilizer R2X 5900 mm (H350/B320)	605 кг	443 200p.
	*HPSC - PAL50	Proportional stability control vor cranes with Paltronic 50 *EN12999:2011 - obligatory	0 кг	58 100p.
	*HPSC - PAL150	Proportional stability control vor cranes with Paltronic 150 *EN12999:2011 - obligatory	0 кг	71 300p.
	*AUSW	Transport position monitoring : outrigger completely retractedEN12999:2011 - obligatory	0 кг	9 700p.
	ABSTW	fully retracted position of the outrigger and the stabilizer rams	0 кг	58 100p.
	BEL	LED- warning light on the stabilizer rams	0 кг	21 000p.
	*12V / 24V	If you have selected one of the previous features you have to indicate the correct voltage rate	0 кг	0p.
	JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	10 100p.
	*ADECK	Lateral covering of the outrigger box to protect the inner hoses and electrical wires from the ingress of dirt (obligatory wit	0 кг	4 800p.
	RAL	optional the mounting frame can be delivered in other colours	0 кг	30 100p.

Дополнительные аутриггеры	KRANK	Similar to the crane, the stabilizer system can be treated with a protective, washable layer	0 кг	2 400p.
	EKAT	Spare part catalogue - printed	0 кг	1 100p.
	KSZ00233A	Stabilizer rams short rigid BS001-BS002 (Mounting above the frame)	95 кг	80 700p.
	KSZ00234A	Stabilizer rams long rigid BS001-BS002 (Mounting above the frame)	110 кг	83 800p.
	KSZ00243A	Stabilizer rams tilttable BS001-BS002 (Mounting above the frame)	125 кг	125 100p.
	KSZ00235A	Stabilizer rams short rigid BS001-BS002 (Mounting below the frame)	87 кг	74 000p.
	KSZ00236A	Stabilizer rams long rigid BS001-BS002 (Mounting below the frame)	95 кг	80 700p.
	KSZ00159A	Stabilizer rams rigid for BS003/ BS004	124 кг	91 300p.
	KSZ00160A	Stabilizer rams, rigid, long for BS003/ BS004	144 кг	96 800p.
	KSZ00190A	Stabilizer rams, tilttable 55°; for BS003/ BS004	148 кг	134 500p.
	KSZ00192A	Stabilizer rams, tilttable, long for BS003/ BS004	172 кг	190 600p.
	KSZ00161A	Stabilizer rams rigid for BS003/ BS005	113 кг	83 400p.
	KSZ00162A	Stabilizer rams, rigid, long for BS003/ BS005	125 кг	92 300p.
	KSZ00167A	Stabilizer rams rigid for BS006	126 кг	91 700p.
	KSZ00168A	Stabilizer rams, rigid, long for BS006	148 кг	97 500p.
	KSZ00193A	Stabilizer rams, tilttable 55° for BS006	148 кг	134 600p.
	KSZ00194A	Stabilizer rams, tilttable 180°, long for BS006	172 кг	193 600p.
	KSZ00169A	Stabilizer rams rigid for BS007	115 кг	89 500p.
	KSZ00170A	Stabilizer rams, rigid, long for BS007	130 кг	91 300p.
	BS1003A	Add. stabilizer - hyd - 7100mm - 180kN	1110 кг	551 900p.
	BS1242A-1	Add.stabilizer-hyd -8500mm-210kN	1702 кг	877 400p.
	*SC-PAL50-ADECK	Proportional stability control vor cranes with Paltronic 50 including lateral covering of the outrigger box *EN12999:2011 -	0 кг	62 800p.
	SC-PAL150-ADECK	Proportional stability control vor cranes with Paltronic 150 including lateral covering of the outrigger box *EN12999:2011	0 кг	76 100p.
	*AUSW	Transport position monitoring - outrigger completely retracted - EN12999:2011 - obligatory	0 кг	9 700p.
	*ABSTW	Transport position monitoring - fully retracted position of the outrigger and the stabilizer rams	0 кг	58 100p.
	*12V / 24V	If you have selected one of the previous features you have to indicate the correct voltage rate	0 кг	0p.
	BS085A	Additional stabilizer with adjust. legs 6,1m - (Not according EN12999-2011)	1154 кг	562 900p.
	BS086	Additional stabilizer "R1XY" 6100 mm (Not according EN12999-2011)	890 кг	485 600p.
	BS1286	Additional stabilizer STZY 8600mm (Not according EN12999-2011)	1495 кг	1 153 800p.
	BS1298	Additional stabilizer STZS 8600mm (Not according EN12999-2011)	1230 кг	1 050 900p.
	BS1284	Stabilizer rams stroke 610mm (BS1003A / BS1242A-1)	224 кг	209 200p.
	BS1285	Stabilizer rams stroke 524mm (BS1003A / BS1242A-1)	218 кг	202 000p.
	BS1321	Stabilizer rams stroke 379mm (BS1003A / BS1242A-1)	196 кг	194 700p.
	BS1333	1 pair stabilizer rams with supporting monitoring - 451 mm - CE	105 кг	123 500p.
	BS1334	1 pair stabilizer rams with supporting monitoring - 416 mm - CE	105 кг	123 500p.
	BS1335	1 pair stabilizer rams with supporting monitoring - 632 mm - CE	123 кг	129 400p.
	BS1322B	Front stabilizer; kit, max. 100kN	54 кг	64 500p.
	BS1323B	Front stabilizer; kit, max. 150kN	84 кг	74 300p.
	KSO00079A	Monitoring kit for additional stabilizer (BS1333 - BS1334 - BS1335)	2 кг	28 600p.
	EZ2261-400	Stabilizer pad; diameter 400mm	5 кг	14 200p.
	EZ2261-500	Stabilizer pad diameter 500 mm	9 кг	20 500p.
	EZ2189-300	Stabilizer pad; measurements 300x300x40 mm	3 кг	2 400p.
	EZ2189-400	Stabilizer pad; measurements 400x400x50 mm	7 кг	3 900p.
	EZ2189-500	Stabilizer pad; measurements 500x500x60 mm	14 кг	5 500p.
	EZ2189-600	Stabilizer pad; measurements 600x600x60 mm	11 кг	7 300p.
	EZ2262-400	Securing device for EZ2261-400	5 кг	2 000p.
	EZ2262-500	Securing device for EZ2261-500	5 кг	2 700p.
	EZ2263-400	Securing device for EZ2261-400, KTL coated	3 кг	3 300p.
	EZ2263-500	Securing device for EZ2261-500; KTL coated	3 кг	3 900p.
	EZ2190-300	Mounting box for 2x EZ2189-300	9 кг	4 300p.

Вилочные подхваты

наименование	модель	описание	вес	цена
	PZP150H	Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 1500kg; TL 980mm	120 кг	176 900p.
	PZP200H	Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2000kg; TL 980mm	135 кг	204 300p.
	PZP250H	Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2500kg; TL 980mm	160 кг	266 600p.
	PZP150HL	Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 1500kg; TL 1150mm	155 кг	164 600p.
	PZP200HL	Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2000kg; TL 1150mm	170 кг	214 000p.
	PZP250HL	Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2500kg; TL 1150mm	235 кг	279 800p.
	PZR450GF	Rotator; flange; 4.5t	26 кг	49 500p.
	PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
	N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
	N00072-XX	Reduction link between rotator and equipment (please indicate the shaft diameter)	7 кг	11 200p.
	N00071-XX	Non-rotating hook for shaft rotators (Please indicate the shaft diameter)	12 кг	18 200p.
	PZP150V	Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 1500kg; TL 980mm	120 кг	113 200p.
	PZP200V	Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2000kg; TL 980mm	135 кг	126 600p.
	PZP250V	Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2500kg; TL 980mm	160 кг	179 900p.
	PZP300V	Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 3000kg; TL 980mm	200 кг	225 200p.
	PZP150VL	Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 1500kg; TL 1150mm	155 кг	139 100p.
	PZP200VL	Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2000kg; TL 1150mm	170 кг	179 100p.
	PZP250VL	Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2500kg; TL 1150mm	235 кг	207 000p.
	PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
	N00070	Rigid suspension link with pin for all shaft-type rotators	8 кг	14 300p.
	N00071-XX	Non-rotating hook for shaft rotators (Please indicate the shaft diameter)	12 кг	18 200p.
	PZP100VS	Pallet fork self shifting and tines with lock pin adjustment; load capacity 1000kg; TL 980mm	145 кг	76 100p.
	PZP125VS	Pallet fork self shifting and tines with lock pin adjustment; load capacity 1250kg; TL 980mm	145 кг	
	PZP150VS	Pallet fork self shifting and tines with lock pin adjustment; load capacity 1500kg; TL 980mm	145 кг	85 700p.
	PZP200VS	Pallet fork self shifting and tines with lock pin adjustment; load capacity 2000kg; TL 980mm	150 кг	94 900p.
	PZP250VS	Pallet fork self shifting and tines with lock pin adjustment; load capacity 2500kg; TL 980mm;	170 кг	159 300p.
	PZP300VS	Pallet fork self shifting and tines with lock pin adjustment; load capacity 3000kg; TL 980mm;	205 кг	191 100p.
	PZP125VSL	Pallet fork self shifting and tines with lock pin adjustment; load capacity 1250kg; TL1150mm;	90 кг	105 000p.
	PZP150VSL	Pallet fork self shifting and tines with lock pin adjustment; load capacity 1500kg; TL 1150mm;	170 кг	119 700p.
	PZP200VSL	Pallet fork self shifting and tines with lock pin adjustment; load capacity 2000kg; TL 1150mm;	180 кг	131 700p.
	PZP250VSL	Pallet fork self shifting and tines with lock pin adjustment; load capacity 2500kg; TL 1150mm;	185 кг	171 700p.
	PZP300VSL	Pallet fork self shifting and tines with lock pin adjustment; load capacity 3000kg; TL 1150mm;	220 кг	209 200p.
	PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
	N00070	Rigid suspension link with pin for all shaft-type rotators	8 кг	14 300p.
	N00071-XX	Non-rotating hook for shaft rotators (Please indicate the shaft diameter)	12 кг	18 200p.
	PZP100	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 1000kg; TL 980mm	80 кг	55 400p.
	PZP125	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 1250kg; TL 980mm	100 кг	57 800p.
	PZP150	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 1500kg; TL 980mm	120 кг	61 800p.
	PZP200	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2000kg; TL 980mm	130 кг	70 300p.
	PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
	N00070	Rigid suspension link with pin for all shaft-type rotators	8 кг	14 300p.
	N00071-XX	Non-rotating hook for shaft rotators (Please indicate the shaft diameter)	12 кг	18 200p.
	PZP125M	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 1250kg; TL 980 mm	100 кг	75 800p.
	PZP150M	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 1500kg; TL 980mm;	120 кг	81 000p.
	PZP200M	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2000kg; TL 980 mm	130 кг	91 800p.
	PZP250M	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2500kg; TL 980 mm	170 кг	118 200p.
	PZP300M	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 3000kg; TL 980 mm;	200 кг	138 800p.
	PZP150ML	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 1500kg; TL 1150mm	150 кг	84 300p.

PZP200ML	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2000kg; TL 1150mm	180 кг	98 800p.
PZP250ML	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2500kg; TL 1150mm;	235 кг	127 200p.
PZP300ML	Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 3000kg; TL 1150mm;	265 кг	151 200p.
PZR450GF	Rotator; flange; 4.5t	26 кг	49 500p.
PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
N00072-XX	Reduction link between rotator and equipment (please indicate the shaft diameter)	7 кг	11 200p.
N00070	Rigid suspension link with pin for all shaft-type rotators	8 кг	14 300p.
N00071-XX	Non-rotating hook for shaft rotators (Please indicate the shaft diameter)	12 кг	18 200p.
PZP150WP	Universal fork; package; load capacity 1500kg; depth of load 460mm; height of load 1250mm; tine spread 640 - 1830mm; incl. PZR450G-68, BL462, BL463, N00074, N00075, UL045	410 кг	438 900p.
PZP200WP	Universal fork; package; load capacity 2000kg; depth of load 460mm; height of load 1250mm; tine spread 640 - 1600mm; incl. PZR450G-68, BL462, BL463, N00074, N00075, UL045	410 кг	446 300p.
PZP080W	Universal fork; load capacity 800kg; depth of load 460mm; height of load 1250mm; tine spread 600 - 1000mm;	280 кг	265 100p.
PZP100W	Universal fork; load capacity 1000kg; depth of load 460mm; height of load 1250mm; tine spread 640 - 1600mm	340 кг	265 100p.
PZP150W	Universal fork; load capacity 1500kg; depth of load 460mm; height of load 1250mm; tine spread 640 - 1600mm	380 кг	270 300p.
PZP200W	Universal fork; load capacity 2000kg; tine spread 640 - 1600mm; depth of load 460mm; height of load 1250mm;	390 кг	288 200p.
PZP250W	Universal fork; load capacity 2500kg; depth of load 460mm; height of load 1250mm; tine spread 640 - 1600mm;	400 кг	303 000p.
PZP150WA	Universal fork with 2. suspension point on main beam; load capacity 1500kg; depth of load 460mm; height of load 1250mm; tine spread 640 - 1600mm	390 кг	340 400p.
PZR450GF	Rotator; flange; 4.5t	26 кг	49 500p.
PZR450G-XX	Rotator; shaft ; 4.5t (Please indicate the shaft diameter)	26 кг	47 100p.
N00074	Quick change system complete; incl. hydraulic couplings	12 кг	48 000p.
N00072-XX	Reduction link between rotator and equipment (please indicate the shaft diameter)	7 кг	11 200p.
PZP001	Adjustable clamping device to secure single sheets of smaller packs	14 кг	44 000p.
PZP002	Rack for wallboard fork	9 кг	7 800p.
N00414	Adapter between PZP-W and N00074	7 кг	15 800p.

Гидронасосы, радиаторы и гидробаки

наименование	модель	описание	вес	цена
Гидронасосы	EP 340	Axial piston fixed pump REXROTH KFA23; displacement volume 22,9 cm³	6 кг	34 800p.
	EP 341	Axial piston fixed pump REXROTH KFA32; displacement volume 32 cm³	6 кг	38 100p.
	EP 342	Axial piston fixed pump REXROTH KFA45 displacement volume 45,6 cm³	8 кг	40 300p.
	EP 344	Axial piston fixed pump REXROTH KFA63; displacement volume 63 cm³	9 кг	44 100p.
	EP 345	Axial piston fixed pump REXROTH KFA80; displacement volume 80,4 cm³	12 кг	47 900p.
	EP 346	Axial piston fixed pump REXROTH KFA107; displacement volume 106,7 cm³	15 кг	57 900p.
	EP 347L	Axial piston fixed pump REXROTH; left rotation,displacement volume 2 x 63 cm³	21 кг	113 400p.
	EP 347R	Axial piston fixed pump REXROTH; right rotation,displacement volume 2 x 63 cm³	21 кг	113 400p.
	EP 348L	Axial piston fixed pump REXROTH; left rotation, displacement volume 2 x 80 cm³	25 кг	119 200p.
	EP 348R	Axial piston fixed pump REXROTH; right rotation, displacement volume 2 x 80 cm³	25 кг	119 200p.
	EP 653	Axial piston load sensing pump; REXROTH KVA55; right rotation; displacement volume 54,8 cm³	16 кг	114 400p.
	EP 653HD	Axial piston load sensing pump; REXROTH KVA55; right rotation; displacement volume 54,8 cm³ - high pressure versio	16 кг	121 500p.
	EP 654	Axial piston load sensing pump; REXROTH KVA55; left rotation; displacement volume 54,8 cm³	16 кг	114 400p.
	EP 654HD	Axial piston load sensing pump; REXROTH KVA55; left rotation; displacement volume 54,8 cm³ ; high pressure version	16kg	121 500p.
	EP 651	Axial piston load sensing pump; REXROTH KVA80; right rotation; displacement volume 80 cm³	20 кг	123 800p.
	EP 651HD	Axial piston load sensing pump; REXROTH KVA80DRS; right rotation; displacement volume 80 cm³; high pressure vers	20 кг	127 900p.
	EP 652	Axial piston load sensing pump; REXROTH KVA80; left rotation; displacement volume 80 cm³	20 кг	123 800p.
	EP 652HD	Axial piston load sensing pump; REXROTH KVA80DRS; left rotation; displacement volume 80 cm³; high pressure versio	20 кг	127 900p.
	EP 649	Axial piston load sensing pump; REXROTH KVA107; right rotation; displacement volume 107 cm³	24 кг	132 000p.
	EP 649HD	Axial piston load sensing pump; REXROTH KVA107DRS; right rotation; displacement volume 107 cm³; high pressure v	24 кг	136 100p.
	EP 650	Axial piston load sensing pump; REXROTH KVA107; left rotation; displacement volume 107 cm³	24 кг	132 000p.
	EP 650HD	Axial piston load sensing pump; REXROTH KVA107DRS; left rotation; displacement volume 107 cm³; high pressure ver	24 кг	136 100p.
	EA1287	Suction fitting REXROTH G 3/4" - 38 mm=11/2	0 кг	2 300p.
	EA1287-45	Suction fitting REXROTH G 3/4" - 38 mm=11/2 - 45°	1 кг	2 700p.
	EA1287-90	Suction fitting REXROTH G 3/4" - 38 mm=11/2 - 90°	0 кг	3 300p.
	EA1288	Suction fitting REXROTH G 1" - 38 mm=11/2	1 кг	2 300p.
	EA1288-45	Suction fitting REXROTH G 1" - 38 mm=11/2 - 45°	1 кг	2 700p.
	EA1288-90	Suction fitting REXROTH G 1" - 38 mm=11/2 - 90°	0 кг	3 300p.
	EA2111	Suction fitting REXROTH G 1" - 50mm	0 кг	3 400p.
	EA1290	Suction fitting REXROTH G 1 1/4" - 50 mm=2"	0 кг	2 600p.
	EA1290-45	Suction fitting REXROTH G 1 1/4" - 50 mm=2" - 45°	1 кг	3 300p.
	EA1290-90	Suction fitting REXROTH G 1 1/4" - 50 mm=2" - 90°	0 кг	3 700p.
	EA1710	Suction fitting REXROTH G1 1/4" - 60 mm	1 кг	3 700p.
	EH4720	Suction hose NW38x01700	2 кг	2 300p.
	EH4721	Suction hose NW50x01700	4 кг	2 900p.
	EH4722	Suction hose NW60x01700	1 кг	3 900p.
	EA1597	Pressure nipple R1/2"-3/4"	0 кг	500p.
	EA1354	Pressure nipple R3/4" - R3/4"	0 кг	400p.
	EA 085	Adaptor	0 кг	500p.
	EA1355	Pressure nipple R1" - R3/4"	0 кг	500p.
	ED1131	Seal	0 кг	300p.
	ED1132	Seal	0 кг	200p.
	ED1133	Seal	0 кг	300p.
	EH4560	Hydraulic hose NW16x00550	2 кг	2 600p.
	EH1469	Pressure hose NW 20x00850	1 кг	2 900p.
	EP 678	Smart Plate for DFR1 control KVA	0 кг	10 700p.
	EA1863	Adapter REXROTH KVA 7/16-20UNF	0 кг	900p.
	EP1394	Constant pump LEDUC XP12	10 кг	33 800p.
	EP1395	Constant pump LEDUC XP18	10 кг	34 300p.
	EP1396	Constant pump LEDUC XP25	10 кг	34 900p.
	EP1397	Constant pump LEDUC XP32	12 кг	35 600p.
	EP1398	Constant pump LEDUC XP41	12 кг	35 800p.
	EP1399	Constant pump LEDUC XP50	12 кг	36 100p.
	EP1400	Constant pump LEDUC XP63	12 кг	42 700p.
	EP1401	Constant pump LEDUC XP80	15 кг	45 600p.
	EP1402	Constant pump LEDUC XP108	15 кг	51 300p.
	EP1403	Constant pump LEDUC XP130	16 кг	58 200p.
	EP 547	Constant pump LEDUC PA12	13 кг	34 300p.
	EP 548	Constant pump LEDUC PA18	13 кг	34 300p.
	EP 549	Constant pump LEDUC PA25	15 кг	34 300p.
	EP 550	Constant pump LEDUC PA32	15 кг	36 100p.
	EP 551	Constant pump LEDUC PA40	15 кг	36 100p.
	EP 552	Constant pump LEDUC PA50	15 кг	38 600p.
	EP 555	Constant pump LEDUC PA114	24 кг	67 800p.
	EP 553	Constant pump LEDUC PAC65	16 кг	44 500p.
	EP 554	Constant pump LEDUC PAC80	17 кг	50 500p.
	EP 589	Double flow pump LEDUC PA 2x25	16 кг	75 400p.
	EP 582	Double flow pump LEDUC PA 2x40	24 кг	75 400p.
	EP 583	Double flow pump LEDUC PA 2x50	24 кг	75 400p.
	EP 556	Double flow pump LEDUC PA 2x57	24 кг	75 400p.

EP 502	Double flow pump LEDUC PA 2x75	25 кг	118 700p.
EP1158	Double flow pump LEDUC PA75x40	27 кг	118 700p.
EP1415	Double flow pump LEDUC PAD 2x67; 2x5 pistons	25 кг	108 300p.
EP1999	Double flow pump LEDUC PAD 2x32; 2x5 pistons	25 кг	91 800p.
EP2000	Double flow pump LEDUC PAD 2x40; 2x5 pistons	25 кг	91 800p.
EP2001	Double flow pump LEDUC PAD 2x57; 2x5 pistons	25 кг	91 800p.
EP1923L	Axial piston load sensing pump; left rotation; displacement volume 40 cm3	27 кг	116 600p.
EP1923R	Axial piston load sensing pump; right rotation; displacement volume 40 cm3	27 кг	116 600p.
EP 768L	Axial piston load sensing pump; left rotation; displacement volume 60 cm3	27 кг	120 000p.
EP 768R	Axial piston load sensing pump; right rotation; displacement volume 60 cm3	27 кг	120 000p.
EP 769L	Axial piston load sensing pump; left rotation; displacement volume 75 cm3	27 кг	121 100p.
EP 769R	Axial piston load sensing pump; right rotation; displacement volume 75 cm3	27 кг	121 100p.
EP 770L	Axial piston load sensing pump; left rotation; displacement volume 92 cm3	27 кг	125 100p.
EP 770R	Axial piston load sensing pump; right rotation; displacement volume 92 cm3	27 кг	125 100p.
EP 945L	Axial piston load sensing pump; left rotation; displacement volume 120 cm3	27 кг	138 300p.
EP 945R	Axial piston load sensing pump; right rotation; displacement volume 120 cm3	27 кг	138 300p.
EP1926L	Axial piston load sensing pump; left rotation; displacement volume 130 cm3	28 кг	150 800p.
EP1926R	Axial piston load sensing pump; right rotation; displacement volume 130 cm3	28 кг	150 800p.
EP 150L	Axial piston load sensing pump; left rotation; displacement volume 150 cm3	27 кг	179 500p.
EP 150R	Axial piston load sensing pump; right rotation; displacement volume 150 cm3	27 кг	179 500p.
EA1991	LEDUC-XP Suction fitting G 1 1/2"	4 кг	2 600p.
EA1992	LEDUC-XP suction fitting G2" = 51,8mm	4 кг	2 900p.
EA1993	LEDUC-XP Suction fitting G 2 1/2" = 64,5mm	4 кг	3 100p.
EA1731	Suction fitting G1 1/2"-40mm	1 кг	2 600p.
EA1867	Suction fitting G1 1/2"-50mm	1 кг	4 500p.
EA1867-60	Suction fitting G1 1/2" - d = 60mm for TXV (130)	1 кг	3 200p.
EA1867-63	Suction fitting G1 1/2", d = 63,5 mm - TXV (150)	1 кг	3 200p.
EA2148	Suction fitting G 2" - 50mm	1 кг	4 500p.
EA2065	Flange LEDUC standard	0 кг	10 400p.
EA2066	Flange LEDUC PLT100	0 кг	9 700p.
EH4937	Suction hose NW40x01700	1 кг	2 900p.
EH4721	Suction hose NW50x01700	4 кг	2 900p.
EH4560	Hydraulic hose NW16x00550	2 кг	2 600p.
EA1354	Pressure nipple R3/4" - R3/4"	0 кг	400p.
ED1132	Seal	0 кг	200p.
ES2546	Setting screw LEDUC	1 кг	5 800p.
EV5183	Bypass valve for XP12 - XP63	0 кг	21 800p.
EV5184	Bypass valve for XP80 - XP130	0 кг	21 800p.
EP 703	Axial piston fixed pump SUNFAB; displacement volume 16,2 cm3	8 кг	37 100p.
EP 374	Axial piston fixed pump SUNFAB; displacement volume 25 cm3	9 кг	39 100p.
EP 373	Axial piston fixed pump SUNFAB; displacement volume 34 cm3	9 кг	44 100p.
EP 367	Axial piston fixed pump SUNFAB; displacement volume 47 cm3	12 кг	46 300p.
EP1150	Axial piston fixed pump SUNFAB; displacement volume 56 cm3	12 кг	54 300p.
EP 368	Axial piston fixed pump SUNFAB; displacement volume 63,5 cm3	12 кг	54 300p.
EP 369	Axial piston fixed pump SUNFAB; displacement volume 83,5 cm3	17 кг	61 000p.
EP 370	Axial piston fixed pump SUNFAB; displacement volume 108 cm3	17 кг	76 900p.
EP 528	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 46 + 46 cm3;	21 кг	98 800p.
EP 506	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 53 + 53 cm3	22 кг	99 800p.
EP 742	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 235 + 35 cm3	25 кг	102 200p.
EP1151	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 56 + 26 cm3; right	18 кг	145 400p.
EP1152	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 56 + 26 cm3; left	18 кг	145 400p.
EP 601	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 75 + 75 cm3; left	22 кг	201 100p.
EP 607	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 75 + 75 cm3; right	22 кг	201 100p.
EP 850L	Axial piston load sensing pump Sunfab; left rotation; displacement volume 92 cm3	26 кг	152 000p.
EP 850R	Axial piston load sensing pump Sunfab; right rotation, displacement volume 92 cm3	26 кг	148 200p.
EP 851L	Axial piston load sensing pump Sunfab; left rotation; displacement volume 112 cm3	28 кг	179 700p.
EP 851R	Axial piston load sensing pump Sunfab; right rotation; displacement volume 112 cm3	28 кг	179 700p.
EA1851	Suction fitting SUNFAB G 1 1/2" - 38 mm	1 кг	3 800p.
EA1852	Suction fitting SUNFAB G 2" - 50 mm	2 кг	4 000p.
EA2361	Suction fitting SUNFAB 63mm 45°	0 кг	3 800p.
EH4720	Suction hose NW38x01700	2 кг	2 300p.
EH4721	Suction hose NW50x01700	4 кг	2 900p.
EH4560	Hydraulic hose NW16x00550	2 кг	2 600p.
EA1354	Pressure nipple R3/4" - R3/4"	0 кг	400p.
ED1132	Seal	0 кг	200p.
EP1980	Hydraulic aggregate 12V 1.5kW in steel box	19 кг	41 900p.
EP1981	Hydraulic aggregate 24V 1.5kW in steel box	19 кг	41 900p.
EP1983	Hydraulic aggregate 12V 3,0 kW in steel box	25 кг	59 300p.
EP1984	Hydraulic aggregate 24V 3,0 kW in steel box	25 кг	59 300p.
EP1982	Emergency aggregate (without tank) 24V 3,0 kW in plastic box	20 кг	44 600p.
KMG00210A	Emergency aggregate kit for constant pump operation 3kW	10 кг	79 400p.
KMG00211A	Emergency aggregate kit for load sensing pump operation 3kW	10 кг	87 400p.
EEA9835	Kit with 4 m cable for hydraulic aggregate 1,5 kW	3 кг	7 300p.
EEA9836	Kit with 6 m cable for hydraulic aggregate 1,5 kw	4 кг	8 900p.
EEA9847	Kit with 4 m cable for hydraulic aggregate 3,0 kW	3 кг	11 100p.
EEA9848	Kit with 6 m cable for hydraulic aggregate 3,0 kW	7 кг	14 700p.
EP 629-12V	Oil cooler; 8.5kW; 12V; without housing	11 кг	33 400p.
EP 629-24V	Oil cooler; 8.5kW; 24V; without housing	11 кг	33 400p.
BKA21	Oil cooler; 8.5kW; 12V; incl. housing	23 кг	44 200p.
BKA24	Oil cooler; 8.5kW; 24V; incl. housing	23 кг	44 200p.
BKA29	Oil cooler; 10.5kW; 12V; incl. housing	25 кг	57 700p.
BKA30	Oil cooler; 10.5kW; 24V; incl. housing	25 кг	57 700p.
BKA40	Oil cooler; 20 kW; 12V; incl. housing	36 кг	66 500p.
BKA41	Oil cooler; 20kW; 24V; incl. housing	36 кг	66 500p.
BKA34	Oil cooler; 20kW; 24V; without housing	23 кг	59 600p.
BKA27-24VS	Oil cooler; kit; 8,5kW; 24V;for mounting on crane	23 кг	42 700p.
BKA31-24VS	Oil cooler; kit; 8,5kW; 24V; for mounting on truck	22 кг	35 800p.
BKA56	Oil cooler; 10.5kW; 24V; without housing	11 кг	48 300p.
BKA57	Oil cooler 10 kW 12V	11 кг	51 400p.
GTK001-BA	Oil tank cpl.; 75L; steel	39 кг	26 600p.
GTK021-BA	Oil tank cpl.; 100L; steel	45 кг	26 700p.
GTK002-BA	Oil tank cpl.; 140L; steel	50 кг	35 100p.
GTK003-BA	Oil tank cpl.; 200L; steel	69 кг	39 500p.
GTK004-BA	Oil tank cpl.; 300L; steel	0 кг	40 900p.
GTK005-BA	Oil tank cpl.; 400L; steel	98 кг	48 900p.
GTK007-BA	Oil tank cpl.; 300L; steel	167 кг	42 400p.
GTK001-CB	Oil tank; 75L; aluminium version Attention: Mounting brackets are NOT included	13 кг	65 800p.
GTK021-CB	Oil tank; 100L; aluminium version Attention: Mounting brackets are NOT included	17 кг	67 300p.
GTK002-CB	Oil tank; 140L; aluminium version Attention: Mounting brackets are NOT included	20 кг	68 900p.
GTK003-CB	Oil tank; 200L; aluminium version Attention: Mounting brackets are NOT included	23 кг	72 300p.
GTK004-CB	Oil tank 300L; aluminium version Attention: Mounting brackets are NOT included	31 кг	77 900p.
GTK005-CB	Oil tank; 400L; aluminium version Attention: Mounting brackets is NOT included	38 кг	83 400p.
GTK001-BB	Oil tank; 75L; aluminium version; incl. mounting parts and bracket	13 кг	88 500p.

Гидробаки	KTK021-BB	Oil tank; 100L; aluminium version; incl. mounting parts and bracket	19 кг	90 200p.
	KTK002-BB	Oil tank; 140L; aluminium version; incl. mounting parts and bracket	20 кг	97 500p.
	KTK003-BB	Oil tank; 200L; aluminium version; incl. mounting parts and bracket	23 кг	101 000p.
	KTK004-BB	Oil tank; 300L; aluminium version; incl. mounting parts and bracket	31 кг	106 600p.
	KTK005-BB	Oil tank; 400L; aluminium version; incl. mounting parts and bracket	38 кг	111 900p.
	KTK-BFS	Compensating element - tank bracket, depressed center	0 кг	1 800p.
	KTK-BF04	Compensating element - tank bracket, straight; thickness 25 mm	0 кг	400p.
	KTK-BF10	Compensating element - tank bracket, straight; thickness 25 mm	0 кг	500p.
	KTK-BF25	Compensating element - tank bracket, straight; thickness 25 mm	0 кг	2 200p.
	KTK001-DA	Bracket cpl. for KTK001 - KTK021; steel	2 кг	3 800p.
	KTK002-DA	Bracket cpl. for KTK002 - KTK005; steel	2 кг	4 000p.
	KTK001-DB	Bracket cpl. for KTK001 - KTK021; aluminium	2 кг	31 700p.
	KTK002-DB	Bracket cpl. for KTK002 - KTK005; aluminium	2 кг	35 000p.
	EA2102	Suction fitting G2" - 60 mm for retrofit of a shut-off cock NW 50 to 60 mm	0 кг	2 200p.
	EA1390	Shut-off cock	1 кг	2 000p.
	EA1818	Angle piece 1 1/4"	1 кг	400p.
	EV4512	Shut-off cock 2"	3 кг	2 400p.
	EA1817	Pipe bend 2"	1 кг	700p.
	EA1901	Adaptor 2"	0 кг	1 500p.