

УТВЕРЖДАЮ

заместитель генерального директора

УТВЕРЖДАЮ

Генеральный директор

Данилов В.Н.
1 апреля 2014 года

С. Иванов
1 апреля 2014 года

Прайс лист на продукцию Palfinger Equipment Center

Версия 1В-2014

Буровое оборудование

Действителен с 1.04.2014

наименование	модель	описание	вес	цена
Бур шнековый: E- для мягкого грунта; T-для твердого грунта ; R-для скального грунта	EBG 150E	Earth teeth auger D=150 mm; space between spirals 120mm; spiral height 750 mm, total height 1500 mm	36 кг	49 100p.
	EBG 150R	Rock teeth auger; D=150 mm; space between spirals 120mm; spiral height 750 mm, total height 1500 mm	37 кг	58 500p.
	EBG 200E	Earth teeth auger D=200 mm; space between spirals 150 mm; spiral height 750 mm, total height 1500 mm	42 кг	58 400p.
	EBG 200T	Tungsten teeth auger; D=200 mm; space between spirals 150mm; spiral height 750 mm, total height 1500 mm	41 кг	62 400p.
	EBG 200R	Rock teeth auger; D=200 mm; space between spirals 150mm; spiral height 750 mm, total height 1500 mm	44 кг	70 800p.
	EBG 225E	Earth teeth auger D=225 mm; space between spirals 150 mm; spiral height 750 mm, total height 1500 mm	46 кг	58 000p.
	EBG 225T	Tungsten teeth auger; D=225 mm; space between spirals 150mm; spiral height 750 mm, total height 1500 mm	45 кг	65 200p.
	EBG 225R	Rock teeth auger; D=225 mm; space between spirals 150mm; spiral height 750 mm, total height 1500 mm	47 кг	74 300p.
	EBG 250E	Earth teeth auger D=250 mm; space between spirals 150 mm; spiral height 750 mm, total height 1500 mm	47 кг	62 400p.
	EBG 250T	Tungsten teeth auger; D=250 mm; space between spirals 150mm; spiral height 750 mm, total height 1500 mm	46 кг	66 900p.
	EBG 250R	Rock teeth auger; D=250 mm; space between spirals 150mm; spiral height 750 mm, total height 1500 mm	50 кг	76 500p.
	EBG 300E	Earth teeth auger D=300 mm; space between spirals 200mm; spiral height 700 mm, total height 1500 mm	53 кг	64 200p.
	EBG 300T	Tungsten teeth auger; D=300 mm; space between spirals 200mm; spiral height 700 mm, total height 1500 mm	53 кг	70 400p.
	EBG 300R	Rock teeth auger; D=300 mm; space between spirals 200mm; spiral height 700 mm, total height 1500 mm	54 кг	84 600p.
	EBG 350E	Earth teeth auger D=350 mm; space between spirals 225mm; spiral height 675 mm, total height 1500 mm	58 кг	67 700p.
	EBG 350T	Tungsten teeth auger; D=350 mm; space between spirals 225mm; spiral height 675 mm, total height 1500 mm	58 кг	73 400p.
	EBG 350R	Rock teeth auger; D=350 mm; space between spirals 225mm; spiral height 675 mm, total height 1500 mm	59 кг	83 400p.
	EBG 400E	Earth teeth auger D=400 mm; space between spirals 250mm; spiral height 625 mm, total height 1500 mm	63 кг	71 600p.
	EBG 400T	Tungsten teeth auger; D=400 mm; space between spirals 250mm; spiral height 625 mm, total height 1500 mm	62 кг	88 800p.
	EBG 400R	Rock teeth auger; D=400 mm; space between spirals 250mm; spiral height 625 mm, total height 1500 mm	63 кг	91 100p.
	EBG 450E	Earth teeth auger D=450 mm; space between spirals 250mm; spiral height 625 mm, total height 1500 mm	68 кг	73 500p.
	EBG 450T	Tungsten teeth auger; D=450 mm; space between spirals 250mm; spiral height 625 mm, total height 1500 mm	68 кг	88 800p.
	EBG 450R	Rock teeth auger; D=450 mm; space between spirals 250mm; spiral height 675 mm, total height 1500 mm	67 кг	94 500p.
	EBG 500E	Earth teeth auger D=500 mm; space between spirals 250mm; spiral height 625 mm, total height 1500 mm	75 кг	79 400p.
	EBG 500T	Tungsten teeth auger; D=500 mm; space between spirals 250mm; spiral height 625 mm, total height 1500 mm	75 кг	93 900p.
	EBG 500R	Rock teeth auger; D=500 mm; space between spirals 250mm; spiral height 625 mm, total height 1500 mm	76 кг	101 600p.
	EBG 600E	Earth teeth auger D=600 mm; space between spirals 300mm; spiral height 600 mm, total height 1500 mm	86 кг	84 600p.
	EBG 600T	Tungsten teeth auger; D=600 mm; space between spirals 300mm; spiral height 600 mm, total height 1500 mm	86 кг	97 800p.
	EBG 600R	Rock teeth auger; D=600 mm; space between spirals 300mm; spiral height 600 mm, total height 1500 mm	86 кг	110 700p.
	EBG 750E	Earth teeth auger D=750 mm; space between spirals 350mm; spiral height 550 mm, total height 1500 mm	103 кг	149 500p.
	EBG 800E	Earth teeth auger D=800 mm; space between spirals 350mm; spiral height 525 mm, total height 1500 mm	118 кг	156 600p.
	EBG 800T	Tungsten teeth auger; D=800 mm; space between spirals 350mm; spiral height 525 mm, total height 1500 mm	118 кг	174 200p.
	EBG 800R	Rock teeth auger; D=800 mm; space between spirals 350mm; spiral height 525 mm, total height 1500 mm	118 кг	202 200p.
	EBG 900E	Earth teeth auger D=900 mm; space between spirals 350mm; spiral height 525 mm, total height 1500 mm	138 кг	122 600p.
	EBG 900T	Tungsten teeth auger; D=900 mm; space between spirals 350mm; spiral height 525 mm, total height 1500 mm	138 кг	135 300p.
	EBG 900R	Rock teeth auger; D=900 mm; space between spirals 350mm; spiral height 525 mm, total height 1500 mm	138 кг	151 500p.
	EBG 200E-RW	Earth auger D = 200 mm for rope wind hitch	54 кг	73 100p.
	EBG 200R-RW	Earth auger D = 200 mm for rock for rope wind hitch	54 кг	86 800p.
	EBG 225E-RW	Earth auger D = 225 mm for rope wind hitch	58 кг	77 100p.
	EBG 225R-RW	Earth auger D = 225 mm for rock for rope wind hitch	58 кг	90 000p.
	EBG 250E-RW	Earth auger D = 250 mm for rope wind hitch	63 кг	82 600p.
	EBG 250R-RW	Earth auger D = 250 mm for rock for rope wind hitch	63 кг	98 300p.
	EBG 300E-RW	Earth auger D = 300 mm for rope wind hitch	68 кг	86 200p.
	EBG 300R-RW	Earth auger D = 300 mm for rock for rope wind hitch	68 кг	102 600p.
	EBG 350E-RW	Earth auger D = 350 mm for rope wind hitch	73 кг	90 800p.
EBG 350R-RW	Earth auger D = 350 mm for rock for rope wind hitch	73 кг	107 600p.	
EBG 400E-RW	Earth auger D = 400 mm for rope wind hitch	79 кг	95 200p.	
EBG 400R-RW	Earth auger D = 400 mm for rock for rope wind hitch	79 кг	111 100p.	
EBG 450E-RW	Earth auger D = 450 mm for rope wind hitch	85 кг	102 800p.	
EBG 450R-RW	Earth auger D = 450 mm for rock for rope wind hitch	85 кг	123 000p.	
EBG 500E-RW	Earth auger D = 500 mm for rope wind hitch	92 кг	112 200p.	
EBG 500R-RW	Earth auger D = 500 mm for rock for rope wind hitch	92 кг	135 500p.	
EBG 600E-RW	Earth auger D = 600 mm for rope wind hitch	99 кг	122 600p.	
EBG 600R-RW	Earth auger D = 600 mm for rock for rope wind hitch	99 кг	148 600p.	
Гидромоторы бура	BEG30	Earth auger drive 3000 Nm; speed of turn 68 U/min; range of drilling 150 - 600 mm; apt for cranes up to 20 mt	108 кг	175 200p.
	BEG50	Earth auger drive 5000 Nm; speed of turn 41 U/min; range of drilling 150 - 750 mm; apt for cranes up to 20 mt	112 кг	183 700p.
	BEG80	Earth auger drive 8000 Nm; speed of turn 27 U/min; range of drilling 150 - 900 mm; apt for cranes up to 20 mt	116 кг	193 900p.
Парковочное устройство	BEGAV20	Rope wind hitch earth auger for cranes up to 20 mt	140 кг	275 300p.
Удлинитель бура	BEG12-500	Earth auger extension; length 500 mm	18 кг	32 500p.
	BEG12-1000	Earth auger extension; length 1000 mm	26 кг	35 500p.
	BEG12-1500	Earth auger extension 1500 mm	26 кг	37 200p.
	BEG12-2000	Earth auger extension; length 2000 mm	26 кг	39 800p.
Вставки бура	UL025	Pull in part for pipe dimension 296*133 mm	0 кг	36 300p.
	UL026	Pull in part for pipe dimension 259*115 mm	0 кг	36 300p.
	UL027	Pull in part for pipe dimension 221*097 mm	0 кг	36 300p.
	UL028	Pull in part for pipe dimension 185*080 mm	18 кг	36 300p.
	UL146	Pull in part for pipe 123mm inside height	32 кг	36 300p.

	UL147	Pull in part for pipe 155mm inside height	34 кг	36 300р.
	UL148	Pull in part for pipe 188mm inside height	37 кг	36 300р.
	UL149	Pull in part for pipe 224mm inside height	42 кг	36 300р.
	UL150	Pull in part for pipe 260mm inside height	46 кг	36 300р.
РВД	BL462-R	Hose set, 2pcs; rotorator-PK crane	1 кг	9 800р.

Срок поставки бурового оборудования прикл.6-8 недель.

Люльки

наименование	модель	описание	вес	цена
Люльки	BB040	Workman basket for 2 persons, with automatic levelling according to EC-type examination; positively	200 кг	543 600р.
	BB041	Workman basket 1 person; with automatic levelling according to EC-type examination; positively con	172 кг	511 300р.
	PZBB01	Lanyard with shock absorber	0 кг	9 800р.
	PZBB02	1 point safety harness	0 кг	10 300р.
	KSS001B03	Bearer for distant control	1 кг	3 800р.
	HXE3003	Bracket for remote control	1 кг	5 100р.
	HXE3004	Bracket for remote control	1 кг	5 100р.
	BB014A	Workman basket for 2 persons with automatic levelling according to EC-type examination; positively	272 кг	615 200р.
	BB030	Workman basket for 1 person; foldable; acc. to EN 280; load capacity 150 kg	116 кг	252 800р.
	BB004B	Workman basket for 2 persons weight levelled according to EC-type examination; load capacity 280	0 кг	186 000р.
	BB004	Workman basket for 2 persons weight levelled without EC-type examination; load capacity 280 kg	202 кг	175 800р.
	BB040ES01AU	Pull-in part for BB040, BB041, BB014A PK10002-SH D S106T25-B PK12502-SH D S106T25-B PJ 1	23 кг	104 600р.
	BB040ES02AU	Pull-in part for BB040, BB041, BB014A PK10002-SH C S105T04-B PK12502-SH C S106T24-B PK14	26 кг	104 600р.
	BB040ES03AU	Pull-in part for BB040, BB041, BB014A PK10002-SH B S105T03-B PK12502-SH B S106T23-B PK14	26 кг	104 600р.
	BB040ES04AU	Pull-in part for BB040, BB041, BB014A PK42002-SH G S410T38-A PK53002-SH G S411T38-A	26 кг	104 600р.
	BB040ES05AU	Pull-in part for BB040, BB041, BB014A PK14502-SH C S204T04-C PK18502-SH C S205T04-C PK2	29 кг	104 600р.
	BB040ES13AU	Pull-in part for BB040, BB041, BB014A PJ 125 C J202T04-B	42 кг	104 600р.
	BB040ES06AU	Pull-in part for BB040, BB041, BB014A PK27002-SH D S405T05-C PK34002-SH D S407T05-C PK4	30 кг	104 600р.
	BB040ES14AU	Pull-in part for BB040, BB041, BB014A PJ 170 C J302T04-B	43 кг	104 600р.
	BB040ES08AU	Pull-in part for BB040, BB041, BB014A PK42002-SH D S410T35-A PK53002-SH D S411T35-A PK6	34 кг	104 600р.
	BB040ES51AU	Pull-in part for BB040, BB041, BB014A PK200002L-SH G S601T08-A	37 кг	104 600р.
	BB040ES52AU	Pull-in part for BB040, BB041, BB014A PK200002L-SH E S601T06-A	40 кг	104 600р.
	BB040ES53AU	Pull-in part for BB040, BB041, BB014A PJ 300L C J401T04-A	28 кг	104 600р.
	BB040ES50AU	Pull-in part for BB040, BB041, BB014A PJ 300L F J401T07-A	25 кг	104 600р.
	BB040ES09AU	Pull-in part for BB040, BB041, BB014A PK110002-SH H S503T09-A	38 кг	104 600р.
	BB040ES15AU	Pull-in part for BB040, BB041, BB014A PK110002-SH G S503T18-B	41 кг	104 600р.
	BB040ES16AU	Pull-in part for BB040, BB041, BB014A PK110002-SH F S503T07-A	43 кг	104 600р.
	BB040ES10AU	Pull-in part extension 150 mm	13 кг	104 600р.
	BZ456	Quick coupling flange for BB004, BB004B to be connected with all BB014A pull in parts	14 кг	16 100р.
	BB013-10V1	Pull-in part for pipe inner height 123 x 62 mmmm	22 кг	38 800р.
	BB013-15V1	Pull-in part for pipe inner height 155 x 79 mm	21 кг	38 800р.
	BB013-16V1	Pull-in part for pipe inner height 188 x 96 mm	28 кг	38 800р.
	BB013-17AV1	Pull-in part for pipe inner height 224 x 116 mm	30 кг	38 800р.
	BB013-18V1	Pull-in part for pipe inner height 260 x 136 mm	33 кг	38 800р.
	BB004-3	Pull-in part for pipe inner height 221 x 97 mm	21 кг	38 800р.
	BB007-3	Pull-in part for pipe inner height 150 x 63 mm	21 кг	38 800р.
	BB009-3	Pull-in part for pipe inner height 185 x 80 mm	17 кг	38 800р.
	BB011-3	Pull-in part for pipe inner height 259 x 115 mm	27 кг	38 800р.
	C016	Pull-in part for pipe inner height 117 x 48 mm	17 кг	35 200р.

Срок поставки люлек прикл.6-8 недель.

Комплекующие для эвакуатора

наименование	модель	описание	вес	цена
Траверы и колесные захваты	PZLG35PK	Lifting system, hydraulic, 3,5t, with rotary servo connection; adjustment of center of gravity 400 - 700	216 кг	395 000р.
	PZLG35	Lifting system, hydraulic, 3,5t, with rotary servo connection; adjustment of center of gravity 400 - 700	180 кг	198 000р.
	PZLG35H	Lifting system, hydraulic, 3,5t, with hook connection; adjustment of center of gravity 400 - 700mm; tor	180 кг	221 000р.
	PZLG20H	2t Lifting system with ring connection; torsion resistant version; width 2,2 m; galvanized version	75 кг	117 600р.
	PZLG20S	2t Lifting system with welded plate; torsion resistant version; width 2,2 m; galvanized version	75 кг	117 600р.
	PZLG20P	2t Lifting system with bolted plate; torsion resistant version; width 2,2 m; galvanized version	75 кг	117 600р.
	PZLG20B	Carrier for 2 t lifting systems	75 кг	27 600р.
	PZTC01	Wheel clamp set; 4 pcs;load capacity max.900 kg per wheel clamp; for wheel width 295 mm; torsion	19 кг	172 400р.
	PZTC01-1	Wheel clamp; set of 4pcs.; load capacity 900 kg per wheel clamp; for wheel size 12 to 19 inches; for	20 кг	188 400р.
	PZLS01	Wheel clamp strap; set 4 pcs; load capacity max.892 kg per piece	5 кг	19 200р.
	PZLS02	Wheel clamp strap set 4 pcs max.892 kg	2 кг	14 000р.

Срок поставки прикл.6-8 недель.

Грейферы

наименование	модель	описание	вес	цена
	PZG04-200-GF	Clamshell bucket; package; light-duty; volume 200l incl. PZWS04-200 (incl. bolt on teeth) PZHP0	290 кг	291 500р.
	PZG04-250-GF	Clamshell bucket; package; light-duty; volume 250l incl. PZWS04-250 (incl. bolt on teeth) PZHP0	305 кг	294 100р.
	PZG04-325-GF	Clamshell bucket; package; light-duty; volume 325l incl. PZWS04-325 (incl. bolt on teeth) PZHP0	320 кг	312 000р.
	PZG04-350-GF	Clamshell bucket; package; light-duty; volume 350l incl. PZWS04-350 (incl. bolt on teeth) PZHP0	325 кг	300 500р.
	PZG04-450-GF	Clamshell bucket; package; light-duty; volume 450l incl. PZWS04-450 (incl. bolt on teeth) PZHP0	340 кг	312 900р.
	PZG150GPK	Clamshell bucket; package; light-duty; volume 150l incl. PZG150G (incl.bolt-on teeth) PZR450GF	220 кг	207 100р.
	PZG250GPK	Clamshell bucket; package; light-duty; volume 250l incl. PZG250G (incl.bolt-on teeth) PZR450GF	255 кг	210 700р.
	PZG350GPK	Clamshell bucket; package; light-duty; volume 350l incl. PZG350G (incl.bolt-on teeth) PZR450GF	275 кг	216 000р.
	PZG450GPK	Clamshell bucket; package; light-duty; volume 450l incl. PZG450G (incl.bolt-on teeth) PZR450GF	310 кг	236 800р.
	PZG550GPK	Clamshell bucket; package; light-duty; volume 550l incl. PZG550G (incl.bolt-on teeth) PZR450GF	345 кг	258 100р.
	PZG300S-1P	High volume clamshell bucket; package; light-duty; volume 300l; incl. PZG300S-1 PZR450GF	350 кг	242 500р.
	PZG400S-1P	High volume clamshell bucket; package; light-duty; volume 400l; incl. PZG400S-1 PZR450GF	380 кг	247 400р.
	PZG500S-1P	High volume clamshell bucket; package; light-duty; volume 500l; incl. PZG500S-1 PZR450GF	405 кг	254 800р.
	PZG250UP	Universal bucket; package; volume 250l incl.PZG250U PZR450GF 1x PZZG-VK 1x PZZG0	375 кг	277 200р.
	PZG300UP	Universal bucket; package; volume 300l incl.PZG300U PZR450GF PZZG-VK PZZG002-AF	390 кг	281 500р.
	PZG400UP	Universal bucket; package; volume 400l incl.PZG400U PZR450GF PZZG-VK PZZG002-AF	425 кг	286 000р.
	PZG450UP	Universal bucket; package; volume 450l incl.PZG450U PZR450GF PZZG-VK PZZG002-AF	425 кг	290 900р.
	PZG120PH4-PK	Orange peel grapple; light-duty; 4 tines; half closing tines; volume 120l; incl. PZR450GF, UL045, BL4	298 кг	315 400р.

PZG180PH4-PK	Orange peel grapple package; light-duty; 4 tines; half closing tines; volume 180l; incl. PZR450GF, UL	308 kr	321 500p.
PZG240PH4-PK	Orange peel grapple; light-duty; 4 tines; half closing tines; volume 240l; incl. PZR450GF, UL045, BL4	338 kr	327 500p.
PZG120PH5-PK	Orange peel grapple package; light-duty; 5 tines; half closing tines; volume 120l; incl. PZR450GF, UL	338 kr	364 900p.
PZG180PH5-PK	Orange peel grapple package; light-duty; 5 tines; half closing tines; volume 180l; incl. PZR450GF, UL	343 kr	372 500p.
PZG240PH5-PK	Orange peel grapple; light-duty; 5 tines; half closing tines; volume 240l; incl. PZR450GF, UL045, BL4	378 kr	379 900p.
PZS110V-1PK	Brick stack grapple package incl. PZP110V-1 PZR450GF UL045 BL462 BL463 Pz	355 kr	537 700p.
PZS110V-1P	Brick stack grapple package with tilting device incl. PZS110V-1 PZR450G-68 PZSUKVW	355 kr	552 000p.
PZS110V-1PS	Brick stack grapple package with quick exchange coupling incl. PZS110V-1 PZR450G-68 PZ	355 kr	585 100p.
PZC250PR	Bottle-bank discharge unit for container with mushroom and ring system; incl.: UL192-PB BL463	170 kr	581 400p.
PZB932-6/10	Barrier grab; gripping 100-300 mm	165 kr	216 700p.
PZG04-200-502	Clamshell bucket with shaft rotator; package; light-duty; volume 200l incl. PZWS04-200 (incl. bolt on	290 kr	307 100p.
PZG04-250-502	Clamshell bucket with shaft rotator; package; light-duty; volume 250l incl. PZWS04-250 (incl. bolt on	310 kr	309 800p.
PZG04-325-502	Clamshell bucket with shaft rotator; package; light-duty; volume 325l incl. PZWS04-325 (incl. bolt on	325 kr	315 000p.
PZG04-350-502	Clamshell bucket with shaft rotator; package; light-duty; volume 350l incl. PZWS04-350 (incl. bolt on	330 kr	316 400p.
PZG04-450-502	Clamshell bucket with shaft rotator; package; light-duty; volume 450l incl. PZWS04-450 (incl. bolt on	345 kr	329 000p.
PZZG-SC	Scraper for PZG-G	0 kr	33 200p.
PZZG-AV/AS	Adapters for mounting of compression rails	0 kr	52 900p.
PZZG002-AH	Welded hooks (2 pieces)	3 kr	25 300p.
PZZG-VK	Wear plates to protect horizontal cutting edges	32 kr	26 100p.
PZHP450V	Extension for excavating for HPXdrive; 450mm	30 kr	52 300p.
BL981-L	Fast coupling hydr. loose part for grabs	1 kr	7 400p.
BL981-F	Fast coupling hydr.fixed part for grabs	1 kr	7 400p.
PZHP04ZA	Central lifting device to KM604HPX	1 kr	25 400p.
PZG041-02-GF	Hay and forestry grapple package with flange rotator for PZHP04; volume 0,20m² incl. PZWS41-02, f	255 kr	309 400p.
PZG041-04-GF	Hay and forestry grapple package with flange rotator for PZHP04; volume 0,40m² incl. PZWS41-04, f	320 kr	345 700p.
PZG041-02-502	Hay and forestry grapple package with shaft rotator for PZHP04; volume 0,20m² incl. PZWS41-02, P	260 kr	318 000p.
PZG041-04-502	Hay and forestry grapple package with shaft rotator for PZHP04; volume 0,40m² incl. PZWS41-04, P	325 kr	354 600p.
BL981-L	Fast coupling hydr. loose part for grabs	1 kr	7 400p.
BL981-F	Fast coupling hydr.fixed part for grabs	1 kr	7 400p.
PZHP04-GF	Rotator; HPXdrive; flange; incl.: BL462; UL045	160 kr	232 700p.
PZHP04-502	Rotator; HPXdrive; shaft 68mm; and PZZR450R-68 incl.: BL462; BL463; UL045K	165 kr	242 000p.
PZHP04-505	Rotator; HPXdrive; shaft 68mm; with PZZR450SV-PK; incl.: BL462; BL463; UL045K	170 kr	278 700p.
PZWS04-200	Exchangeable shells clamshell bucket for PZHP04; volume 200l; width 400mm; number of teeth 4	125 kr	85 500p.
PZWS04-250	Exchangeable shells clamshell bucket for PZHP04; volume 250l; width 500mm; number of teeth 4	140 kr	88 200p.
PZWS04-325	Exchangeable shells clamshell bucket for PZHP04; volume 325l; width 600mm; number of teeth 6	150 kr	93 400p.
PZWS04-350	Exchangeable shells clamshell bucket for PZHP04; volume 350l; width 650mm; number of teeth 6	155 kr	94 700p.
PZWS04-450	Exchangeable shells clamshell bucket for PZHP04; volume 450l; width 800mm; number of teeth 6	170 kr	107 400p.
PZWS4U-250	Exchangeable shells universal clamshell bucket with open shells for PZHP04; volume 250l; width 570	215 kr	95 800p.
PZWS4U-300	Exchangeable shells universal clamshell bucket with open shells for PZHP04; volume 300l; width 670	235 kr	123 300p.
PZWS4U-400	Exchangeable shells universal clamshell bucket with open shells for PZHP04; volume 400l; width 820	255 kr	107 900p.
PZWS4U-500	Exchangeable shells universal clamshell bucket with open shells for PZHP04; volume 500l; width 102	285 kr	130 000p.
PZWS13-016	Exchangeable shells rock grapple for PZHP04; volume 0,16m²; width 400mm	75 kr	96 400p.
PZWS32-016	Exchangeable shells timber grapple for PZHP04; volume 0,16m²; width 400mm	75 kr	96 400p.
PZWS41-02	Exchangeable shells hay and forestry grapple for PZHP04; volume 0,20m²; width 670mm	95 kr	96 400p.
PZWS41-04	Exchangeable shells hay and forestry grapple for PZHP04; volume 0,40m²; width 940mm	160 kr	132 500p.
PZWS04-VG	Guard rail grapple Vario Guard; load capacity 1500 kg; closing force 25 kN; Width 2200 mm	415 kr	347 200p.
PZWS04-MG	Guard rail grapple Mini Guard; load capacity 1500 kg; closing force 25 kN; Width 820 mm	415 kr	224 900p.
PZG05-200-GF	Clamshell bucket; package; heavy-duty; volume 200l incl. PZWS05-200 (incl. bolt on teeth) PZHF	335 kr	371 400p.
PZG05-250-GF	Clamshell bucket; package; heavy-duty; volume 250l incl. PZWS05-250 (incl. bolt on teeth) PZHF	360 kr	374 200p.
PZG05-350-GF	Clamshell bucket; package; heavy-duty; volume 350l incl. PZWS05-350 (incl. bolt on teeth) PZHF	390 kr	381 000p.
PZG05-450-GF	Clamshell bucket; package; heavy-duty; volume 450l incl. PZWS05-450 (inkl. teeth) PZHP05-GF	420 kr	416 700p.
PZG05-550-GF	Clamshell bucket; package; heavy-duty; volume 550l incl. PZWS05-550 (incl. bolt on teeth) PZHF	455 kr	444 800p.
PZG05-200-502	Clamshell bucket; package; heavy-duty; volume 200l with shaft rotator incl. PZWS05-200 (with teeth)	340 kr	390 100p.
PZG05-250-502	Clamshell bucket; package; heavy-duty; volume 250l with shaft rotator incl. PZWS05-250 (with teeth)	365 kr	393 000p.
PZG05-350-502	Clamshell bucket; package; heavy-duty; volume 350l incl. PZWS05-350 (inkl. teeth) PZHP05-502	395 kr	490 200p.
PZG05-450-502	Clamshell bucket; package; heavy-duty; volume 450l with shaft rotator incl. PZWS05-450 (with teeth)	425 kr	436 600p.
PZG05-550-502	Clamshell bucket; package; heavy-duty; volume 550l with shaft rotator incl. PZWS05-550 (with teeth)	460 kr	465 300p.
PZZG-SC	Scraper for PZG-G	0 kr	33 200p.
PZZG-AV/AS	Adapters for mounting of compression rails	0 kr	52 900p.
PZZG002-AH	Welded hooks (2 pieces)	3 kr	25 300p.
PZZG-VK	Wear plates to protect horizontal cutting edges	32 kr	26 100p.
PZHP450V	Extension for excavating for HPXdrive; 450mm	30 kr	52 300p.
BL981-L	Fast coupling hydr. loose part for grabs	1 kr	7 400p.
BL981-F	Fast coupling hydr.fixed part for grabs	1 kr	7 400p.
PZHP05ZA	Central lifting device for KM605HPX	1 kr	25 400p.
PZHP05-GF	Rotator; HPXdrive heavy duty; flange; icl.: BL462; UL045	195 kr	293 600p.
PZHP05-502	Rotator; HPXdrive hd; shaft 68mm; and PZZR450R-68 incl.: BL462; BL463; UL045	200 kr	303 600p.
PZHP05-505	Rotator; HPXdrive hd; shaft 68mm; with PZZR450SV-PK incl.: BL462; BL463; UL045K	205 kr	341 900p.
PZWS05-200	Exchangeable shells clamshell bucket for PZHP05; heavy-duty; volume 200l; width 400mm; number	135 kr	110 300p.
PZWS05-250	Exchangeable shells clamshell bucket for PZHP05; heavy-duty; volume 250l; width 500mm; number	165 kr	113 100p.
PZWS05-350	Exchangeable shells clamshell bucket for PZHP05; heavy-duty; volume 350l; width 465mm; number	190 kr	119 700p.
PZWS05-450	Exchangeable shells clamshell bucket for PZHP05; heavy-duty; volume 450l; width 800mm; number	215 kr	154 900p.
PZWS05-550	Exchangeable shells clamshell bucket for PZHP05; heavy-duty; volume 550l; width 1000mm; numbe	250 kr	182 600p.
PZWS5U-250	Exchangeable shells universal bucketwith open shells for PZHP05; heavy-duty; volume 250l; width 5	220 kr	125 000p.
PZWS5U-300	Exchangeable shells universal bucket with open shells for PZHP05; heavy-duty; volume 300l; width 6	240 kr	138 000p.
PZWS5U-400	Exchangeable shells universal bucket with open shells for PZHP05; heavy-duty; volume 400l; width 8	260 kr	135 900p.
PZWS5U-450	Exchangeable shells universal bucket with open shells for PZHP05; heavy-duty; volume 450l; width 9	275 kr	157 100p.
PZWS5U-500	Exchangeable shells universal bucket with open shells for PZHP05; heavy-duty; volume 500l; width 1	295 kr	164 000p.
PZWS13-035S	Exchangeable shells rock grapple for PZHP05; heavy-duty; volume 0,35m²; width 400mm	135 kr	144 800p.
PZWS32-016S	Exchangeable shells timber grapple for PZHP05; heavy-duty; volume 0,16m²; width 400mm	90 kr	117 700p.
PZWS41-04S	Exchangeable shells hay and forestry grapple for PZHP05; heavy-duty; volume 0,40m²; width 940mm	195 kr	144 800p.
PZG150G	Clamshell bucket; light-duty; volume 150l; width B 325mm; number of teeth 3; incl. bolt-on teeth	210 kr	154 900p.
PZG200G	Clamshell bucket; light-duty; volume 200l; width B 400mm; number of teeth 3; incl. bolt-on teeth,	195 kr	193 300p.
PZG250G	Clamshell bucket; light-duty; volume 250l; width B 500mm; number of teeth 5; incl. bolt-on teeth	220 kr	158 500p.
PZG325G	Clamshell bucket; light-duty; volume 325l; width B 600mm; number of teeth 5; incl. bolt-on teeth,	235 kr	201 800p.
PZG350G	Clamshell bucket; light-duty; volume 350l; width B 650mm; number of teeth 5; incl. bolt-on teeth	240 kr	161 200p.
PZG450G	Clamshell bucket; light-duty; volume 450l; width B 800mm; number of teeth 9; incl. bolt-on teeth	275 kr	185 300p.
PZG550G	Clamshell bucket; light-duty; volume 550l; width B 1000mm; number of teeth 9; incl. bolt-on teeth	290 kr	207 000p.
PZR450GF	Rotator; flange; 4.5t	26 kr	53 600p.
PZR450G-XX	Rotator; shaft XXmm; 4.5t	26 kr	51 500p.
PZZR450SV-PK	Quick change system complete; incl. hydraulic couplings, 68 mm	12 kr	54 800p.
PZZR450R-XX	Reduction link between rotator and equipment; shaft XX mm	7 kr	13 400p.
PZZG-SC	Scraper for PZG-G	0 kr	33 200p.

Грейферы

PZZG002-AH	Welded hooks (2 pieces)		3 кг	25 300p.
PZZG-VK	Wear plates to protect horizontal cutting edges		32 кг	26 100p.
PZZG-AV/AS	Adapters for mounting of compression rails		0 кг	52 900p.
PZZS072A-09	Compression rails; 2 pcs.; length 720mm for adapter for clamping arms to take compression rails		17 кг	37 000p.
PZZS100A-09	Compression rails; 2 pcs.; length 1000mm for adapter for clamping arms to take compression rails		23 кг	43 000p.
PZ102-7000	Tooth for clamshell bucket for PZG-G/G-1; incl. screws		0 кг	4 400p.
PZG200G-1P	Clamshell bucket; package; heavy-duty; volume 200l incl. PZG200G-1 (incl. bolt-on teeth)	PZR45	290 кг	283 000p.
PZG250G-1P	Clamshell bucket; package; heavy-duty; volume 250l incl. PZG250G-1 (incl. bolt-on teeth)	PZR45	320 кг	286 400p.
PZG350G-1P	Clamshell bucket; package; heavy-duty; volume 350l incl. PZG350G-1 (incl. bolt-on teeth)	PZR45	345 кг	291 800p.
PZG200G-1	Clamshell bucket; heavy-duty; volume 200l; width B 400mm; number of teeth 3		265 кг	225 800p.
PZG250G-1	Clamshell bucket; heavy-duty; volume 250l; width B 500mm; number of teeth 5		285 кг	229 300p.
PZG350G-1	Clamshell bucket; heavy-duty; volume 350l; width B 650mm; number of teeth 5		310 кг	234 500p.
PZG450G-1	Clamshell bucket; heavy-duty; volume 450l; width B 800mm; number of teeth 9		340 кг	293 300p.
PZG550G-1	Clamshell bucket; heavy-duty; volume 550l; width B 1000mm; number of teeth 9		375 кг	319 800p.
PZG650G-1	Clamshell bucket; heavy-duty; volume 650l; width B 1200mm; number of teeth 9		410 кг	363 300p.
PZR450GF	Rotator; flange; 4.5t		26 кг	53 600p.
PZR450G-XX	Rotator; shaft XXmm; 4.5t		26 кг	51 500p.
PZZR450SV-PK	Quick change system complete; incl. hydraulic couplings, 68 mm		12 кг	54 800p.
PZZR450R-XX	Reduction link between rotator and equipment; shaft XX mm		7 кг	13 400p.
PZZG-SC	Scraper for PZG-G		0 кг	33 200p.
PZZG002-AH	Welded hooks (2 pieces)		3 кг	25 300p.
PZZG-VK	Wear plates to protect horizontal cutting edges		32 кг	26 100p.
PZZG-AV/AS	Adapters for mounting of compression rails		0 кг	52 900p.
PZZS072A-09	Compression rails; 2 pcs.; length 720mm for adapter for clamping arms to take compression rails		17 кг	37 000p.
PZZS100A-09	Compression rails; 2 pcs.; length 1000mm for adapter for clamping arms to take compression rails		23 кг	43 000p.
PZ102-7000	Tooth for clamshell bucket for PZG-G/G-1; incl. screws		0 кг	4 400p.
PZG150GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 150l; width 325mm; number of teeth 3		260 кг	195 700p.
PZG200GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 200l; width 400mm; number of teeth 3		275 кг	211 800p.
PZG250GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 250l; width 500mm; number of teeth 5		295 кг	217 200p.
PZG325GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 325l; width 600mm; number of teeth 5		315 кг	221 600p.
PZG350GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 350l; width 650mm; number of teeth 5		320 кг	223 900p.
PZG450GV	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 450l; width 800mm; number of teeth 9		355 кг	253 300p.
PZG100GVF	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 100l; width 600mm; number of teeth 3		280 кг	259 000p.
PZG125GVF	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 125l; width 760mm; number of teeth 3		315 кг	267 300p.
PZG150GVF	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 150l; width 600mm; number of teeth 3		275 кг	271 900p.
PZG190GVF	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 190l; width 760mm; number of teeth 3		290 кг	278 000p.
PZG200GVF	Clamshell bucket with vertical hydraulic cylinders; light-duty; volume 200l; width 600mm; number of teeth 3		295 кг	287 800p.
PZR450GF	Rotator; flange; 4.5t		26 кг	53 600p.
PZR450G-XX	Rotator; shaft XXmm; 4.5t		26 кг	51 500p.
PZZR450SV-PK	Quick change system complete; incl. hydraulic couplings, 68 mm		12 кг	54 800p.
PZZR450R-XX	Reduction link between rotator and equipment; shaft XX mm		7 кг	13 400p.
PZZG-SC	Scraper for PZG-G		0 кг	33 200p.
PZZG002-AH	Welded hooks (2 pieces)		3 кг	25 300p.
PZZG-VK	Wear plates to protect horizontal cutting edges		32 кг	26 100p.
PZZG-AV/AS	Adapters for mounting of compression rails		0 кг	52 900p.
PZZS072A-09	Compression rails; 2 pcs.; length 720mm for adapter for clamping arms to take compression rails		17 кг	37 000p.
PZZS100A-09	Compression rails; 2 pcs.; length 1000mm for adapter for clamping arms to take compression rails		23 кг	43 000p.
PZG215GV-SP	Clamshell bucket package with vertical cylinders for heavy duty volume 215 l, capacity 3000 kg incl. PZG215GV-S		320 кг	401 200p.
PZG255GV-SP	Clamshell bucket package with vertical cylinders for heavy duty volume 255 l, capacity 3000 kg incl. PZG255GV-S		335 кг	409 300p.
PZG135GV-S	Clamshell bucket with vertical hydraulic cylinders; volume 135l		260 кг	289 500p.
PZG170GV-S	Clamshell bucket with vertical hydraulic cylinders; volume 170l		270 кг	284 000p.
PZG215GV-S	Clamshell bucket with vertical hydraulic cylinders; volume 215l		285 кг	290 800p.
PZG255GV-S	Clamshell bucket with vertical cylinders for heavy duty volume 255 l, capacity 3000 kg		300 кг	301 500p.
PZG340GV-S	Clamshell bucket with vertical hydraulic cylinders; volume 340l		385 кг	344 300p.
PZR450GF	Rotator; flange; 4.5t		26 кг	53 600p.
PZR450G-XX	Rotator; shaft XXmm; 4.5t		26 кг	51 500p.
PZZR450SV-PK	Quick change system complete; incl. hydraulic couplings, 68 mm		12 кг	54 800p.
PZZR450R-XX	Reduction link between rotator and equipment; shaft XX mm		7 кг	13 400p.
PZZG002-AH	Welded hooks (2 pieces)		3 кг	25 300p.
PZZG-VK	Wear plates to protect horizontal cutting edges		32 кг	26 100p.
PZZG-SC	Scraper for PZG-G		0 кг	33 200p.
PZG300S-1	High volume clamshell bucket; light-duty; volume 300l; width B 640mm; number of teeth 5		315 кг	189 000p.
PZG400S-1	High volume clamshell bucket; light-duty; volume 400l; width B 800mm; excl. teeth (recommended ar		350 кг	194 000p.
PZG500S-1	High volume clamshell bucket; light-duty; volume 500l; width B 1000mm; excl. teeth (recommended ar		370 кг	201 800p.
PZR450GF	Rotator; flange; 4.5t		26 кг	53 600p.
PZR450G-XX	Rotator; shaft XXmm; 4.5t		26 кг	51 500p.
PZZR450SV-PK	Quick change system complete; incl. hydraulic couplings, 68 mm		12 кг	54 800p.
PZZR450R-XX	Reduction link between rotator and equipment; shaft XX mm		7 кг	13 400p.
PZZG002-AH	Welded hooks (2 pieces)		3 кг	25 300p.
PZZG-VK	Wear plates to protect horizontal cutting edges		32 кг	26 100p.
PZZG-SK	Lateral cutting edges; 2 pcs.; for PZG500S-1; PZG502S-1; incl. mounting parts		32 кг	28 000p.
PZ102-8000	Tooth for clamshell bucket, for PZGS/S-1; incl. screws		0 кг	4 400p.
PZG300SPK	High volume clamshell bucket; package; heavy-duty; volume 300l; incl. PZG300S	PZR45	410 кг	245 000p.
PZG400SPK	High volume clamshell bucket; package; heavy-duty; volume 400l; incl. PZG400S	PZR45	465 кг	259 500p.
PZG500SPK	High volume clamshell bucket; package; heavy-duty; volume 500l; incl. PZG500S with lifting hooks		510 кг	269 100p.
PZG650SPK	High volume clamshell bucket; package; heavy-duty; volume 650l; incl. PZG650S	PZR45	555 кг	278 900p.
PZG1000SPK	High volume clamshell bucket; package; heavy-duty; volume 1000l; incl. PZG1000S	PZR45	640 кг	397 900p.
PZG300S	High volume clamshell bucket; heavy-duty; volume 300l width B 500mm; excl. teeth (recommended ar		370 кг	187 600p.
PZG400S	High volume clamshell bucket; heavy-duty; volume 400l width B 800mm; excl. teeth (recommended ar		450 кг	202 100p.
PZG500S	High volume clamshell bucket with lifting hooks N00130; heavy-duty; volume 500l; width B 1000mm;		465 кг	211 700p.
PZG650S	High volume clamshell bucket; heavy-duty; volume 650l width B 1200mm; excl. teeth (recommended ar		490 кг	221 600p.
PZG1000S	High volume clamshell bucket; heavy-duty; volume 1000l width B 1200mm; excl. teeth (recommended ar		600 кг	342 000p.
PZR450GF	Rotator; flange; 4.5t		26 кг	53 600p.
PZR450G-XX	Rotator; shaft XXmm; 4.5t		26 кг	51 500p.
PZZR450SV-PK	Quick change system complete; incl. hydraulic couplings, 68 mm		12 кг	54 800p.
PZZR450R-XX	Reduction link between rotator and equipment; shaft XX mm		7 кг	13 400p.
PZZG002-AH	Welded hooks (2 pieces)		3 кг	25 300p.
PZZG-VK	Wear plates to protect horizontal cutting edges		32 кг	26 100p.
PZ102-8000	Tooth for clamshell bucket, for PZGS/S-1; incl. screws		0 кг	4 400p.
PZG1500SL	Wood chips grapple for light material, volume 1500l		550 кг	570 900p.
PZG250U	Clamshell bucket with open shells; heavy-duty; volume 250l; width 570mm; recommended number of		340 кг	227 800p.
PZG300U	Clamshell bucket with open shells; heavy-duty; volume 300l; width 670mm; recommended number of		355 кг	232 300p.
PZG400U	Clamshell bucket with open shells; heavy-duty; volume 400l; width 820mm; recommended number of		380 кг	236 900p.

PZG450U	Clamshell bucket with open shells; heavy-duty; volume 450l; width 920mm; recommended number o	390 kr	241 900p.
PZG500U	Clamshell bucket with open shells; heavy-duty; volume 500l; width 1020mm; recommended number	410 kr	242 500p.
PZG600U	Clamshell bucket with open shells; heavy-duty; volume 600l; width 1220mm; recommended number	440 kr	259 300p.
PZR450GF	Rotator; flange; 4.5t	26 kr	53 600p.
PZR450G-XX	Rotator; shaft XXmm; 4.5t	26 kr	51 500p.
PZZR450SV-PK	Quick change system complete; incl. hydraulic couplings, 68 mm	12 kr	54 800p.
PZZR450R-XX	Reduction link between rotator and equipment; shaft XX mm	7 kr	13 400p.
PZZG-AV/AS	Adapters for mounting of compression rails	0 kr	52 900p.
PZZS072A-09	Compression rails; 2 pcs.; length 720mm for adapter for clamping arms to take compression rails	17 kr	37 000p.
PZZS100A-09	Compression rails; 2 pcs.; length 1000mm for adapter for clamping arms to take compression rails	23 kr	43 000p.
PZZU008-SW	Side plates 8mm to universal clamshell buckets (4 pcs.)	60 kr	22 900p.
PZZU010-SW	Side plates 10mm to universal clamshell buckets (4 pcs.)	70 kr	24 900p.
PZZG-SC	Scraper for PZG-G	0 kr	33 200p.
PZZG-AV/AS	Adapters for mounting of compression rails	0 kr	52 900p.
PZZS072A-09	Compression rails; 2 pcs.; length 720mm for adapter for clamping arms to take compression rails	17 kr	37 000p.
PZZS100A-09	Compression rails; 2 pcs.; length 1000mm for adapter for clamping arms to take compression rails	23 kr	43 000p.
PZHP04ZA	Central lifting device to KM604HPX	1 kr	25 400p.
PZHP05ZA	Central lifting device for KM605HPX	1 kr	25 400p.
PZZG002-AH	Welded hooks (2 pieces)	3 kr	25 300p.
PZZG-VK	Wear plates to protect horizontal cutting edges	32 kr	26 100p.
PZHP450V	Extension for excavating for HPXdrive; 450mm	30 kr	52 300p.
PZHP2000V	Extension for excavating for HPXdrive; 2000mm	30 kr	86 200p.
PZG050P	Grapple package 50l incl. grapple 50 Liter flange rotator 3.5t coupling sub-assembly	52 kr	161 800p.
PZG095P	Grapple package 90 lt flange rotator 3.5t coupling sub-assembly	85 kr	175 300p.
PZG125P	Grapple package 125 liter Flange rotator 3.5t Coupling Sub-assembly	134 kr	180 400p.
PZG095UP	Universal grapple package 90 lt Flange rotator 3.5t Coupling Sub-assembly	85 kr	175 300p.
PZG125UP	Universal grapple package 125 lt Flange rotator 3.5t Coupling Sub-assembly	134 kr	180 400p.
PZG095UPP	Universal grapple package 90 lt; perforated Flange rotator 3.5t Coupling Sub-assembly	85 kr	175 300p.
PZG125UPP	Universal grapple package 125 lt; perforated Flange rotator 3.5t Coupling Sub-assembly	134 kr	180 400p.
PZZU125-SW	Side plates for PZG125UP, 1 set, 4 pcs.	0 kr	27 700p.
PZG120PV4	Orange peel grapple; light-duty; 4 tines; fully closing tines; volume 120l; incl. BL463	330 kr	270 100p.
PZG180PV4	Orange peel grapple; light-duty; 4 tines; fully closing tines; volume 180l; incl. BL463	345 kr	276 900p.
PZG240PV4	Orange peel grapple; light-duty; 4 tines; fully closing tines; volume 240l; incl. BL463	310 kr	282 500p.
PZG120PV5	Orange peel grapple; light-duty; 5 tines; fully closing tines; volume 120l; incl. BL463	350 kr	321 400p.
PZG180PV5	Orange peel grapple; light-duty; 5 tines; fully closing tines; volume 180l; incl. BL463	365 kr	328 900p.
PZG240PV5	Orange peel grapple; light-duty; 5 tines; fully closing tines; volume 240l; incl. BL463	415 kr	336 300p.
PZG120PH4	Orange peel grapple; light-duty; 4 tines; half closing tines; volume 120l; incl. BL463	260 kr	261 800p.
PZG180PH4	Orange peel grapple; light-duty; 4 tines; half closing tines; volume 180l; incl. BL463	270 kr	268 000p.
PZG240PH4	Orange peel grapple; light-duty; 4 tines; half closing tines; volume 240l; incl. BL463	300 kr	274 100p.
PZG120PH5	Orange peel grapple; light-duty; 5 tines; half closing tines; volume 120l; incl. BL463	300 kr	311 500p.
PZG180PH5	Orange peel grapple; light-duty; 5 tines; half closing tines; volume 180l; incl. BL463	305 kr	319 000p.
PZG240PH5	Orange peel grapple; light-duty; 5 tines; half closing tines; volume 240l; incl. BL463	340 kr	326 300p.
PZG120PS4	Orange peel grapple; light-duty; 4 tines; pointed tines; volume 120l; incl. BL463	230 kr	257 900p.
PZG180PS4	Orange peel grapple; light-duty; 4 tines; pointed tines; volume 180l; incl. BL463	235 kr	263 900p.
PZG240PS4	Orange peel grapple; light-duty; 4 tines; pointed tines; volume 240l; incl. BL463;	250 kr	270 100p.
PZG120PS5	Orange peel grapple; light-duty; 5 tines; pointed tines; volume 120l; incl. BL463	275 kr	306 700p.
PZG180PS5	Orange peel grapple; light-duty; 5 tines; pointed tines; volume 180l; incl. BL463	285 kr	314 300p.
PZG240PS5	Orange peel grapple; light-duty; 5 tines; pointed tines; volume 240l; incl. BL463	300 kr	321 400p.
PZR450GF	Rotator; flange; 4.5t	26 kr	53 600p.
PZR601GF	Rotator; flange; 6t	34 kr	101 700p.
PZZGP-DBV	Valve plate for orange peel grapples with shaft rotator	11 kr	63 100p.
PZR450G-XX	Rotator; shaft XXmm; 4.5t	26 kr	51 500p.
PZR601G	Rotator; shaft 68mm; 6t	32 kr	94 600p.
PZG250PV4	Orange peel grapple; heavy-duty; 4 tines; fully closing tines; volume 250l; incl. BL463	445 kr	303 200p.
PZG350PV4	Orange peel grapple; heavy-duty; 4 tines; fully closing tines; volume 350l; incl. BL463	470 kr	306 500p.
PZG500PV4	Orange peel grapple; heavy-duty; 4 tines; fully closing tines; volume 500l; incl. BL463	555 kr	326 500p.
PZG250PV5	Orange peel grapple; heavy-duty; 5 tines; fully closing tines; volume 250l; incl. BL463	520 kr	349 300p.
PZG350PV5	Orange peel grapple; heavy-duty; 5 tines; fully closing tines; volume 350l; incl. BL463	545 kr	359 700p.
PZG500PV5	Orange peel grapple; heavy-duty; 5 tines; fully closing tines; volume 500l; incl. BL463	635 kr	394 100p.
PZG250PH4	Orange peel grapple; heavy-duty; 4 tines; half closing tines; volume 250l; incl. BL463	425 kr	288 900p.
PZG350PH4	Orange peel grapple; heavy-duty; 4 tines; half closing tines; volume 350l; incl. BL463	440 kr	297 000p.
PZG500PH4	Orange peel grapple; heavy-duty; 4 tines; half closing tines; volume 500l; incl. BL463	505 kr	313 200p.
PZG250PH5	Orange peel grapple; heavy-duty; 5 tines; half closing tines; volume 250l; incl. BL463	505 kr	342 900p.
PZG350PH5	Orange peel grapple; heavy-duty; 5 tines; half closing tines; volume 350l; incl. BL463	520 kr	349 600p.
PZG500PH5	Orange peel grapple; heavy-duty; 5 tines; half closing tines; volume 500l; incl. BL463	595 kr	374 100p.
PZG250PS4	Orange peel grapple; heavy-duty; 4 tines; pointed tines; volume 250l; incl. BL463	390 kr	276 400p.
PZG350PS4	Orange peel grapple; heavy-duty; 4 tines; pointed tines; volume 350l; incl. BL463	395 kr	280 700p.
PZG500PS4	Orange peel grapple; heavy-duty; 4 tines; pointed tines; volume 500l; incl. BL463	435 kr	294 100p.
PZG250PS5	Orange peel grapple; heavy-duty; 5 tines; pointed tines; volume 250l; incl. BL463	470 kr	329 500p.
PZG350PS5	Orange peel grapple; heavy-duty; 5 tines; pointed tines; volume 350l; incl. BL463	480 kr	334 900p.
PZG500PS5	Orange peel grapple; heavy-duty; 5 tines; pointed tines; volume 500l; incl. BL463	525 kr	352 100p.
PZR450GF	Rotator; flange; 4.5t	26 kr	53 600p.
PZR601GF	Rotator; flange; 6t	34 kr	101 700p.
PZZGP-DBV	Valve plate for orange peel grapples with shaft rotator	11 kr	63 100p.
PZR450G-XX	Rotator; shaft XXmm; 4.5t	26 kr	51 500p.
PZR601G	Rotator; shaft 68mm; 6t	32 kr	94 600p.
PZG240PH5-A	Asymmetric orange peel grapple, 5 tines; half closing tines; volume 240l;	350 kr	516 300p.
PZG240PH6-A	Asymmetric orange peel grapple, 6 tines; half closing tines; volume 240l;	410 kr	634 500p.
PZR601GF-35	Rotator; flange; 6t; for logging incl. hose protection and fittings	34 kr	122 900p.
PZS085-1	Brick stack grapple; plunge depth 850mm; load capacity 2200kg	240 kr	351 800p.
PZS100-1	Brick stack grapple; plunge depth 1000mm; load capacity 2000kg	265 kr	354 200p.
PZS130-1	Brick stack grapple; plunge depth 1300mm; load capacity 1600kg	260 kr	357 200p.
PZS110V-1	Brick stack grapple; plunge depth 1100 - 1650mm; load capacity at min/max plunge depth 1900 / 13	295 kr	406 500p.
PZR450GF	Rotator; flange; 4.5t	26 kr	53 600p.
PZS-OW1800	Special opening width 400 - 1800 mm	0 kr	102 200p.
PZS100SP	Brick stack grapple; package; incl. grab; plunge depth 1000 mm; load capacity 2000 kg; gripping	315 kr	230 800p.
PZS110SP	Brick stack grapple; package; incl. grab; plunge depth 1100 mm; load capacity 2000 kg; gripping	320 kr	238 500p.
PZS120SP	Brick stack grapple; package; incl. grab; plunge depth 1200 mm; load capacity 1800 kg; gripping	325 kr	250 200p.
PZS130SP	Brick stack grapple; package; incl. grab; plunge depth 1300 mm; load capacity 1600 kg; gripping	330 kr	250 200p.
PZS100SHP	Brick stack grapple; package; incl. grab; plunge depth 1000 mm; load capacity 2000 kg; gripping	333 kr	260 200p.
UL192-PB	Suspension with single pendulum brake	18 kr	33 400p.
PZZS100A-40	Compression rails; 2 pcs.; length 1000mm for PZS-SP	40 kr	29 500p.
PZZS125A-40	Compression rails; 2 pcs.; length 1250mm for PZS-SP	20 kr	36 300p.

PZZG004-AH	Bag hook set; 4 pcs.	2 кг	22 900p.
PZS321-PK	Brick stack grapple package; parallel squeeze Plunge depth 790 - 1310 mm Load capacity 2000/150	401 кг	324 600p.
PZZS072A-29	Compression rails; 2 pcs.; length 720mm with smooth rubber inserts	17 кг	31 000p.
PZZS100A-29	Compression rails with smooth rubber inserts; 2 pcs.; length 1000mm	24 кг	34 600p.
PZZS125A-29	Compression rails with smooth rubber inserts; 2 pcs.; length 1250mm	28 кг	49 000p.
PZZS072A-39	Compression rails with rubber inserts; upper insert contoured, lower inserts smooth (2 pieces); length	24 кг	38 600p.
PZZS100A-39	Compression rails with rubber inserts; upper insert contoured, lower inserts smooth (2 pieces); length	33 кг	42 800p.
PZZS125A-39	Compression rails with rubber inserts; upper insert contoured, lower inserts smooth (2 pieces); length	40 кг	49 200p.
PZZS100A-32	Compression rails ; spring loaded rails with parallel-action teeth; 2 pcs; length 1000mm	62 кг	78 700p.
PZZS125A-32	Compression rails ; spring loaded rails with parallel-action teeth; 2 pcs; length 1250mm	76 кг	84 800p.
PZZS072A-09	Compression rails; 2 pcs.; length 720mm for adapter for clamping arms to take compression rails	17 кг	37 000p.
PZZS100A-09	Compression rails; 2 pcs.; length 1000mm for adapter for clamping arms to take compression rails	23 кг	43 000p.
PZZS125A-09	Compression rails; 2 pcs.; length 1250mm for adapter for clamping arms to take compression rails	28 кг	49 400p.
PZZS-GA-38	Adapter for clamping arms to take compression rails	40 кг	52 900p.
PZZR450SV-PK	Quick change system complete; incl. hydraulic couplings, 68 mm	12 кг	54 800p.
UL192-PB	Suspension with single pendulum brake	18 кг	33 400p.
PZZR450SV-OT	Upper element fitted to rotator for quick change system, shaft 68 mm	5 кг	16 000p.
PZZR450SV-UT	Lower element mounted onto attachment for quick change system	7 кг	28 100p.
PZZR450-A/LH	Rigid suspension link with non rotating hook to quick change system	7 кг	33 700p.
PZSUKVW	Tilting device to reduce overall height for shaft rotators	12 кг	23 500p.
PZSUKVF	Tilting device to reduce overall height for flange rotators	18 кг	38 300p.
PZSKAF	Height reduction link to reduce the overall height of the equipment in transport for flange rotators	15 кг	37 100p.
PZSKAW	Height reduction link to reduce the overall height of the equipment in transport – for shaft rotators;	15 кг	39 200p.
PZZS-FS	Compression rail; spring loaded for stabilizing the top layer of the stack	12 кг	44 800p.
PZZS200V-GV	Adapter to reduce opening width by 200mm	16 кг	46 900p.
PZZS-SE	Adapter for concrete pipes with diameter from 800 - 1350mm	60 кг	144 900p.

Срок поставки прибл 6-8 недель

Ротаторы, верхняя подвеска, крюки и РВД

наименование	модель	описание	вес	цена
	PZR300GPK	Rotator package 3000kg incl. PZR300G, UL168, BL462-R, PZZR450LH-52	42 кг	68 300p.
	PZR450GPK	Rotator package 4500 kg incl. PZR450G-68, UL045, BL462-R, PZZR450LH-68	45 кг	80 600p.
	PZR601GPK	Rotator package 6000 kg incl. PZR601G, UL135, BL462-R, PZZR601LH-W	42 кг	139 700p.
	PZR300G	Rotator 3000kg shaft 49,5mm	24 кг	48 800p.
	PZR450G-59	Rotator; shaft 59mm; 4.5t	26 кг	51 500p.
	PZR450G-62	Rotator; shaft 62mm; 4.5t	26 кг	51 500p.
	PZR450G-63	Rotator; shaft 63mm; 4.5t	26 кг	51 500p.
	PZR450G-68	Rotator; shaft 68mm; 4.5t	26 кг	51 500p.
	PZR450G-68-30S	Rotator; steel head; shaft 68mm; 4,5t	27 кг	63 800p.
	PZR450G-69	Rotator; shaft 69mm; 4.5t	26 кг	51 500p.
	PZR450GF	Rotator; flange; 4.5t	26 кг	53 600p.
	PZR450GF-30V	Rotator; flange; 4.5t; additional vertical connection for the drive unit; incl. fittings	27 кг	71 600p.
	PZR450GF-4	Rotator; 4,5t with 4 oil ducts	40 кг	181 400p.
	PZR601G	Rotator; shaft 68mm; 6t	32 кг	94 600p.
	PZR601GA	Rotator 6t, oil duct and pin in line	32 кг	104 400p.
	PZR601GF	Rotator; flange; 6t	34 кг	101 700p.
	PZR601GF-35	Rotator; flange; 6t; for logging incl. hose protection and fittings	34 кг	122 900p.
	PZR1000GF	Rotator; flange; 10t	65 кг	127 000p.
	PZR1000GF-45	Rotator; flange; 10t; upper pin 45mm	68 кг	156 200p.
	PZHP04-GF	Rotator; HPXdrive; flange; incl.: BL462; UL045	160 кг	232 700p.
	PZHP04-502	Rotator; HPXdrive; shaft 68mm; and PZZR450R-68 incl.: BL462; BL463; UL045K	165 кг	242 000p.
	PZHP04-505	Rotator; HPXdrive; shaft 68mm; with PZZR450SV-PK; incl.: BL462; BL463; UL045K	170 кг	278 700p.
	PZHP05-GF	Rotator; HPXdrive heavy duty; flange; incl.: BL462; UL045	195 кг	293 600p.
	PZHP05-502	Rotator; HPXdrive hd; shaft 68mm; and PZZR450R-68 incl.: BL462; BL463; UL045	200 кг	303 600p.
	PZHP05-505	Rotator; HPXdrive hd; shaft 68mm; with PZZR450SV-PK incl.: BL462; BL463; UL045K	205 кг	341 900p.
	PZR450GF	Rotator; flange; 4.5t	26 кг	53 600p.
	PZR450G-XX	Rotator; shaft XXmm; 4.5t	26 кг	51 500p.
	PZR601GF	Rotator; flange; 6t	34 кг	101 700p.
	UL167	Upper suspension PZR300G -PK small crane, height 170 mm	5 кг	13 300p.
	UL168	Suspension PZR300 -PK crane	6 кг	13 300p.
	UL045	Suspension PZR450G-PK Crane; height 263 mm	14 кг	17 200p.
	UL045K	Suspension PZR450G-PK Crane; height 173mm	10 кг	17 200p.
	UL045L	Suspension PZR450G-PK Crane; height 400mm	12 кг	20 200p.
	UL045-42	Suspension PZR450G-PK Crane with 42mm pin	14 кг	21 200p.
	UL090KK	Suspension; pin distance 175mm	12 кг	17 200p.
	UL090	Suspension GV4 - PK crane	12 кг	16 100p.
	UL134	Suspension PZR450G-PC Crane smaller than PK 2500	14 кг	19 500p.
	UL135	Suspension PZR601G-PK Crane	15 кг	19 500p.
	UL135K	Suspension PZR601G-69K - PK Crane	14 кг	19 500p.
	UL135-42	Suspension PZR601G-PK Crane for 42 mm pin	0 кг	18 500p.
	UL153	Suspension PZR1000G - PK Crane	25 кг	27 500p.
	UL153K	Suspension PZR1000G - PK KRAN	25 кг	27 500p.
	UL153-42	Suspension PZR1000G - PK crane 42mm	25 кг	28 900p.
	UL144	Suspension PZR450G-Epsilon Crane	8 кг	19 500p.
	UL136	Suspension PZR450G-Wallboard Crane	14 кг	19 500p.
	UL137	Suspension PZR601G-Wallboard for Rotator	14 кг	19 500p.
	UL138	Suspension PZR601G-Epsilon Crane	12 кг	19 500p.
	UL154	Suspension for rotator KM06 to KM10F173-35 for EPSILON-crane	25 кг	27 500p.
	UL155	Suspension for rotator KM06 to KM10F173-35 for EPSILON-crane	25 кг	27 500p.
	UL192-PB	Suspension with single pendulum brake	18 кг	33 400p.
	UL193-PB	Suspension with pendulum brake; 6t rotator	20 кг	34 100p.
	PZZR450S	Hose protection to PZR450G	3 кг	4 700p.
	PZZR601S	Hose protection to PZR601G	3 кг	9 100p.
	PZZR450R-XX	Reduction link between rotator and equipment; shaft XX mm	7 кг	13 400p.
	PZZR450R-50	Reduction link between rotator and equipment; shaft 50mm	2 кг	8 800p.
	PZZR450R-59	Reduction link between rotator and equipment; shaft 59mm	3 кг	13 400p.
	PZZR450R-62	Reduction link between rotator and equipment; shaft 62mm	7 кг	13 400p.
	PZZR450R-63	Reduction link between rotator and equipment; shaft 63mm	7 кг	13 400p.
	PZZR450R-68	Reduction link between rotator and equipment; shaft 68mm	7 кг	13 400p.
	PZZR450R-69	Reduction link between rotator and equipment; shaft 69mm	7 кг	13 400p.
	PZZR601R-GA	Reduction link for PZR601GA	3 кг	13 400p.

Ротаторы, верхняя подвеска и РВД

PZZR601R-GK	Reduction link for PZZR601G-69K, shaft 69, positioning pin and hydraulic connection rotated by 90°	10 кг	13 400p.
PZZR450R-68-59	Reduction link from 68 to 59mm	7 кг	13 200p.
PZZR1000F/W	Adapter plate for PZZR1000GF	0 кг	#3НАЧ!
PZZR450SV-PK	Quick change system complete; incl. hydraulic couplings, 68 mm	12 кг	54 800p.
PZZR450SV-OT	Upper element fitted to rotator for quick change system, shaft 68 mm	5 кг	16 000p.
PZZR450SV-UT	Lower element mounted onto attachment for quick change system	7 кг	28 100p.
PZZR450-A/LH	Rigid suspension link with non rotating hook to quick change system	7 кг	33 700p.
PZZR450-W/SV	Adapter between universal forks and quick change system	7 кг	22 500p.
PZZR601SV-PK	Quick change system heavy duty complete; incl. hydraulic couplings	18 кг	115 700p.
PZZR601SV-OT	Upper element fitted to rotator for quick change system heavy duty	7 кг	53 500p.
PZZR601SV-UT	Lower element mounted onto attachment for quick change system heavy duty	11 кг	60 600p.
PZZR601-A/LH	Rigid suspension link with non rotating hook heavy duty to quick change system	14 кг	67 700p.
BL462	Hose set; 4 pcs; rotator-PK crane	3 кг	13 100p.
BL462-R	Hose set; 2pcs; rotator-PK crane	1 кг	9 800p.
BL463	Hose set; 2 pcs; from rotator to attachment; length 500 mm	1 кг	8 800p.
BL513	Hose set; 4 pcs; rotator - PK crane; length 1200mm	3 кг	13 100p.
BL462-MF	Hose set; 4 pcs; rotator-multi fibre	3 кг	13 100p.
BL513-MF	Hose set; 4 pcs; rotator-multi fibre; length 1200mm	3 кг	13 100p.
BL981-L	Fast coupling hyd. loose part for grabs	1 кг	7 400p.
BL981-F	Fast coupling hydr.fixed part for grabs	1 кг	7 400p.
BL981-PK	Hydraulic quick change kit; incl. mobile and fixed parts (2 pieces each) mounted with adaptors to rota	1 кг	28 000p.

Аксессуары для РС кранов

наименование	модель	описание	вес	цена
Принадлежности для РС кранов	BS008-SA-A	Additional stabilizer for PC1500	430 кг	73 800p.
	AUSVW	Transport position monitoring EN12999:2011 – obligatory	0 кг	6 200p.
	ISC-S	Monitoring system EN12999:2011 – obligatory for PC2700	0 кг	3 900p.
	STZM	Preparing for hydraulic stabilizer rams	0 кг	-700p.
	EKAT	Spare part catalogue in printed version	0 кг	3 000p.
	KRANK	The stabilizer system can be treated with a protective, washable layer	0 кг	4 200p.
	JIC	Option of screw joint 37° flare type fitting (JIC)	5 кг	11 600p.
	BS009-SA-A	Additional stabilizer PC2700/PC1500	136 кг	57 200p.
	AUSVW	Transport position monitoring : outrigger completely retracted EN12999:2011 - obligatory for PC1500	0 кг	6 200p.
	ISC-S	Stability control: Outrigger and cylinder extended EN12999:2011 - obligatory for PC2700	0 кг	3 900p.
	EKAT	Spare part catalogue - printed	0 кг	3 000p.
	RAL	Special colour (RAL) für BB040 oder BB041	0 кг	31 100p.
	JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	11 600p.
	BRI-6	Mounting parts for BS009, (6x bolts M20x1,5x850; incl. 3x holder plates)	5 кг	16 400p.
	BRI-6B	Mounting parts coated for BS009, (6x bolts M20x1,5x850; incl. 3x holder plates)	5 кг	19 500p.
	BS010-SA-A+R0	Additional stabilizer PC3800 with one outrigger	192 кг	72 000p.
	AUSVW	Transport position monitoring : outrigger completely retracted EN12999:2011 - obligatory for PC1500	0 кг	6 200p.
	ISC-S	Stability control: Outrigger and cylinder extended EN12999:2011 - obligatory for PC2700	0 кг	3 900p.
	EKAT	Spare part catalogue - printed	0 кг	3 100p.
	RAL	Special colour (RAL) für BB040 oder BB041	0 кг	31 300p.
	JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	11 700p.
	BRI-8	Mounting parts for BS010, (8x bolts M20x1,5x850; incl. 4x holder plates)	6 кг	19 900p.
	BRI-8B	Mounting parts coated for BS010, (8x bolts M20x1,5x850; incl. 4x holder plates)	6 кг	23 900p.
	BS010-SA-A+R1	Additional stabilizer PC3800 with two outrigger	#H/Д	#H/Д
	BS010 + R1	Mounting frame for PC3800 with double outrigger	160 кг	87 100p.
	AUSVW	Transport position monitoring : outrigger completely retracted EN12999:2011 - obligatory for PC1500	0 кг	10 400p.
	ISC-S	Stability control: Outrigger and cylinder extended EN12999:2011 - obligatory for PC2700	0 кг	6 100p.
	EKAT	Spare part catalogue - printed	0 кг	3 100p.
	RAL	Special colour (RAL) für BB040 oder BB041	0 кг	31 300p.
	JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	11 700p.
	BRI-8	Mounting parts for BS010, (8x bolts M20x1,5x850; incl. 4x holder plates)	6 кг	19 900p.
	BRI-8B	Mounting parts coated for BS010, (8x bolts M20x1,5x850; incl. 4x holder plates)	6 кг	23 900p.
	KSZ00216A+STD	1 pair stabilizer ram, rigid, STZS5, STU7, does not correspond to EN12999:2009, impermissible for crane	46 кг	63 200p.
	KSZ00216A+CE	1 pair stabilizer ram, rigid, STZS5, STU7, inkl. ISC, AUSVW, CE compliant	46 кг	82 500p.
	KSZ00217A+STD	1 pair stabilizer ram, tiltable, STZY5, STU6, does not correspond to EN12999:2009, impermissible for crane	0 кг	78 300p.
	KSZ00217A+CE	1 pair stabilizer ram, tiltable, STZY5, STU6, incl. ISC, AUSVW, CE compliant	53 кг	100 100p.
	KSZ00218A+STD	1 pair stabilizer ram, rigid, STZS5, does not correspond to EN12999:2009, impermissible for crane	41 кг	60 400p.
	KSZ00218A+CE	1 pair stabilizer ram, rigid, STZS5, incl. ISC, AUSVW, CE compliant	41 кг	82 200p.
	KSZ00219A+STD	1 pair stabilizer ram, tiltable, STZY5, does not correspond to EN12999:2009, impermissible for crane	47 кг	73 700p.
	KSZ00219A+CE	1 pair stabilizer ram, tiltable, STZY5, incl. ISC, AUSVW, CE compliant	47 кг	93 900p.
	BS253	Stabilizers manual	14 кг	17 300p.
	KSZ00269A+STD*	1 stabilizer ram, rigid, STZS5, STU7, does not correspond to EN12999:2009, impermissible for crane	46 кг	41 400p.
	KSZ00269A+CE*	1 stabilizer ram, rigid, STZS5, STU7 inkl. ISC, AUSVW, CE compliant	46 кг	51 200p.
	KSZ00271A+STD*	1 stabilizer ram, rigid, STZS5, does not correspond to EN12999:2009, impermissible for crane	41 кг	37 900p.
	KSZ00271A+CE*	1 stabilizer ram, rigid, STZS5, incl. ISC, AUSVW, CE compliant	41 кг	46 600p.
	UT032	Oil tank 20l	10 кг	18 000p.
	KTK017-BA	Oil tank cpl.; 45L; steel	23 кг	42 200p.
	UZ325	Mounting hardware for 1 - 4 mt small cranes	21 кг	16 800p.
	UZ336S	Kit mounting bolt PC3800	110 кг	20 200p.
	EP 209/12V	12V Geared pump with magnetic clutch	9 кг	47 600p.
EP 209/24V	24V Geared pump with magnetic clutch	10 кг	47 600p.	
EP1980B	Hydraulic aggregate 12V 1,5kW in steel box	19 кг	44 300p.	
EP1981B	Hydraulic aggregate 24V 1,5kW in steel box	19 кг	44 300p.	
EP1983B	Hydraulic aggregate 12V 3,0 kW in steel box	25 кг	60 600p.	
EP1984B	Hydraulic aggregate 24V 3,0 kW in steel box	25 кг	60 600p.	

Дополнительные аутригеры

наименование	модель	описание	вес	цена
BS001-SA-A		Additional stabilizer R 2100 - 2300 mm (H150/B130)	104 кг	65 100p.
*HPSC		Stability control: cylinder extended - For ISC and HPSC - cranes EN12999:2011 - obligatory	0 кг	29 600p.
ABSTW		fully retracted position of the stabilizer rams	0 кг	42 900p.
BEL		LED- warning light on the stabilizer rams	0 кг	22 900p.
*12V / 24V		If you have selected one of the previous features you have to indicate the correct voltage rate EN129	0 кг	0p.

Дополнительные
аутриггеры

RAL	Special colour (RAL) für BB040 oder BB041	0 кг	31 900p.
KRANK	Similar to the crane, the stabilizer system can be treated with a protective, washable layer	0 кг	2 600p.
EKAT	Spare part catalogue - printed	0 кг	3 200p.
BS002-SA-A	Additional stabilizer R1X 3400 mm (H180/B150)	180 кг	135 600p.
BS002-SA-M	Additional stabilizer manual R1 3400mm (H180/B150)	155 кг	109 600p.
*HPSC	Stability control: cylinder extended - For ISC and HPSC - cranesEN12999:2011 - obligatory	0 кг	36 000p.
*AUSW	Transport position monitoring : outrigger completely retractedEN12999:2011 - obligatory	0 кг	11 600p.
ABSTW	fully retracted position of the stabilizer rams	0 кг	60 100p.
BEL	LED- warning light on the stabilizer rams	0 кг	22 900p.
*12V / 24V	If you have selected one of the previous features you have to indicate the correct voltage rate EN129	0 кг	0p.
JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	12 000p.
RAL	Special colour (RAL) für BB040 oder BB041	0 кг	31 900p.
KRANK	Similar to the crane, the stabilizer system can be treated with a protective, washable layer	0 кг	2 600p.
EKAT	Spare part catalogue - printed	0 кг	3 200p.
BS003-SA-A	Additional stabilizer R1X 4400 mm (H200/B320)	411 кг	240 300p.
*HPSC - PAL50	Proportional stability control vor cranes with Paltronic 50 *EN12999:2011 - obligatory	0 кг	52 000p.
*HPSC - PAL150	Proportional stability control vor cranes with Paltronic 150 *EN12999:2011 - obligatory	0 кг	65 800p.
*AUSW	Transport position monitoring : outrigger completely retractedEN12999:2011 - obligatory	0 кг	11 600p.
ABSTW	fully retracted position of the stabilizer rams	0 кг	60 100p.
BEL	LED- warning light on the stabilizer rams	0 кг	22 900p.
*12V / 24V	If you have selected one of the previous features you have to indicate the correct voltage rate EN129	0 кг	0p.
JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	12 000p.
RAL	Special colour (RAL) für BB040 oder BB041	0 кг	31 900p.
*ADECK	Lateral covering of the outrigger box to protect the inner hoses and electrical wires from the ingress c	0 кг	5 000p.
KRANK	Similar to the crane, the stabilizer system can be treated with a protective, washable layer	0 кг	2 600p.
EKAT	Spare part catalogue - printed	0 кг	3 200p.
BS004-SA-A	Additional stabilizer R2X 5200 mm (H200/B320)	476 кг	295 300p.
BS005-SA-A	Additional stabilizer R2X 5200 mm (H330/B250)	456 кг	277 100p.
BS006-SA-A	Additional stabilizer R2X 5900 mm (H250/B400)	664 кг	481 100p.
BS007-SA-A	Additional stabilizer R2X 5900 mm (H350/B320)	605 кг	416 000p.
*HPSC - PAL50	Proportional stability control vor cranes with Paltronic 50 *EN12999:2011 - obligatory	0 кг	60 100p.
*HPSC - PAL150	Proportional stability control vor cranes with Paltronic 150 *EN12999:2011 - obligatory	0 кг	73 800p.
*AUSW	Transport position monitoring : outrigger completely retractedEN12999:2011 - obligatory	0 кг	11 600p.
ABSTW	fully retracted position of the stabilizer rams	0 кг	60 100p.
BEL	LED- warning light on the stabilizer rams	0 кг	22 900p.
*12V / 24V	If you have selected one of the previous features you have to indicate the correct voltage rate EN129	0 кг	0p.
JIC	Option of screw joint 37° flare type fitting (JIC)	0 кг	12 000p.
*ADECK	Lateral covering of the outrigger box to protect the inner hoses and electrical wires from the ingress c	0 кг	5 000p.
RAL	Special colour (RAL) für BB040 oder BB041	0 кг	31 900p.
KRANK	Similar to the crane, the stabilizer system can be treated with a protective, washable layer	0 кг	2 600p.
EKAT	Spare part catalogue - printed	0 кг	3 200p.
BS1003A	Additional stabilizer 7100 mm	1118 кг	517 900p.
BS1242A-1	Additional stabilizer 8,5M; 210KN	1702 кг	823 300p.
*HPSC-PAL50-ADECK	Proportional stability control vor cranes with Paltronic 50 including lateral covering of the outrigger bo	0 кг	64 900p.
*HPSC-PAL150-ADECK	Proportional stability control vor cranes with Paltronic 150 including lateral covering of the outrigger b	0 кг	78 700p.
*AUSW	Transport position monitoring : outrigger completely retractedEN12999:2011 - obligatory	0 кг	11 600p.
ABSTW	fully retracted position of the stabilizer rams	0 кг	60 100p.
*12V / 24V	If you have selected one of the previous features you have to indicate the correct voltage rate EN129	0 кг	0p.
BEL	LED- warning light on the stabilizer rams	0 кг	22 900p.
RAL	Special colour (RAL) für BB040 oder BB041	0 кг	31 900p.
KRANK	Similar to the crane, the stabilizer system can be treated with a protective, washable layer	0 кг	2 600p.
EKAT	Spare part catalogue - printed	0 кг	3 200p.
KSZ00233A	Kit of stabilizer rams rigid, short version for BS001-BS002, mounting above the vehicle frame	95 кг	86 700p.
KSZ00234A	Kit of stabilizer rams rigid, long version for BS001-BS002, mounting above the vehicle frame	110 кг	89 700p.
KSZ00243A	Kit of stabilizer rams, tiltable for BS001-BS002, mounting above the vehicle frame	123 кг	130 700p.
KSZ00235A	Kit of stabilizer rams rigid, short version for BS001-BS002, mounting below the vehicle frame	87 кг	79 900p.
KSZ00236A	Kit of stabilizer rams rigid, long version for BS001-BS002, mounting below the vehicle frame	95 кг	86 700p.
KSZ00283A	Stabilizer ram	154 кг	192 200p.
KSZ00159A	Kit stabilizer rams rigid for BS004 retracted 675 mm; extended 1255 mm	124 кг	97 200p.
KSZ00160A	Kit stabilizer rams, rigid, long for BS004, retracted 874 mm; extended 1629 mm	144 кг	102 700p.
KSZ00190A	Kit stabilizer rams, tiltable 55°; for BS004 retracted 825 mm; extended 1300 mm	148 кг	140 000p.
KSZ00192B	Kit stabilizer rams, tiltable, long for BS004 retracted 881 mm; extended 1411 mm	172 кг	224 900p.
KSZ00161A	Kit stabilizer rams rigid for BS005 retracted 70 mm; extended 540 mm	113 кг	89 300p.
KSZ00162A	Kit stabilizer rams, rigid, long for BS005 retracted 240 mm; extended 820 mm	125 кг	98 100p.
KSZ00167A	Kit stabilizer rams rigid for BS006 retracted 650 mm; extended 1230 mm	126 кг	97 600p.
KSZ00168A	Kit stabilizer rams, rigid, long for BS006 retracted 849 mm; extended 1604 mm	148 кг	103 300p.
KSZ00193A	Kit stabilizer rams, tiltable 55° for BS006 retracted 800 mm; extended 1275 mm	148 кг	140 100p.
KSZ00194B	Kit stabilizer rams, tiltable 180°, long for BS006 retracted 856 mm; extended 1386 mm	172 кг	226 500p.
KSZ00169A	Kit stabilizer rams rigid for BS007 retracted 400 mm; extended 870 mm	115 кг	95 300p.
KSZ00170A	Kit stabilizer rams, rigid, long for BS007 retracted 675 mm; extended 1150 mm	130 кг	97 200p.
BS1284	Stabilizer rams stroke 610mm (BS1003A / BS1242A-1)	224 кг	216 000p.
BS1285	Stabilizer ram stroke 524mm (BS1003A / BS1242A-1)	218 кг	208 500p.
BS1321	Stabilizer ram stroke 379mm (BS1003A / BS1242A-1)	196 кг	201 000p.
KSZ00237A	Kit of stabilizer rams rigid, short version for BS001-BS002, mounting above the vehicle frame, JIC	95 кг	96 600p.
KSZ00238A	Kit of stabilizer rams rigid, long version for BS001-BS002, mounting above the vehicle frame, JIC	110 кг	99 600p.
KSZ00244A	Kit of stabilizer rams, tiltable for BS001-BS002, mounting above the vehicle frame, JIC	95 кг	140 600p.
KSZ00239A	Kit of stabilizer rams rigid, short version for BS001-BS002, mounting below the vehicle frame, JIC	87 кг	89 800p.
KSZ00240A	Kit of stabilizer rams rigid, long version for BS001-BS002, mounting below the vehicle frame, JIC	95 кг	96 600p.
KSZ00174A	Kit stabilizer rams rigid for BS004 JIC retracted 675 mm; extended 1255 mm	124 кг	119 900p.
KSZ00210A	Kit stabilizer rams, tiltable 55°; for BS004 JIC retracted 825 mm; extended 1300 mm	148 кг	168 800p.
KSZ00211B	Kit stabilizer rams, tiltable, long for BS004 JIC, retracted 881 mm; extended 1411 mm	172 кг	198 600p.
KSZ00178A	Kit stabilizer rams, rigid for BS005 JIC retracted 70 mm; extended 540 mm	113 кг	111 000p.
KSZ00180A	Kit stabilizer rams, rigid, long for BS005 JIC retracted 240 mm; extended 820 mm	125 кг	121 000p.
KSZ00176A	Kit stabilizer rams, rigid, long for BS004 JIC retracted 874 mm; extended 1629 mm	144 кг	126 100p.
KSZ00182A	Kit stabilizer rams, rigid for BS006 JIC retracted 650 mm; extended 1230 mm	126 кг	120 300p.
KSZ00184A	Kit stabilizer rams, rigid, long for BS006 JIC retracted 849 mm; extended 1604 mm	148 кг	127 000p.
KSZ00212A	Kit stabilizer rams, tiltable 55° for BS006 JIC retracted 800 mm; extended 1275 mm	148 кг	169 000p.
KSZ00213B	Kit stabilizer rams, tiltable 180°, long for BS006 JIC retracted 856 mm; extended 1386 mm	192 кг	199 800p.
KSZ00186A	Kit stabilizer rams, rigid for BS007 JIC retracted 400 mm; extended 870 mm	115 кг	118 100p.
KSZ00188A	Kit stabilizer rams, rigid, long for BS007 JIC retracted 675 mm; extended 1150 mm	130 кг	119 900p.
HXE9162	Stabilizer extension 100 mm for BS001, BS002, 1 pc.	2 кг	5 000p.
HXE3230	Stabilizer extension 200 mm for BS001, BS002, 1 pc.	3 кг	4 600p.
HXE7886	Stabilizer extension 100 mm	3 кг	4 600p.

HXE3507	Stabilizer extension 200 mm	4 кг	5 000р.
BS085A	Additional stabilizer with adjust. legs 6,1m	1154 кг	528 400р.
BS086	Additional stabilizer "R1XY" 6100 mm	890 кг	455 700р.
BS1286	Additional stabilizer STZY 8600mm	1495 кг	1 082 600р.
BS1298	Additional stabilizer STZS 8600mm	1230 кг	986 200р.
BS1333	1 pair stabilizer rams with supporting monitoring 451 mm - CE	105 кг	129 100р.
BS1334	1 pair stabilizer rams with supporting monitoring 416 mm - CE	105 кг	129 100р.
BS1335	1 pair stabilizer rams with supporting monitoring 632mm - CE	123 кг	135 000р.
BS1322B	Front stabilizer; kit; max. 100kN	54 кг	70 600р.
BS1323B	Front stabilizer; kit; max. 150 kN	84 кг	80 200р.
KSZ00284A	Front stabilizer; kit; max. 200 kN	78 кг	104 700р.
US1070	2-section-control-valve for additional stabilizers	6 кг	21 800р.
US891	4-section-control-valve für additional stabilizers	9 кг	33 200р.
KSC00012A	Control valve	5 кг	13 300р.
EZ2261-400	Stabilizer pad; diameter 400mm	5 кг	20 700р.
EZ2261-500	Stabilizer pad diameter 500 mm	9 кг	26 900р.
EZ2189-300	Stabilizer pad; measurements 300x300x40 mm	3 кг	9 000р.
EZ2189-400	Stabilizer pad; measurements 400x400x50 mm	7 кг	10 400р.
EZ2189-500	Stabilizer pad; measurements 500x500x60 mm	14 кг	12 100р.
EZ2189-600	Stabilizer pad; measurements 600x600x60 mm	11 кг	13 800р.
EZ2189-800	Stabilizer pad; measurements 800x800x60 mm	11 кг	20 100р.
EZ2262-400	Securing device for EZ2261-400	5 кг	4 000р.
EZ2262-500	Securing device for EZ2261-500	5 кг	4 700р.
EZ2263-400	Securing device for EZ2261-400; KTL coated	3 кг	5 300р.
EZ2263-500	Securing device for EZ2261-500; KTL coated	3 кг	5 900р.
EZ2190-300	Mounting box for 2x EZ2189-300	9 кг	10 800р.
EZ2190-400	Mounting box for 2x EZ2189-400	10 кг	11 800р.
EZ2190-500	Mounting box for 2x EZ2189-500	8 кг	12 000р.
EZ2190-600	Mounting box for 2x EZ2189-600	14 кг	12 700р.
EZ2190-800	Mounting box for 2x EZ2189-800	16 кг	14 200р.
EZ2236-300	Mounting box for 1x EZ2189-300	9 кг	10 500р.
EZ2236-400	Mounting box for 1x EZ2189-400	9 кг	11 300р.
EZ2236-500	Mounting box for 1x EZ2189-500	11 кг	11 600р.
EZ2236-600	Mounting box for 1x EZ2189-600	13 кг	12 400р.

Вилочные подхваты

наименование	модель	описание	вес	цена
PZP150H-PK		Pallet fork package hydraulically shifting and tines with continuous spindle adjustment; load capacity 1500kg; TL 980mm; incl. PZP150H-PK	188 кг	256 300р.
PZP200H-PK		Pallet fork package hydraulically shifting and tines with continuous spindle adjustment; load capacity 2000kg; TL 980mm; incl. PZP200H-PK	213 кг	283 200р.
PZP250H-PK		Pallet fork package hydraulically shifting and tines with continuous spindle adjustment; load capacity 2500kg; TL 980mm; incl. PZP250H-PK	268 кг	344 300р.
PZP150		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 1500kg; TL 980mm; incl. PZP150	120 кг	75 100р.
PZP200		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2000kg; TL 980mm; incl. PZP200	130 кг	83 400р.
PZP150WP		Universal fork; package; load capacity 1500kg; depth of load 460mm; height of load 1250mm; tine spacing 150mm; incl. PZP150WP	410 кг	447 600р.
PZP200WP		Universal fork; package; load capacity 2000kg; depth of load 650mm; height of load 1250mm; tine spacing 150mm; incl. PZP200WP	410 кг	455 200р.
PZP250WP		Universal fork; package; load capacity 2500kg; depth of load 650mm; height of load 1250mm; tine spacing 150mm; incl. PZP250WP	440 кг	469 400р.
PZP150H		Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 1500kg; TL 980mm; incl. PZP150H	150 кг	192 300р.
PZP200H		Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2000kg; TL 980mm; incl. PZP200H	175 кг	219 800р.
PZP250H		Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2500kg; TL 980mm; incl. PZP250H	230 кг	282 500р.
PZP150HL		Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 1500kg; TL 980mm; incl. PZP150HL	180 кг	179 900р.
PZP200HL		Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2000kg; TL 980mm; incl. PZP200HL	230 кг	229 600р.
PZP250HL		Pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2500kg; TL 980mm; incl. PZP250HL	250 кг	295 700р.
PZP150H-T		Telescopic pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 1500kg; TL 980mm; incl. PZP150H-T	165 кг	253 400р.
PZP200H-T		Telescopic pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2000kg; TL 980mm; incl. PZP200H-T	190 кг	283 400р.
PZP250H-T		Telescopic pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2500kg; TL 980mm; incl. PZP250H-T	250 кг	374 700р.
PZP150HL-T		Telescopic pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 1500kg; TL 980mm; incl. PZP150HL-T	195 кг	262 500р.
PZP200HL-T		Telescopic pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2000kg; TL 980mm; incl. PZP200HL-T	250 кг	305 200р.
PZP250HL-T		Telescopic pallet fork hydraulically shifting and tines with continuous spindle adjustment; load capacity 2500kg; TL 980mm; incl. PZP250HL-T	270 кг	389 900р.
PZP150V		Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 1500kg; TL 980mm; incl. PZP150V	130 кг	128 400р.
PZP200V		Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2000kg; TL 980mm; incl. PZP200V	150 кг	141 700р.
PZP250V		Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2500kg; TL 980mm; incl. PZP250V	210 кг	195 300р.
PZP300V		Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 3000kg; TL 980mm; incl. PZP300V	225 кг	240 900р.
PZP150VL		Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 1500kg; TL 1150mm; incl. PZP150VL	165 кг	154 300р.
PZP200VL		Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2000kg; TL 1150mm; incl. PZP200VL	205 кг	185 500р.
PZP250VL		Pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2500kg; TL 1150mm; incl. PZP250VL	230 кг	222 500р.
PZP150V-T		Telescopic pallet fork self balancing and tines with continuous spindle adjustment; load capacity 1500kg; TL 980mm; incl. PZP150V-T	145 кг	203 900р.
PZP200V-T		Telescopic pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2000kg; TL 980mm; incl. PZP200V-T	165 кг	238 800р.
PZP250V-T		Telescopic pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2500kg; TL 980mm; incl. PZP250V-T	230 кг	297 400р.
PZP150VL-T		Telescopic pallet fork self balancing and tines with continuous spindle adjustment; load capacity 1500kg; TL 1150mm; incl. PZP150VL-T	180 кг	212 400р.
PZP200VL-T		Telescopic pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2000kg; TL 1150mm; incl. PZP200VL-T	225 кг	257 100р.
PZP250VL-T		Telescopic pallet fork self balancing and tines with continuous spindle adjustment; load capacity 2500kg; TL 1150mm; incl. PZP250VL-T	250 кг	306 500р.
PZP150VS		Pallet fork self shifting and tines with lock pin adjustment; load capacity 1500kg; TL 980mm; incl. PZP150VS	135 кг	100 600р.
PZP200VS		Pallet fork self shifting and tines with lock pin adjustment; load capacity 2000kg; TL 980mm; incl. PZP200VS	155 кг	109 900р.
PZP250VS		Pallet fork self shifting and tines with lock pin adjustment; load capacity 2500kg; TL 980mm; incl. PZP250VS	180 кг	174 600р.
PZP300VS		Pallet fork self shifting and tines with lock pin adjustment; load capacity 3000kg; TL 980mm; incl. PZP300VS	215 кг	206 500р.
PZP150VSL		Pallet fork self shifting and tines with lock pin adjustment; load capacity 1500kg; TL 1150mm; incl. PZP150VSL	170 кг	134 800р.
PZP200VSL		Pallet fork self shifting and tines with lock pin adjustment; load capacity 2000kg; TL 1150mm; incl. PZP200VSL	200 кг	146 800р.
PZP250VSL		Pallet fork self shifting and tines with lock pin adjustment; load capacity 2500kg; TL 1150mm; incl. PZP250VSL	215 кг	187 000р.
PZP300VSL		Pallet fork self shifting and tines with lock pin adjustment; load capacity 3000kg; TL 1150mm; incl. PZP300VSL	225 кг	224 800р.
PZP150		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 1500kg; TL 980mm; incl. PZP150	120 кг	76 700р.
PZP200		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2000kg; TL 980mm; incl. PZP200	130 кг	85 100р.
PZP150M		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 1500kg; TL 980mm; incl. PZP150M	125 кг	95 900р.
PZP200M		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2000kg; TL 980mm; incl. PZP200M	140 кг	106 800р.
PZP250M		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2500kg; TL 980mm; incl. PZP250M	165 кг	133 300р.
PZP300M		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 3000kg; TL 980mm; incl. PZP300M	200 кг	154 000р.
PZP150ML		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 1500kg; TL 1150mm; incl. PZP150ML	150 кг	99 200р.
PZP200ML		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2000kg; TL 1150mm; incl. PZP200ML	195 кг	113 800р.
PZP250ML		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 2500kg; TL 1150mm; incl. PZP250ML	200 кг	142 400р.
PZP300ML		Pallet fork with manual shifting and tines with lock pin adjustment; load capacity 3000kg; TL 1150mm; incl. PZP300ML	210 кг	166 400р.
PZP200MF-FP		Pallet fork package (KM414-2000F); load capacity 2000kg; incl. PZP200MF-F, PZR450GF, BL462-R	189 кг	156 400р.
PZP200MF-WP		Pallet fork (KM414-2000F); load capacity 2000kg; suspension 428050295 for shaft 68mm; incl. PZR4	189 кг	166 300р.

Вилочные подхваты

PZP200MF-HP	Pallet fork (KM414-2000f); load capacity 2000kg; suspension 428050288 for crane hook; with Palfing	150 kr	92 500p.
PZP250MF-WP	Pallet fork (KM414-2500f); load capacity 2500kg; suspension for shaft 68mm; incl. PZR450G-68, UL	219 kr	172 400p.
PZP200MF-F	Pallet fork (KM414-2000f); load capacity 2000kg; suspension 428050293 for flange; Palfinger labels	150 kr	92 500p.
PZP200MF	Pallet fork (KM414-2000f); load capacity 2000kg; suspension 428050295 for shaft 68mm; incl. Palfing	150 kr	92 500p.
PZP200MF-H	Pallet fork (KM414-2000f); load capacity 2000kg; suspension 428050288 for crane hook; with Palfing	150 kr	92 500p.
PZP250MF	Pallet fork (KM414-2500f); load capacity 2500kg; suspension for shaft 68mm; incl. Palfinger labels	165 kr	98 500p.
PZP150W	Universal fork; load capacity 1500kg; depth of load 460mm; height of load 1250mm; tine spread 640	380 kr	286 200p.
PZP200W	Universal fork; load capacity 2000kg; tine spread 640 - 1600mm; depth of load 460mm; height of loa	390 kr	304 200p.
PZP250W	Universal fork; load capacity 2500kg; depth of load 460mm; height of load 1250mm; tine spread 640	400 kr	319 000p.
PZP150WP-K	Universal fork (KM461-1500c); package; load capacity 1500kg; depth of load 460mm; height of load	410 kr	458 900p.
PZP080W-K	Universal fork; load capacity 800kg; depth of load 460mm; height of load 1250mm; tine spread 600 -	280 kr	270 800p.
PZP100W-K	Universal fork; load capacity 1000kg; depth of load 460mm; height of load 1250mm; tine spread 640	340 kr	281 000p.
PZP150W-K	Universal fork; load capacity 1500kg; depth of load 460mm; height of load 1250mm; tine spread 640	380 kr	326 400p.
PZP200W-K	Universal fork; load capacity 2000kg; tine spread 640 - 1600mm; depth of load 460mm; height of loa	390 kr	307 100p.
PZP250W-K	Universal fork; load capacity 2500kg; depth of load 460mm; height of load 1250mm; tine spread 640	400 kr	14 500p.
PZP150WA-K	Universal fork with 2. suspension point on main beam; load capacity 1500kg; depth of load 460mm; h	390 kr	356 700p.

Гидронасосы, радиаторы и гидробаки

наименование	модель	описание	вес	цена
EP 340		Axial piston fixed pump REXROTH KFA23; displacement volume 22,9 cm ³ ; incl. suction connection	6 кг	42 100p.
EP 341		Axial piston fixed pump REXROTH KFA32; displacement volume 32 cm ³ ;incl. suction connection EA	6 кг	45 500p.
EP 342		Axial piston fixed pump REXROTH KFA245 displacement volume 45,6 cm ³ ; incl. suction connection	8 кг	47 700p.
EP 344		Axial piston fixed pump REXROTH KFA63; displacement volume 63 cm ³ ; incl. suction connection EA	9 кг	51 500p.
EP 345		Axial piston fixed pump REXROTH KFA80; displacement volume 80,4 cm ³ ; incl. suction connection	12 кг	55 500p.
EP 346		Axial piston fixed pump REXROTH KFA107; displacement volume 106,7 cm ³ ; incl. suction connecti	15 кг	65 600p.
EP 347R		Axial piston fixed pump REXROTH; right rotation, displacement volume 2 x 63 cm ³	21 кг	116 800p.
EP 347L		Axial piston fixed pump REXROTH; left rotation, displacement volume 2 x 63 cm ³	21 кг	116 800p.
EP 348R		Axial piston fixed pump REXROTH; right rotation, displacement volume 2 x 80 cm ³	25 кг	122 500p.
EP 348L		Axial piston fixed pump REXROTH; left rotation, displacement volume 2 x 80 cm ³	25 кг	122 500p.
EP 653HD		Axial piston load sensing pump; REXROTH KVA55DRS; right rotation; displacement volume 55 cm ³	16 кг	123 400p.
EP 654HD		Axial piston load sensing pump; REXROTH KVA55DRS; left rotation; displacement volume 55 cm ³ ;	16 кг	123 400p.
EP 651HD		Axial piston load sensing pump; REXROTH KVA80DRS; right rotation; displacement volume 80 cm ³	20 кг	129 500p.
EP 652HD		Axial piston load sensing pump; REXROTH KVA80DRS; left rotation; displacement volume 80 cm ³ ;	20 кг	129 500p.
EP 649HD		Axial piston load sensing pump; REXROTH KVA107DRS; right rotation; displacement volume 107 cr	24 кг	137 400p.
EP 650HD		Axial piston load sensing pump; REXROTH KVA107DRS; left rotation; displacement volume 107 cm	24 кг	137 400p.
EA1287		Suction fitting REXROTH G 3/4" - 38 mm=1 1/2	0 кг	4 200p.
EA1287-45		Suction fitting REXROTH G 3/4" - 38 mm=1 1/2 - 45°	1 кг	4 600p.
EA1287-90		Suction fitting REXROTH G 3/4" - 38 mm=1 1/2 - 90°	0 кг	5 200p.
EA1288		Suction fitting REXROTH G 1" - 38 mm=1 1/2	1 кг	4 200p.
EA1288-45		Suction fitting REXROTH G 1" - 38 mm=1 1/2 - 45°	1 кг	4 600p.
EA1288-90		Suction fitting REXROTH G 1" - 38 mm=1 1/2 - 90°	0 кг	5 200p.
EA2111		Suction fitting REXROTH G1-50mm	0 кг	5 300p.
EA1290		Suction fitting REXROTH G 1 1/4" - 50 mm=2"	0 кг	5 300p.
EA1290-45		Suction fitting REXROTH G 1 1/4" - 50 mm=2" - 45°	1 кг	5 200p.
EA1290-90		Suction fitting REXROTH G 1 1/4" - 50 mm=2" - 90°	0 кг	5 600p.
EA1710		Suction fitting REXROTH G1 1/4" - 60 mm	1 кг	5 600p.
EA1986		REXROTH Suction fitting for EP 347 G 2", straight	0 кг	7 900p.
EA1985		REXROTH Suction fitting for EP 348 G 2 1/2", straight	0 кг	14 000p.
EH4720		Suction hose NW38x01700	2 кг	8 800p.
EH4721		Suction hose NW50x01700	4 кг	9 400p.
EH4722		Suction hose NW60x01700	1 кг	10 300p.
EH4560		Hydraulic hose NW16x00550	2 кг	9 100p.
EH1469		Pressure hose NW 20x00850	1 кг	9 400p.
EA1597		Pressure nipple R1/2"-3/4"	0 кг	900p.
EA1354		Pressure nipple R3/4" - R3/4"	0 кг	800p.
EA 085		Adaptor	0 кг	900p.
ED1131		Seal	0 кг	700p.
ED1132		Seal	0 кг	600p.
ED1133		Seal	0 кг	700p.
EP 678		Smart Plate for DFR1 control KVA	0 кг	12 600p.
EA1863		Adapter REXROTH KVA 7/16-20UNF	0 кг	4 200p.
EP1394A		Constant pump LEDUC, displacement volume 12 l	10 кг	39 300p.
EP1395A		Axial piston constant pump Leduc, displacement 18 l	10 кг	39 800p.
EP1396A		Axial piston constant pump Leduc, displacement 25 l	10 кг	40 400p.
EP1397A		Axial piston constant pump, displacement 32 l	12 кг	41 100p.
EP1398A		Axial piston constant pump Leduc, displacement 41 l	12 кг	41 300p.
EP1399A		Axial piston constant pump, displacement 50,3 l	12 кг	41 600p.
EP1400A		Axial piston constant pump Leduc, displacement 63 l	12 кг	48 000p.
EP1401A		Axial piston constant pump Leduc, displacement 80 l	15 кг	50 800p.
EP1402A		Axial piston constant pump Leduc, displacement 108,3 l	15 кг	56 400p.
EP1403A		Axial piston constant pump Leduc, displacement 129,8 l	16 кг	63 100p.
EP1394A		Constant pump LEDUC, displacement volume 12 l	10 кг	39 300p.
EP1395A		Axial piston constant pump Leduc, displacement 18 l	10 кг	39 800p.
EP1396A		Axial piston constant pump Leduc, displacement 25 l	10 кг	40 400p.
EP1397A		Axial piston constant pump, displacement 32 l	12 кг	41 100p.
EP1398A		Axial piston constant pump Leduc, displacement 41 l	12 кг	41 300p.
EP1399A		Axial piston constant pump, displacement 50,3 l	12 кг	41 600p.
EP1400A		Axial piston constant pump Leduc, displacement 63 l	12 кг	48 000p.
EP1401A		Axial piston constant pump Leduc, displacement 80 l	15 кг	50 800p.
EP1402A		Axial piston constant pump Leduc, displacement 108,3 l	15 кг	56 400p.
EP1403A		Axial piston constant pump Leduc, displacement 129,8 l	16 кг	63 100p.
EP 547		Constant pump LEDUC PA12	13 кг	39 800p.
EP 548		Constant pump LEDUC PA18	13 кг	39 800p.
EP 549		Constant pump LEDUC PA25	15 кг	39 800p.
EP 550		Constant pump LEDUC PA32	15 кг	41 600p.
EP 551		Constant pump LEDUC PA40	15 кг	41 600p.
EP 552		Constant pump LEDUC PA50	15 кг	44 100p.
EP 555		Constant pump LEDUC PA114	24 кг	72 400p.
EP 553		Constant pump LEDUC PAC65	16 кг	49 800p.
EP 554		Constant pump LEDUC PAC80	17 кг	55 600p.

Гидронасосы

EP 547	Constant pump LEDUC PA12	13 кг	39 800p.
EP 548	Constant pump LEDUC PA18	13 кг	39 800p.
EP 549	Constant pump LEDUC PA25	15 кг	39 800p.
EP 550	Constant pump LEDUC PA32	15 кг	41 600p.
EP 551	Constant pump LEDUC PA40	15 кг	41 600p.
EP 552	Constant pump LEDUC PA50	15 кг	44 100p.
EP 555	Constant pump LEDUC PA114	24 кг	72 400p.
EP 553	Constant pump LEDUC PAC65	16 кг	49 800p.
EP 554	Constant pump LEDUC PAC80	17 кг	55 600p.
EP 589	Double flow pump LEDUC PA 2x25	16 кг	79 800p.
EP 582	Double flow pump LEDUC PA 2x40	24 кг	79 800p.
EP 583	Double flow pump LEDUC PA 2x50	24 кг	79 800p.
EP 556	Double flow pump LEDUC PA 2x57	24 кг	79 800p.
EP 502	Double flow pump LEDUC PA 2x75	27 кг	122 000p.
EP1158	Double flow pump LEDUC PA75x40	27 кг	122 000p.
EP1415	Double flow pump LEDUC PAD 2x67; 2x5 pistons	25 кг	111 900p.
EP1999	Double flow pump LEDUC PAD 2x32; 2x5 pistons	25 кг	95 800p.
EP2000	Double flow pump LEDUC PAD 2x40; 2x5 pistons	25 кг	95 800p.
EP2001	Double flow pump LEDUC PAD 2x57; 2x5 pistons	25 кг	95 800p.
EP 582	Double flow pump LEDUC PA 2x40	24 кг	79 800p.
EP 583	Double flow pump LEDUC PA 2x50	24 кг	79 800p.
EP 556	Double flow pump LEDUC PA 2x57	24 кг	79 800p.
EP 502	Double flow pump LEDUC PA 2x75	27 кг	122 000p.
EP 589	Double flow pump LEDUC PA 2x25	16 кг	79 800p.
EP1415	Double flow pump LEDUC PAD 2x67; 2x5 pistons	25 кг	111 900p.
EP1999	Double flow pump LEDUC PAD 2x32; 2x5 pistons	25 кг	95 800p.
EP2000	Double flow pump LEDUC PAD 2x40; 2x5 pistons	25 кг	95 800p.
EP2001	Double flow pump LEDUC PAD 2x57; 2x5 pistons	25 кг	95 800p.
EP1923R	Axial piston load sensing pump; right rotation; displacement volume 40 cm3, incl. EA1867	27 кг	120 000p.
EP1923L	Axial piston load sensing pump; left rotation; displacement volume 40 cm3, incl. EA1867	27 кг	120 000p.
EP 768R	Axial piston load sensing pump; right rotation; displacement volume 60 cm3, incl. EA1867	27 кг	123 300p.
EP 768L	Axial piston load sensing pump; left rotation; displacement volume 60 cm3, incl. EA1867	27 кг	123 300p.
EP 769R	Axial piston load sensing pump; right rotation; displacement volume 75 cm3, incl. EA1867	27 кг	124 300p.
EP 769L	Axial piston load sensing pump; left rotation; displacement volume 75 cm3, incl. EA1867	27 кг	124 300p.
EP 770R	Axial piston load sensing pump; right rotation; displacement volume 92 cm3, incl. EA1867-60	27 кг	128 200p.
EP 770L	Axial piston load sensing pump; left rotation; displacement volume 92 cm3, incl. EA1867-60	27 кг	128 200p.
EP 945R	Axial piston load sensing pump; right rotation; displacement volume 120 cm3, incl. EA1867-60	27 кг	141 000p.
EP 945L	Axial piston load sensing pump; left rotation; displacement volume 120 cm3, incl. EA1867-60	27 кг	141 000p.
EP1926R	Axial piston load sensing pump; right rotation; displacement volume 130 cm3, incl. EA1867-60	28 кг	153 200p.
EP1926L	Axial piston load sensing pump; left rotation; displacement volume 130 cm3, incl. EA1867-60	28 кг	153 200p.
EP 150R	Axial piston load sensing pump; right rotation; displacement volume 150 cm3, incl. EA1867-63	27 кг	181 600p.
EP 150L	Axial piston load sensing pump; left rotation; displacement volume 150 cm3, incl. EA1867-63	27 кг	181 600p.
EP1926U	Axial piston load sensing pump; displacement volume 130 cm3; dual rotating direction, with suction c	28 кг	167 400p.
EA1993	LEDUC-XP Suction fitting G 2 1/2" = 64,5mm	4 кг	5 000p.
EA1992	LEDUC-XP suction fitting G2" = 51,8mm	4 кг	4 800p.
EA1991	LEDUC-XP Suction fitting G 1 1/2"	4 кг	4 500p.
EA1993-90	LEDUC-XP Suction fitting G 2 1/2" = 64,5mm, 90°	4 кг	5 600p.
EA1992-90	LEDUC-XP suction fitting G2" = 51,8mm, 90°	4 кг	5 600p.
EA1991-90	LEDUC-XP Suction fitting G 1 1/2", 90°	4 кг	5 600p.
EA1731	Suction fitting G1 1/2"-40mm	1 кг	4 500p.
EA1867	Suction fitting G1 1/2"-50mm	1 кг	6 500p.
EA1867-60	Suction fitting G1 1/2" - d = 60mm for TXV (130)	1 кг	5 100p.
EA1867-63	Suction fitting G1 1/2", d = 63,5 mm - TXV (150)	1 кг	5 100p.
EA2148	Suction fitting G 2" - 50mm	1 кг	6 500p.
EA1987	LEDUC Suction fitting G 1 1/2"-3"	0 кг	10 800p.
EA2065	Flange LEDUC standard	1 кг	16 900p.
EA2066	Flange LEDUC PLT100	1 кг	16 100p.
EH4937	Suction hose NW40x01700	1 кг	9 400p.
EH4721	Suction hose NW50x01700	4 кг	9 400p.
EH4560	Hydraulic hose NW16x00550	2 кг	9 100p.
EA1354	Pressure nipple R3/4" - R3/4"	0 кг	800p.
ED1132	Seal	0 кг	600p.
ES2546	Setting screw LEDUC	1 кг	6 300p.
EEA6388	LS sensor for Hydro Leduc pump TXV130L	0 кг	31 300p.
EV5183	Bypass valve for XP12 - XP63	0 кг	23 700p.
EV5184B	Bypass valve for XP80 - XP130	1 кг	23 700p.
EP 703	Axial piston fixed pump SUNFAB; displacement volume 16,2 cm3	8 кг	42 600p.
EP 374	Axial piston fixed pump SUNFAB; displacement volume 25 cm3	9 кг	44 600p.
EP 373	Axial piston fixed pump SUNFAB; displacement volume 34 cm3	9 кг	49 400p.
EP 367	Axial piston fixed pump SUNFAB; displacement volume 47 cm3	12 кг	51 600p.
EP1150	Axial piston fixed pump SUNFAB; displacement volume 56 cm3	12 кг	59 300p.
EP 368	Axial piston fixed pump SUNFAB; displacement volume 63,5 cm3	12 кг	59 300p.
EP 369	Axial piston fixed pump SUNFAB; displacement volume 83,5 cm3	17 кг	65 800p.
EP 370	Axial piston fixed pump SUNFAB; displacement volume 108 cm3	17 кг	81 300p.
EP 528	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 46 + 46 cm3;	21 кг	102 600p.
EP 506	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 53 + 53 cm3	22 кг	103 600p.
EP1151	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 56 + 26 cm3; right	18 кг	148 000p.
EP1152	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 56 + 26 cm3; left	18 кг	148 000p.
EP 506	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 53 + 53 cm3	22 кг	103 600p.
EP 528	Axial piston fixed pump; double flow pump SUNFAB; displacement volume 46 + 46 cm3;	21 кг	102 600p.
EP 850R	Axial piston load sensing pump Sunfab; right rotation, displacement volume 92 cm3	26 кг	163 200p.
EP 850L	Axial piston load sensing pump Sunfab; left rotation, displacement volume 92 cm3	26 кг	167 300p.
EP 851R	Axial piston load sensing pump Sunfab; right rotation; displacement volume 112 cm3	28 кг	181 800p.
EP 851L	Axial piston load sensing pump Sunfab; left rotation; displacement volume 112 cm3	28 кг	181 800p.
EA1851	Suction fitting SUNFAB G 1 1/2" - 38 mm	1 кг	5 700p.
EA1852	Suction fitting SUNFAB G 2" - 50 mm	2 кг	5 900p.
EA2361	Suction fitting SUNFAB 63mm 45°	0 кг	5 700p.
EH4720	Suction hose NW38x01700	2 кг	8 800p.
EH4721	Suction hose NW50x01700	4 кг	9 400p.
EH4560	Hydraulic hose NW16x00550	2 кг	9 100p.
EA1354	Pressure nipple R3/4" - R3/4"	0 кг	800p.
ED1132	Seal	0 кг	600p.

Электрогидравлические агрегаты	EP1498	Hydraulic aggregate 7,5 kW	125 кг	346 400p.
	EP1499	Control box for motor-pump unit 7,5 kW	38 кг	238 200p.
	EP1500	Hydraulic aggregate 15,0 kW	200 кг	424 000p.
	EP1501	Control box for motor-pump unit 15,0 kW	41 кг	282 600p.
	EP1901	Hydraulic aggregate 15kW stationary crane operation	346 кг	778 400p.
	EP1902	Hydraulic aggregate 30kW stationary crane operation	554 кг	987 300p.
	EP1903	Hydraulic aggregate 55kW stationary crane operation	834 кг	1 234 400p.
	EP1904	Hydraulic aggregate 75kW stationary crane operation	1146 кг	1 553 300p.
	EEA11010	Control cabinet for EP1901	39 кг	213 400p.
	EEA11011	Control cabinet for EP1902	45 кг	256 600p.
	EEA11012	Control cabinet for EP1903	67 кг	377 300p.
	EEA11013	Control cabinet for EP1904	67 кг	416 300p.
	HXE4940	Oil pan for EP1901	109 кг	104 400p.
	HXE4941	Oil pan for EP1902 and EP1903	156 кг	133 000p.
	HXE4942	Oil pan for EP1904	194 кг	153 500p.
EEA11014	Oil tank heater for EP1901 - 1904	2 кг	106 600p.	
Радиаторы	BKA62-12V	Oil cooler; 8.5kW; 12V	16 кг	37 300p.
	BKA62-24V	Oil cooler; 8.5kW; 24V	8 кг	37 300p.
	EP 629-12V	Oil cooler; 8.5kW; 12V; without housing	11 кг	36 000p.
	EP 629-24V	Oil cooler; 8.5kW; 24V; without housing	11 кг	36 000p.
	BKA27-24VS	Oil cooler; kit; 8,5kW; 24V; for mounting on the crane	23 кг	44 400p.
	BKA31-24VS	Oil cooler; kit; 8,5kW; 24V; mounted on truck	22 кг	38 300p.
	BKA21	Oil cooler; 8.5kW; 12V; incl. housing	23 кг	45 800p.
	BKA24	Oil cooler; 8.5kW; 24V; incl. housing	23 кг	45 800p.
	BKA29	Oil cooler; 10.5kW; 12V; incl. housing	25 кг	58 000p.
	BKA30	Oil cooler; 10.5kW; 24V; incl. housing	25 кг	58 000p.
	BKA40	Oil cooler; 20 kW; 12V; incl. housing	36 кг	66 000p.
	BKA41	Oil cooler; 20kW; 24V; incl. housing	36 кг	66 000p.
	BKA34	Oil cooler; 20kW; 24V; without housing	23 кг	59 700p.
	BKA57	Oil cooler 10 kW 12V	11 кг	52 300p.
	BKA56	Oil cooler; 10.5kW; 24V; without housing	13 кг	49 600p.
Гидробаки	KTK001-CB	Oil tank; 75L; aluminium version Attention: Mounting brackets are NOT included	13 кг	79 700p.
	KTK021-CB	Oil tank; 100L; aluminium version Attention: Mounting brackets are NOT included	17 кг	81 300p.
	KTK002-CB	Oil tank; 140L; aluminium version Attention: Mounting brackets are NOT included	20 кг	82 800p.
	KTK003-CB	Oil tank; 200L; aluminium version Attention: Mounting brackets are NOT included	23 кг	86 300p.
	KTK004-CB	Oil tank; 300L; aluminium version Attention: Mounting brackets are NOT included	31 кг	91 800p.
	KTK005-CB	Oil tank; 400L; aluminium version Attention: Mounting brackets are NOT included	38 кг	97 200p.
	KTK001-BB	Oil tank; 75L; aluminium version; incl. mounting parts and bracket	13 кг	102 400p.
	KTK021-BB	Oil tank; 100L; aluminium version; incl. mounting parts and bracket	19 кг	103 900p.
	KTK002-BB	Oil tank; 140L; aluminium version; incl. mounting parts and bracket	20 кг	111 200p.
	KTK003-BB	Oil tank; 200L; aluminium version; incl. mounting parts and bracket	23 кг	114 600p.
	KTK004-BB	Oil tank; 300L; aluminium version; incl. mounting parts and bracket	31 кг	120 300p.
	KTK005-BB	Oil tank; 400L; aluminium version; incl. mounting parts and bracket	38 кг	125 600p.
	UT032	Oil tank 20l	10 кг	18 000p.
	KTK017-BA	Oil tank cpl.; 45L; steel	23 кг	42 200p.
	KTK001-BA	Oil tank cpl.; 75L; steel	39 кг	40 900p.
	KTK021-BA	Oil tank cpl.; 100L; steel	45 кг	41 000p.
	KTK002-BA	Oil tank cpl.; 140L; steel	81 кг	49 200p.
	KTK003-BA	Oil tank cpl.; 200L; steel	87 кг	53 700p.
	KTK004-BA	Oil tank cpl.; 300L; steel	98 кг	55 100p.
	KTK005-BA	Oil tank cpl.; 400L; steel	98 кг	63 000p.
	KTK007-BA	Oil tank cpl.; 300L; steel	167 кг	56 500p.
	VOLUME DISCOUNT	By type and order: from 6 units -3% ; from 12 units -7% ; From 18 units 12%	0 кг	14 500p.
	KTK-BFS	Compensating element - tank bracket, depressed center	0 кг	2 200p.
	KTK-BF04	Compensating element - tank bracket, straight; thickness 25 mm	0 кг	800p.
	KTK-BF10	Compensating element - tank bracket, straight; thickness 25 mm	0 кг	900p.
	KTK-BF25	Compensating element - tank bracket, straight; thickness 25 mm	0 кг	2 600p.
	KTK001-DA	Bracket cpl. for KTK001 - KTK021; steel	2 кг	10 200p.
	KTK002-DA	Bearing steel complete for KTK002 - KTK005	2 кг	11 100p.
	KTK001-DB	Bracket cpl. for KTK001 - KTK021; aluminium	2 кг	38 100p.
	KTK002-DB	Bracket cpl. for KTK002 - KTK005; aluminium	2 кг	41 200p.
	EA2102	Suction fitting G2" - 60 mm for retrofit of a shut-off cock NW 50 to 60 mm	0 кг	4 100p.
	EA1390	Shut-off cock	1 кг	3 900p.
	EA1818	Angle piece 1 1/4"	1 кг	2 400p.
	EV4512	Shut-off cock 2"	3 кг	4 400p.
	EA1817	Pipe bend 2"	1 кг	2 700p.
EV4512	Shut-off cock 2"	3 кг	4 400p.	
EA1901	Adaptor 2"	0 кг	3 500p.	
EEA6330	Sensor for oil temperature	2 кг	15 800p.	